

inconsolata-nerd-font—Support package to use the Inconsolata Nerd Font TrueType fonts

Stephan Lukasczyk*

v0.4, 2023-12-08

Abstract

Inconsolata is a monospaced font designed by Raph Levien. It is already available via the `inconsolata` package. However, that package provides a pretty old version of the font; Additionally, the Nerd Font project extended the font by a huge amount of additional glyphs. This package provides the font itself and a convenient interface to load the font for the $\text{Xe}_{\text{L}}\text{TeX}$ and $\text{Lua}_{\text{E}}\text{TeX}$ engines.

Contents

1	User Manual	1
1.1	License	2
1.2	Helper Macros	2
1.3	Package Arguments	2
1.4	Font Macros	3
2	Font Tables	3
2.1	Regular	3
2.2	Mono Regular	10
2.3	Proportional Regular	17
3	Implementation	25
3.1	Options	25
3.2	Load the Font	26
	Index	27
	Change History	28

*E-mail: stephan@dante.de

1 User Manual

The Inconsolata font is a monospaced font designed by Raph Levien. Its current version is available from the Google Fonts project.¹ There exists an extension of this font by the Nerd Font project,² which adds a huge amount of additional glyphs, especially useful for developers, to the original font. The extended version is available from GitHub.³ This package provides the TrueType font files and a convenient way to use the font with the X_YTeX or LuaTeX engines.

This user guide gives a brief introduction into the possibilities provided by the `inconsolata-nerd-font` package.

Since version 0.4, `inconsolata-nerd-font` ships and uses the extended version of the Inconsolata font, called *InconsolataLGC*. This variant also contains Hellenic and Cyrillic glyphs, as well as bold-italic and italic variants.

1.1 License

Permission is granted to copy, distribute, and/or modify this software under the terms of the LaTeX Project Public License (LPPL), version 1.3c or later (<https://www.latex-project.org/lppl.txt>). The software has the status ‘maintained’.

The font files bundled with the package (`InconsolataLGCNerdFont*.ttf`) are licensed under the terms of the SIL Open Font License (LPPL), version 1.1 (<http://scripts.sil.org/OFL>).

1.2 Helper Macros

The following macro is not strictly part of the package. It is actually defined by recent LaTeX kernels. However, to make the package compatible with older kernels, too, we provide it, if it is not yet defined.

The macro’s purpose is to check whether the used LaTeX format is at least from the given date and allows to execute code depending on the result of the check.

```
\IfFormatAtLeastTF {<date>} {<true>} {<false>}
```

We define this macro to execute code depending on the LaTeX format date. The macro is only defined if it is not already part of the LaTeX kernel, which it is for recent versions of the kernel.

1.3 Package Arguments

The `inconsolata-nerd-font` package provides the following load-time options.

```
variant = <choice>
```

Specifies which variant of the font shall be used, must be one of `default`, `mono`, or `propo`, where `default` is the default value.

The `mono` variant is limited to only mono-spaced characters, the `default` variant provides bigger icons (around 1.5 times the width of a normal character), the `propo` variant provides proportional symbols, which might be suitable, e.g., for presentations.

¹github.com/googlefonts/Inconsolata

²www.nerdfonts.com/

³github.com/ryanoasis/nerd-fonts/tree/master/patched-fonts/InconsolataLGC

`scale` `scale = {\langle factor \rangle}`
`Scale` `Scale = {\langle factor \rangle}`

Set the scaling of the font. See the fontspec documentation for more details. The default value is `MatchLowercase` to match the height of the lower-case character of the default main font of your document.

1.4 Font Macros

While the package sets the default mono-spaced font to the selected variant of the Inconsolata Nerd Font, the package provides six additional macros for convenience, one pair of each variant of the font.

`\inconsolatanffamily` `\inconsolatanffamily`

A font family for the Inconsolata Nerd Font, the default variant provided by this package.

`\inconsolatanfmonofamily` `\inconsolatanfmonofamily`

A font family for the Inconsolata Nerd Font, the mono variant provided by this package.

`\inconsolatanfpropofamily` `\inconsolatanfpropofamily`

A font family for the Inconsolata Nerd Font, the propo variant provided by this package.

`\textinconsolatanf` `\textinconsolatanf {\langle text \rangle}`

A convenience macro to typeset a short text using the default Inconsolata Nerd Font variant.

`\textinconsolatanfmono` `\textinconsolatanfmono {\langle text \rangle}`

A convenience macro to typeset a short text using the mono Inconsolata Nerd Font variant.

`\textinconsolatanfpropo` `\textinconsolatanfpropo {\langle text \rangle}`

A convenience macro to typeset a short text using the propo Inconsolata Nerd Font variant.

The following sentence uses the `\textinconsolatanf` to typeset the words ‘an example’ using Inconsolata Nerd Font: Just an example sentence.

2 Font Tables

This section provides character tables of the different font variants, created using Frank Mittelbach’s `unicodefonttable` package. Thanks to Herbert Voß for his suggestion to add these.

2.1 Regular

Table 1: InconsolataLGCNerdFont-Regular.ttf

0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F
Basic Latin															
U+0020-002F	!	"	#	\$	%	&	'	()	*	+	,	-	.	/

Table 1: InconsolataLGCNerdFont-Regular.ttf cont.

	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F
U+0030-003F	Ø	1	2	3	4	5	6	7	8	9	:	;	<	=	>	?
U+0040-004F	@	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O
U+0050-005F	P	Q	R	S	T	U	V	W	X	Y	Z	[\]	^	_
U+0060-006F	`	a	b	c	d	e	f	g	h	i	j	k	l	m	n	o
U+0070-007F	p	q	r	s	t	u	v	w	x	y	z	{		}	~	-
Latin-1 Supplement																
U+00A0-00AF		ı	ϕ	£	¤	¥	¦	§	¨	©	ª	«	¬	­	®	¯
U+00B0-00BF	°	±	²	³	´	µ	¶	·	¸	¹	º	»	¼	½	¾	¿
U+00C0-00CF	À	Á	Â	Ã	Ä	Å	Æ	Ç	È	É	Ê	Ë	Ì	Í	Î	Ï
U+00D0-00DF	Ð	Ñ	Ò	Ó	Ô	Õ	Ö	×	Ø	Ù	Ú	Û	Ü	Ý	Þ	ß
U+00E0-00EF	à	á	â	ã	ä	å	æ	ç	è	é	ê	ë	ì	í	î	ï
U+00F0-00FF	ð	ñ	ò	ó	ô	õ	ö	÷	ø	ù	ú	û	ü	ý	þ	ÿ
Latin Extended-A																
U+0100-010F	Ā	ā	Ă	ă	Ą	ą	Ĉ	ĉ	Ċ	ċ	Č	č	Ď	ď		
U+0110-011F	Đ	đ	Ē	ē	Ĕ	ĕ	Ė	ė	Ę	ę	Ě	ě	Ĝ	ĝ	Ğ	ğ
U+0120-012F	Ġ	ġ	Ģ	ģ	Ĥ	ĥ	Ħ	ħ	Ĩ	ĩ	Ī	ī	Ĵ	ĵ	Ķ	ķ
U+0130-013F	Ĭ	ĭ	Ĵ	ĵ	Ķ	ķ	κ	κ	Ĺ	ĺ	Ł	ł	ŀ	ŀ	Œ	œ
U+0140-014F	Ľ	ľ	Ń	ń	Ņ	ņ	Ň	ň	Ŋ	ŋ	Ō	ō	Œ	œ	Š	š
U+0150-015F	Š	š	Ť	ť	Ř	ř	Ŕ	ŕ	Ŗ	ŗ	Ś	ś	Ŝ	ŝ	Ş	ş
U+0160-016F	Š	š	Ť	ť	Ř	ř	Ŕ	ŕ	Ŗ	ŗ	Ś	ś	Ŝ	ŝ	Ş	ş
U+0170-017F	Ū	ū	Ū	ū	Ŵ	ŵ	Ŷ	ŷ	Ÿ	Ž	ž	Ž	ž	Ž	ž	ƀ
Latin Extended-B																
U+0190-019F	-	-	f	-	-	-	-	-	-	-	-	-	-	-	-	-
U+01F0-01FF	-	-	-	-	-	-	-	-	-	Á	á	Ā	ā	Ø	ø	
U+0210-021F	-	-	-	-	-	-	-	Ş	ş	Ť	ť	-	-	-	-	-
U+0230-023F	-	-	-	-	-	-	-	J	-	-	-	-	-	-	-	-
Spacing Modifier Letters																
U+02C0-02CF	-	-	-	-	-	-	^	ˇ	-	-	-	˘	-	-	-	-
U+02D0-02DF	-	-	-	-	-	-	-	˘	˙	˚	-	˛	˜	˝	-	-
Greek and Coptic																
U+0370-037F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	;	-
U+0380-038F	-	-	-	-	´	ˆ	Α	·	Ε	Η	Ι	-	Ο	-	Υ	Ω
U+0390-039F	ΐ	Α	Β	Γ	Δ	Ε	Ζ	Η	Θ	Ι	Κ	Λ	Μ	Ν	Ξ	Ο
U+03A0-03AF	Π	Ρ	-	Σ	Τ	Υ	Φ	Χ	Ψ	Ω	Ϊ	Ϋ	ά	έ	ή	ί
U+03B0-03BF	Ϊ	α	β	γ	δ	ε	ζ	η	θ	ι	κ	λ	μ	ν	ξ	ο
U+03C0-03CF	π	ρ	ς	σ	τ	υ	φ	χ	ψ	ω	ϊ	ϋ	ό	ύ	ώ	-
Cyrillic																
U+0400-040F	È	Ë	Ђ	Ѓ	Є	Ѕ	І	Ї	Ј	Љ	Њ	Ћ	Ќ	Ў	Ѓ	Ѕ
U+0410-041F	А	Б	В	Г	Д	Е	Ж	З	И	Й	К	Л	М	Н	О	П

Table 1: InconsolataLGCNerdFont-Regular.ttf cont.

	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F
U+0420-042F	Р	С	Т	У	Ф	Х	Ц	Ч	Ш	Щ	Ъ	Ы	Ь	Э	Ю	Я
U+0430-043F	а	б	в	г	д	е	ж	з	и	й	к	л	м	н	о	п
U+0440-044F	р	с	т	у	ф	х	ц	ч	ш	щ	ъ	ы	ь	э	ю	я
U+0450-045F	è	ë	ĥ	í	€	š	ı	ï	j	љ	њ	ћ	ќ	й	ў	ц
U+0460-046F	-	-	ѣ	ѥ	-	-	-	-	-	-	-	-	-	-	-	-
U+0470-047F	-	-	θ	ø	V	v	-	-	-	-	-	-	-	-	-	-
U+0490-049F	Ґ	ґ	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Latin Extended Additional																
U+1E80-1E8F	Ẁ	ẁ	Ẃ	ẃ	Ẅ	ẅ	-	-	-	-	-	-	-	-	-	-
U+1EF0-1EFF	-	-	Ỳ	ỳ	-	-	-	-	-	-	-	-	-	-	-	-
General Punctuation																
U+2010-201F	-	-	-	-	-	-		=	'	'	,	'	“	”	„	“
U+2020-202F	†	‡	•	-	-	-	-	-	-	-	-	-	-	-
U+2030-203F	‰	-	'	”	-	-	-	-	<	>	-	!!	-	-	-	-
U+2040-204F	-	-	-	-	/	-	-	-	-	-	-	-	-	-	-	-
Superscripts and Subscripts																
U+2070-207F	ø	-	-	-	4	5	6	7	8	9	-	-	-	-	-	n
Currency Symbols																
U+20A0-20AF	-	-	-	₣	£	-	-	₮	-	-	-	-	-	€	-	-
Letterlike Symbols																
U+2100-210F	-	-	-	°	-	%	-	-	-	-	-	-	-	-	-	-
U+2110-211F	-	-	-	ℓ	-	-	№	-	-	-	-	-	-	-	-	-
U+2120-212F	-	-	™	-	-	-	Ω	-	-	-	-	Å	-	-	e	-
Number Forms																
U+2150-215F	-	-	-	-	-	-	-	-	-	-	-	⅛	⅜	⅝	⅞	-
Arrows																
U+2190-219F	←	↑	→	↓	↔	↕	-	-	-	-	-	-	-	-	-	-
U+21D0-21DF	-	-	⇒	-	⇔	-	-	-	-	-	-	-	-	-	-	-
Mathematical Operators																
U+2200-220F	∀	-	∂	∃	-	-	Δ	∇	∈	-	-	∋	-	-	-	∏
U+2210-221F	-	Σ	-	-	-	/	-	-	•	√	-	-	∞	∞	∞	∞
U+2220-222F	∠	-	-	-	-	-	∧	∨	∩	∪	∫	∫	-	-	-	-
U+2230-223F	-	-	-	-	∴	∴	-	-	-	-	-	-	≈	-	-	-
U+2240-224F	-	-	-	-	-	-	-	-	≈	-	-	-	-	-	-	-
U+2250-225F	-	-	≐	-	-	-	-	-	-	-	-	-	-	-	-	-
U+2260-226F	≠	≡	-	-	≤	≥	≦	≧	-	-	«	»	-	-	-	-
U+2280-228F	-	-	⊂	⊃	-	-	⊆	⊇	-	-	-	-	-	-	-	-

Table 1: InconsolataLGCNerdFont-Regular.ttf cont.

	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F
U+22A0 - 22AF	-	-	-	-	-	⬇	-	-	-	-	-	-	-	-	-	-
Miscellaneous Technical																
U+2310 - 231F	-	-	˘	-	-	-	-	-	-	-	-	-	-	-	-	-
U+23F0 - 23FF	-	-	-	-	-	-	-	-	-	-	-	⏻	⏿		☾	-
Control Pictures																
U+2420 - 242F	-	-	-	⌞	-	-	-	-	-	-	-	-	-	-	-	-
Box Drawing																
U+2500 - 250F	—	━			⋯	⋯	⋮	⋮	⋯	⋯	⋮	⋮	┌	┌	┌	┌
U+2510 - 251F	┐	┐	┐	┐	└	└	└	└	└	└	└	└	└	└	└	└
U+2520 - 252F	├	├	├	├	┤	┤	┤	┤	┤	┤	┤	┤	┤	┤	┤	┤
U+2530 - 253F	┴	┴	┴	┴	┬	┬	┬	┬	┬	┬	┬	┬	┬	┬	┬	┬
U+2540 - 254F	┼	┼	┼	┼	┼	┼	┼	┼	┼	┼	┼	┼	┼	┼	┼	┼
U+2550 - 255F	═	║	≡	≡	≡	≡	≡	≡	≡	≡	≡	≡	≡	≡	≡	≡
U+2560 - 256F	╀	╁	╂	╃	╄	╅	╆	╇	╈	╉	╊	╋	╌	╍	╎	╏
U+2570 - 257F	═	║	╒	╓	╔	╕	╖	╗	╘	╙	╚	╛	╜	╝	╞	╟
Block Elements																
U+2580 - 258F	■	▬	▭	▮	▯	▰	▱	▲	△	▴	▵	▶	▷	▸	▹	►
U+2590 - 259F	▻	▼	▽	▾	▿	▹	▸	▷	▶	▵	▴	△	▲	▱	▰	▯
Geometric Shapes																
U+25A0 - 25AF	■	□	◻	◼	◽	◾	◿	◸	◹	◺	◻	◼	◽	◾	◿	◸
U+25B0 - 25BF	▀	▁	▂	▃	▄	▅	▆	▇	█	▉	▊	▋	▌	▍	▎	▏
U+25C0 - 25CF	◀	◁	◂	◃	◄	◅	◆	◇	◈	◉	◊	◌	◍	◎	●	◐
U+25D0 - 25DF	◑	◒	◓	◔	◕	◖	◗	◘	◙	◚	◛	◜	◝	◞	◟	◠
U+25E0 - 25EF	◡	◢	◣	◤	◥	◦	◧	◨	◩	◪	◫	◬	◭	◮	◯	◰
U+25F0 - 25FF	◱	◲	◳	◴	◵	◶	◷	◸	◹	◺	◻	◼	◽	◾	◿	◸
Miscellaneous Shapes																
U+2600 - 260F	-	-	-	-	★	☆	-	-	-	-	-	-	-	-	-	-
U+2630 - 263F	≡	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
U+2640 - 264F	♀	-	♂	-	-	-	-	-	-	-	-	-	-	-	-	-
U+2660 - 266F	♠	-	♣	-	♥	♦	-	-	-	♪	-	-	♭	♮	♯	-
U+26A0 - 26AF	-	⚡	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dingbats																
U+2760 - 276F	-	-	-	-	-	-	-	-	-	-	-	-	◁	▷	◀	▶
U+2770 - 277F	◀	▶	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Miscellaneous Symbols and Arrows																
U+2B50 - 2B5F	-	-	-	-	-	-	-	-	-	○	-	-	-	-	-	-

Table 1: InconsolataLGCNerdFont-Regular.ttf cont.

	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F
U+E690-E69F																
U+E6A0-E6AF																
U+E6B0-E6BF																
U+E700-E70F																
U+E710-E71F																
U+E720-E72F																
U+E730-E73F																
U+E740-E74F																
U+E750-E75F																
U+E760-E76F																
U+E770-E77F																
U+E780-E78F																
U+E790-E79F																
U+E7A0-E7AF																
U+E7B0-E7BF																
U+E7C0-E7CF																
U+EA60-EA6F																
U+EA70-EA7F																
U+EA80-EA8F																
U+EA90-EA9F																
U+EAA0-EAAF																
U+EAB0-EABF																
U+EAC0-EACF																
U+EAD0-EADF																
U+EAE0-EAEF																
U+EAF0-EAFF																
U+EB00-EB0F																
U+EB10-EB1F																
U+EB20-EB2F																
U+EB30-EB3F																
U+EB40-EB4F																
U+EB50-EB5F																
U+EB60-EB6F																
U+EB70-EB7F																
U+EB80-EB8F																
U+EB90-EB9F																
U+EBA0-EBAF																
U+EBB0-EBBF																
U+EBC0-EBCF																
U+EBD0-EBDF																
U+EBE0-EBEF																
U+F000-F00F																
U+F010-F01F																
U+F020-F02F																

Table 1: InconsolataLGCNerdFont-Regular.ttf cont.

	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F
U+F030-F03F		A	B	I	IT	IT	IT	IT	IT	IT	IT	IT	IT	IT	IT	IT
U+F040-F04F																
U+F050-F05F																
U+F060-F06F																
U+F070-F07F																
U+F080-F08F																
U+F090-F09F																
U+F0A0-F0AF																
U+F0B0-F0BF																
U+F0C0-F0CF																
U+F0D0-F0DF																
U+F0E0-F0EF																
U+F0F0-F0FF																
U+F100-F10F																
U+F110-F11F																
U+F120-F12F																
U+F130-F13F																
U+F140-F14F																
U+F150-F15F																
U+F160-F16F																
U+F170-F17F																
U+F180-F18F																
U+F190-F19F																
U+F1A0-F1AF	G															
U+F1B0-F1BF																
U+F1C0-F1CF																
U+F1D0-F1DF																
U+F1E0-F1EF																
U+F1F0-F1FF	VISA															
U+F200-F20F																
U+F210-F21F																
U+F220-F22F																
U+F230-F23F																
U+F240-F24F																
U+F250-F25F																
U+F260-F26F																
U+F270-F27F																
U+F280-F28F																
U+F290-F29F																
U+F2A0-F2AF																
U+F2B0-F2BF																
U+F2C0-F2CF																
U+F2D0-F2DF																
U+F2E0-F2EF																

Table 2: InconsolataLGCNerdFontMono-Regular.ttf cont.

	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F
U+0070-007F	p	q	r	s	t	u	v	w	x	y	z	{		}	~	-
Latin-1 Supplement																
U+00A0-00AF		ı	ϕ	£	¤	¥	¦	§	¨	©	ª	«	¬	–	®	˘
U+00B0-00BF	°	±	²	³	´	µ	¶	·	¸	¹	º	»	¼	½	¾	¿
U+00C0-00CF	À	Á	Â	Ã	Ä	Å	Æ	Ç	È	É	Ê	Ë	Ì	Í	Î	Ï
U+00D0-00DF	Ð	Ñ	Ò	Ó	Ô	Õ	Ö	×	Ø	Ù	Ú	Û	Ü	Ý	Þ	ß
U+00E0-00EF	à	á	â	ã	ä	å	æ	ç	è	é	ê	ë	ì	í	î	ï
U+00F0-00FF	ð	ñ	ò	ó	ô	õ	ö	÷	ø	ù	ú	û	ü	ý	þ	ÿ
Latin Extended-A																
U+0100-010F	Ā	ā	Ă	ă	Ą	ą	Ĉ	ĉ	Ċ	ċ	Č	č	Ď	ď		
U+0110-011F	Đ	đ	Ē	ē	Ĕ	ĕ	Ė	ė	Ę	ę	Ě	ě	Ĝ	ĝ	Ğ	ğ
U+0120-012F	Ġ	ġ	Ģ	ģ	Ĥ	ĥ	Ħ	ħ	Ĩ	ĩ	Ī	ī	Ĵ	ĵ	Ķ	ķ
U+0130-013F	Į	į	Ĵ	ĵ	Ķ	ķ	κ	κ	Ĺ	ĺ	Ł	ł	ŀ	ŀ	Œ	œ
U+0140-014F	Ľ	ľ	Ł	ł	Ń	ń	Ņ	ņ	Ň	ň	Ŋ	ŋ	Ō	ō	Œ	œ
U+0150-015F	Š	š	Œ	œ	Ř	ř	Ŕ	ŕ	Ř	ř	Ś	ś	Ŝ	ŝ	Ş	ş
U+0160-016F	Š	š	Ţ	ţ	Ť	ť	Ŧ	ŧ	Ũ	ũ	Ū	ū	Ŭ	ŭ	Ů	ů
U+0170-017F	Ů	ů	Ū	ū	Ŵ	ŵ	Ŷ	ŷ	Ÿ	ž	Ž	ž	Ž	ž	Ž	ž
Latin Extended-B																
U+0190-019F	-	-	f	-	-	-	-	-	-	-	-	-	-	-	-	-
U+01F0-01FF	-	-	-	-	-	-	-	-	-	À	á	Ā	á	Ø	ø	
U+0210-021F	-	-	-	-	-	-	-	Ş	ş	Ţ	ţ	-	-	-	-	-
U+0230-023F	-	-	-	-	-	-	-	J	-	-	-	-	-	-	-	-
Spacing Modifier Letters																
U+02C0-02CF	-	-	-	-	-	-	^	ˇ	-	-	-	˘	-	-	-	-
U+02D0-02DF	-	-	-	-	-	-	-	˘	˙	˚	-	˛	˜	˝	-	-
Greek and Coptic																
U+0370-037F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	;	-
U+0380-038F	-	-	-	´	ˆ	Α	·	Ε	Η	Ι	-	Ο	-	Υ	Ω	
U+0390-039F	ΐ	Α	Β	Γ	Δ	Ε	Ζ	Η	Θ	Ι	Κ	Λ	Μ	Ν	Ξ	Ο
U+03A0-03AF	Π	Ρ	-	Σ	Τ	Υ	Φ	Χ	Ψ	Ω	Ϊ	Ϋ	ά	έ	ή	ί
U+03B0-03BF	Ϊ	α	β	γ	δ	ε	ζ	η	θ	ι	κ	λ	μ	ν	ξ	ο
U+03C0-03CF	π	ρ	ς	σ	τ	υ	φ	χ	ψ	ω	ϊ	ϋ	ό	ύ	ώ	-
Cyrillic																
U+0400-040F	È	Ë	Ђ	Ѓ	Є	Ѕ	І	Ї	Ј	Љ	Њ	Ћ	Ќ	Ў	Ѓ	Ѕ
U+0410-041F	А	Б	В	Г	Д	Е	Ж	З	И	Й	К	Л	М	Н	О	П
U+0420-042F	Р	С	Т	У	Ф	Х	Ц	Ч	Ш	Щ	Ъ	Ы	Ь	Э	Ю	Я
U+0430-043F	а	б	в	г	д	е	ж	з	и	й	к	л	м	н	о	п
U+0440-044F	р	с	т	у	ф	х	ц	ч	ш	щ	ъ	ы	ь	э	ю	я
U+0450-045F	è	ë	ђ	ѓ	є	ѕ	і	ї	ј	љ	њ	ќ	ќ	ў	џ	џ

Table 2: InconsolataLGCNerdFontMono-Regular.ttf cont.

	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F
U+0460-046F	-	-	Ḅ	ḅ	-	-	-	-	-	-	-	-	-	-	-	-
U+0470-047F	-	-	Θ	θ	V	v	-	-	-	-	-	-	-	-	-	-
U+0490-049F	Ɔ	ɔ	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Latin Extended Additional																
U+1E80-1E8F	Ẁ	ẁ	Ẃ	ẃ	Ẅ	ẅ	-	-	-	-	-	-	-	-	-	-
U+1EF0-1EFF	-	-	Ỳ	ỳ	-	-	-	-	-	-	-	-	-	-	-	-
General Punctuation																
U+2010-201F	-	-	-	-	-	-		=	'	'	,	'	“	”	„	“
U+2020-202F	†	‡	•	-	-	-	-	-	-	-	-	-	-	-
U+2030-203F	‰	-	'	”	-	-	-	-	-	<	>	-	!!	-	-	-
U+2040-204F	-	-	-	-	/	-	-	-	-	-	-	-	-	-	-	-
Superscripts and Subscripts																
U+2070-207F	ø	-	-	-	₄	₅	₆	₇	₈	₉	-	-	-	-	-	n
Currency Symbols																
U+20A0-20AF	-	-	-	₣	£	-	-	₮	-	-	-	-	€	-	-	-
Letterlike Symbols																
U+2100-210F	-	-	-	°	-	%	-	-	-	-	-	-	-	-	-	-
U+2110-211F	-	-	-	ℓ	-	-	№	-	-	-	-	-	-	-	-	-
U+2120-212F	-	-	™	-	-	-	Ω	-	-	-	-	Å	-	-	e	-
Number Forms																
U+2150-215F	-	-	-	-	-	-	-	-	-	-	-	¼	⅓	⅕	⅖	-
Arrows																
U+2190-219F	←	↑	→	↓	↔	↕	-	-	-	-	-	-	-	-	-	-
U+21D0-21DF	-	-	⇒	-	⇔	-	-	-	-	-	-	-	-	-	-	-
Mathematical Operators																
U+2200-220F	∀	-	∂	∃	-	-	Δ	∇	∈	-	-	∋	-	-	-	∏
U+2210-221F	-	Σ	-	-	-	/	-	-	•	√	-	-	α	∞	ℒ	-
U+2220-222F	∠	-	-	-	-	-	∧	∨	∩	∪	∫	∫	-	-	-	-
U+2230-223F	-	-	-	-	∴	∵	-	-	-	-	-	-	≈	-	-	-
U+2240-224F	-	-	-	-	-	-	-	-	≈	-	-	-	-	-	-	-
U+2250-225F	-	-	≐	-	-	-	-	-	-	-	-	-	-	-	-	-
U+2260-226F	≠	≡	-	-	≤	≥	≦	≧	-	-	«	»	-	-	-	-
U+2280-228F	-	-	⊂	⊃	-	-	⊆	⊇	-	-	-	-	-	-	-	-
U+22A0-22AF	-	-	-	-	-	⊥	-	-	-	-	-	-	-	-	-	-

Table 2: InconsolataLGCNerdFontMono-Regular.ttf *cont.*

	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F
Miscellaneous Technical																
U+2310 - 231F	-	-	˘	-	-	-	-	-	-	-	-	-	-	-	-	-
U+23F0 - 23FF	-	-	-	-	-	-	-	-	-	-	-	⏻	⦿	▮	☾	-
Control Pictures																
U+2420 - 242F	-	-	-	␣	-	-	-	-	-	-	-	-	-	-	-	-
Box Drawing																
U+2500 - 250F	─	━	┃	┃	⋯	⋯	⋮	⋮	⋯	⋯	⋮	⋮	┌	┌	┌	┌
U+2510 - 251F	┐	┐	┐	┐	└	└	└	└	└	└	└	└	┐	┐	┐	┐
U+2520 - 252F	┆	┆	┆	┆	┆	┆	┆	┆	┆	┆	┆	┆	┆	┆	┆	┆
U+2530 - 253F	┆	┆	┆	┆	┆	┆	┆	┆	┆	┆	┆	┆	┆	┆	┆	┆
U+2540 - 254F	┆	┆	┆	┆	┆	┆	┆	┆	┆	┆	┆	┆	┆	┆	┆	┆
U+2550 - 255F	═	║	≡	≡	≡	≡	≡	≡	≡	≡	≡	≡	≡	≡	≡	≡
U+2560 - 256F	┆	┆	┆	┆	┆	┆	┆	┆	┆	┆	┆	┆	┆	┆	┆	┆
U+2570 - 257F	┆	┆	┆	┆	┆	┆	┆	┆	┆	┆	┆	┆	┆	┆	┆	┆
Block Elements																
U+2580 - 258F	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■
U+2590 - 259F	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■
Geometric Shapes																
U+25A0 - 25AF	■	□	-	▣	-	-	-	-	-	-	■	□	■	□	■	□
U+25B0 - 25BF	■	▣	▲	△	-	-	▶	▶	-	-	-	-	▼	▽	-	-
U+25C0 - 25CF	◀	◁	-	-	-	-	◆	◇	◇	⊙	◇	○	-	-	⊙	●
U+25D0 - 25DF	⊙	⊙	⊙	⊙	⊙	⊙	◐	◑	◐	◑	◐	◑	◐	◑	◐	◑
U+25E0 - 25EF	⤿	⤿	▲	▲	▶	▶	◦	◻	◻	◻	◻	◻	◻	-	-	-
U+25F0 - 25FF	◻	◻	◻	◻	⊕	⊕	⊕	⊕	-	-	-	-	-	-	-	-
Miscellaneous Shapes																
U+2600 - 260F	-	-	-	-	-	★	☆	-	-	-	-	-	-	-	-	-
U+2630 - 263F	≡	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
U+2640 - 264F	♀	-	♂	-	-	-	-	-	-	-	-	-	-	-	-	-
U+2660 - 266F	♠	-	-	♣	-	♥	♦	-	-	-	♪	-	-	♭	♯	#
U+26A0 - 26AF	-	⚡	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dingbats																
U+2760 - 276F	-	-	-	-	-	-	-	-	-	-	-	-	⟨	⟩	⟨	⟩
U+2770 - 277F	⟨	⟩	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Miscellaneous Symbols and Arrows																
U+2B50 - 2B5F	-	-	-	-	-	-	-	-	-	○	-	-	-	-	-	-

Table 2: InconsolataLGCNerdFontMono-Regular.ttf cont.

	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F
	Private Use Area															
U+E000-E00F	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡
U+E0A0-E0AF	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡
U+E0B0-E0BF	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡
U+E0C0-E0CF	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡
U+E0D0-E0DF	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡
U+E200-E20F	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡
U+E210-E21F	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡
U+E220-E22F	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡
U+E230-E23F	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡
U+E240-E24F	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡
U+E250-E25F	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡
U+E260-E26F	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡
U+E270-E27F	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡
U+E280-E28F	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡
U+E290-E29F	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡
U+E2A0-E2AF	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡
U+E300-E30F	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡
U+E310-E31F	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡
U+E320-E32F	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡
U+E330-E33F	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡
U+E340-E34F	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡
U+E350-E35F	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡
U+E360-E36F	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡
U+E370-E37F	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡
U+E380-E38F	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡
U+E390-E39F	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡
U+E3A0-E3AF	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡
U+E3B0-E3BF	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡
U+E3C0-E3CF	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡
U+E3D0-E3DF	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡
U+E3E0-E3EF	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡
U+E5F0-E5FF	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡
U+E600-E60F	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡
U+E610-E61F	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡
U+E620-E62F	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡
U+E630-E63F	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡
U+E640-E64F	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡
U+E650-E65F	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡
U+E660-E66F	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡	⚡

Table 2: InconsolataLGCNerdFontMono-Regular.ttf cont.

	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F
U+E670-E67F																
U+E680-E68F																
U+E690-E69F																
U+E6A0-E6AF																
U+E6B0-E6BF																
U+E700-E70F																
U+E710-E71F																
U+E720-E72F																
U+E730-E73F																
U+E740-E74F																
U+E750-E75F																
U+E760-E76F																
U+E770-E77F																
U+E780-E78F																
U+E790-E79F																
U+E7A0-E7AF																
U+E7B0-E7BF																
U+E7C0-E7CF																
U+EA60-EA6F																
U+EA70-EA7F																
U+EA80-EA8F																
U+EA90-EA9F																
U+EAA0-EAAF																
U+EAB0-EABF																
U+EAC0-EACF																
U+EAD0-EADF																
U+EAE0-EAEF																
U+EAF0-EAFF																
U+EB00-EB0F																
U+EB10-EB1F																
U+EB20-EB2F																
U+EB30-EB3F																
U+EB40-EB4F																
U+EB50-EB5F																
U+EB60-EB6F																
U+EB70-EB7F																
U+EB80-EB8F																
U+EB90-EB9F																
U+EBA0-EBAF																
U+EBB0-EBBF																
U+EBC0-EBCF																
U+EBD0-EBDF																
U+EBE0-EBEF																

Table 2: InconsolataLGCNerdFontMono-Regular.ttf cont.

	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F
U+F000-F00F	📄	🎵	🔍	✉	♥	★	☆	👤	📅	📊	📈	📉	📊	✖	🔍	-
U+F010-F01F	🔍	🔄	📊	⚙	🗑	🚫	📄	🕒	📊	📉	🕒	🕒	📄	🕒	🔄	-
U+F020-F02F	-	🔄	📄	🔒	📄	🔄	⬅	➡	📄	📄	📄	📄	📄	📄	📄	📄
U+F030-F03F	📄	A	B	I	T	I	≡	≡	≡	≡	≡	≡	≡	≡	📄	-
U+F040-F04F	🔧	📍	🕒	💧	📄	🔄	✚	⚡	⚡	⚡	⚡	⚡	⚡	⚡	➡	-
U+F050-F05F	⏮	⏪	⏩	⏭	⏯	⏴	⏵	⏶	⏷	⏸	⏹	⏺	⏻	⏼	⏽	-
U+F060-F06F	⬅	➡	⬆	⬇	↶	↷	✚	+	⊖	*	⊕	⊕	⊕	⊕	👁	-
U+F070-F07F	📄	⚠	✖	📄	✖	📄	U	^	√	🔄	📄	📄	📄	⬆	⬆	-
U+F080-F08F	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	-
U+F090-F09F	📄	📄	📄	⬆	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	-
U+F0A0-F0AF	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	-
U+F0B0-F0BF	📄	📄	📄	-	-	-	-	-	-	-	-	-	-	-	-	-
U+F0C0-F0CF	📄	📄	📄	📄	✂	📄	📄	📄	📄	≡	≡	≡	📄	U	📄	-
U+F0D0-F0DF	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	-
U+F0E0-F0EF	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	-
U+F0F0-F0FF	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	-
U+F100-F10F	⏪	⏩	⏴	⏵	⏶	⏷	⏸	⏹	⏺	⏻	⏼	⏽	⏾	⏿	-	-
U+F110-F11F	⦿	⦿	↶	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	-
U+F120-F12F	↶	↷	📄	☆	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	-
U+F130-F13F	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	-
U+F140-F14F	📄	⋮	⋮	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	-
U+F150-F15F	📄	📄	📄	€	£	\$	₹	¥	₪	₩	₪	📄	📄	📄	📄	-
U+F160-F16F	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	-
U+F170-F17F	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	-
U+F180-F18F	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	-
U+F190-F19F	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	-
U+F1A0-F1AF	G	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	-
U+F1B0-F1BF	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	-
U+F1C0-F1CF	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	-
U+F1D0-F1DF	📄	📄	📄	git	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	-
U+F1E0-F1EF	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	-
U+F1F0-F1FF	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	-
U+F200-F20F	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	-
U+F210-F21F	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	-
U+F220-F22F	-	♀	♂	♀	♂	♂	♂	♂	♂	♂	♂	♂	♂	♂	♂	-
U+F230-F23F	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	-
U+F240-F24F	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	-
U+F250-F25F	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	-
U+F260-F26F	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	-
U+F270-F27F	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	-
U+F280-F28F	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	-
U+F290-F29F	📄	📄	#	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	-
U+F2A0-F2AF	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	-
U+F2B0-F2BF	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	-
U+F2C0-F2CF	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	📄	-

Table 2: InconsolataLGCNerdFontMono-Regular.ttf cont.

	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F
U+F2D0-F2DF	☐	—	☐	☒	☒	⦿	⦿	Ⓔ	Ⓔ	⦿	⦿	⦿	⦿	⦿	⦿	—
U+F2E0-F2EF	⦿	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
U+F300-F30F	🍷	🍷	🍏	⬆️	⚙️	🌀	🌀	🏹	👉	🌀	🌀	🍷	🍷	🍷	🍷	🍷
U+F310-F31F	🕒	✳️	📊	⚙️	👉	🌀	🌀	🌀	🌀	🕒	🕒	🕒	🕒	🕒	🕒	🕒
U+F320-F32F	🕒	🕒	⬆️	👉	👉	👉	👉	👉	👉	🕒	🕒	🕒	🕒	🕒	🕒	🕒
U+F330-F33F	🌙	🕒	⬆️	⚙️	👉	👉	👉	👉	👉	🕒	🕒	🕒	🕒	🕒	🕒	🕒
U+F340-F34F	👉	🕒	👉	👉	⬆️	⬆️	👉	👉	👉	🕒	🕒	🕒	🕒	🕒	🕒	🕒
U+F350-F35F	👉	🕒	👉	👉	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒
U+F360-F36F	👉	🕒	👉	👉	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒
U+F370-F37F	👉	🕒	👉	—	—	—	—	—	—	—	—	—	—	—	—	—
U+F400-F40F	🕒	🕒	👉	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒
U+F410-F41F	🕒	🕒	👉	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒
U+F420-F42F	🕒	🕒	👉	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒
U+F430-F43F	🕒	🕒	👉	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒
U+F440-F44F	🕒	🕒	👉	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒
U+F450-F45F	🕒	🕒	👉	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒
U+F460-F46F	🕒	🕒	👉	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒
U+F470-F47F	🕒	🕒	👉	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒
U+F480-F48F	🕒	🕒	👉	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒
U+F490-F49F	🕒	🕒	👉	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒
U+F4A0-F4AF	🕒	🕒	👉	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒
U+F4B0-F4BF	🕒	🕒	👉	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒
U+F4C0-F4CF	🕒	🕒	👉	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒
U+F4D0-F4DF	🕒	🕒	👉	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒
U+F4E0-F4EF	🕒	🕒	👉	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒
U+F4F0-F4FF	🕒	🕒	👉	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒
U+F500-F50F	🕒	🕒	👉	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒
U+F510-F51F	🕒	🕒	👉	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒
U+F520-F52F	🕒	🕒	👉	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒	🕒
U+F530-F53F	🕒	🕒	👉	🕒	—	—	—	—	—	—	—	—	—	—	—	—

Total number of glyphs shown from InconsolataLGCNerdFontMono-Regular.ttf: 3196

2.3 Proportional Regular

Table 3: InconsolataLGCNerdFontPropo-Regular.ttf

	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F
	Basic Latin															
U+0020-002F	!	"	#	\$	%	&	'	()	*	+	,	-	.	/	
U+0030-003F	0	1	2	3	4	5	6	7	8	9	:	;	<	=	>	?
U+0040-004F	@	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O
U+0050-005F	P	Q	R	S	T	U	V	W	X	Y	Z	[\]	^	_
U+0060-006F	`	a	b	c	d	e	f	g	h	i	j	k	l	m	n	o

Table 3: InconsolataLGCNerdFontPropo-Regular.ttf cont.

	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F
U+0070-007F	p	q	r	s	t	u	v	w	x	y	z	{		}	~	-
Latin-1 Supplement																
U+00A0-00AF		ı	ϕ	£	¤	¥	¦	§	¨	©	ª	«	¬	–	®	˘
U+00B0-00BF	°	±	²	³	´	µ	¶	·	¸	¹	º	»	¼	½	¾	¿
U+00C0-00CF	À	Á	Â	Ã	Ä	Å	Æ	Ç	È	É	Ê	Ë	Ì	Í	Î	Ï
U+00D0-00DF	Ð	Ñ	Ò	Ó	Ô	Õ	Ö	×	Ø	Ù	Ú	Û	Ü	Ý	Þ	ß
U+00E0-00EF	à	á	â	ã	ä	å	æ	ç	è	é	ê	ë	ì	í	î	ï
U+00F0-00FF	ð	ñ	ò	ó	ô	õ	ö	÷	ø	ù	ú	û	ü	ý	þ	ÿ
Latin Extended-A																
U+0100-010F	Ā	ā	Ă	ă	Ą	ą	Ĉ	ĉ	Ċ	ċ	Č	č	Ď	ď		
U+0110-011F	Đ	đ	Ē	ē	Ĕ	ĕ	Ė	ė	Ę	ę	Ě	ě	Ĝ	ĝ	Ğ	ğ
U+0120-012F	Ġ	ġ	Ģ	ģ	Ĥ	ĥ	Ħ	ħ	Ĩ	ĩ	Ī	ī	Ĵ	ĵ	Ķ	ķ
U+0130-013F	Į	į	Ĵ	ĵ	Ķ	ķ	κ	κ	Ĺ	ĺ	Ł	ł	Ľ	ľ	Ḷ	ḷ
U+0140-014F	Ḹ	ḹ	Ṁ	ṁ	Ṃ	ṃ	Ṅ	ṅ	Ñ	ñ	Ń	ń	Ņ	ņ	Ň	ň
U+0150-015F	Ō	ō	Œ	œ	Ř	ř	Ŕ	ŕ	Ř	ř	Ś	ś	Ŝ	ŝ	Ş	ş
U+0160-016F	Š	š	Ţ	ţ	Ť	ť	Ŧ	ŧ	Ũ	ũ	Ū	ū	Ŭ	ŭ	Ů	ů
U+0170-017F	Ů	ů	Ū	ū	Ŵ	ŵ	Ŷ	ŷ	Ÿ	Ž	ž	Ž	ž	Ž	ž	ƀ
Latin Extended-B																
U+0190-019F	-	-	f	-	-	-	-	-	-	-	-	-	-	-	-	-
U+01F0-01FF	-	-	-	-	-	-	-	-	-	-	Ā	ā	Ē	ē	Œ	œ
U+0210-021F	-	-	-	-	-	-	-	-	Ş	ş	Ţ	ţ	-	-	-	-
U+0230-023F	-	-	-	-	-	-	-	J	-	-	-	-	-	-	-	-
Spacing Modifier Letters																
U+02C0-02CF	-	-	-	-	-	-	^	ˇ	-	-	-	˘	-	-	-	-
U+02D0-02DF	-	-	-	-	-	-	-	˘	˙	˚	-	˛	˜	˝	-	-
Greek and Coptic																
U+0370-037F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	;	-
U+0380-038F	-	-	-	´	ˆ	Α	Β	Γ	Δ	Ε	Ζ	Η	Θ	Ι	Κ	Λ
U+0390-039F	Ϊ	Α	Β	Γ	Δ	Ε	Ζ	Η	Θ	Ι	Κ	Λ	Μ	Ν	Ξ	Ο
U+03A0-03AF	Π	Ρ	-	Σ	Τ	Υ	Φ	Χ	Ψ	Ω	Ϊ	Ϋ	ά	έ	ή	ί
U+03B0-03BF	Ϝ	α	β	γ	δ	ε	ζ	η	θ	ι	κ	λ	μ	ν	ξ	ο
U+03C0-03CF	π	ρ	ς	σ	τ	υ	φ	χ	ψ	ω	ϊ	ϋ	ό	ύ	ώ	-
Cyrillic																
U+0400-040F	È	Ë	Ђ	Ѓ	Є	Ѕ	І	Ї	Ј	Љ	Њ	Ћ	Ќ	Ў	Ў	Ц
U+0410-041F	А	Б	В	Г	Д	Е	Ж	З	И	Й	К	Л	М	Н	О	П
U+0420-042F	Р	С	Т	У	Ф	Х	Ц	Ч	Ш	Щ	Ъ	Ы	Ь	Э	Ю	Я
U+0430-043F	а	б	в	г	д	е	ж	з	и	й	к	л	м	н	о	п
U+0440-044F	р	с	т	у	ф	х	ц	ч	ш	щ	ъ	ы	ь	э	ю	я
U+0450-045F	è	ë	ђ	ѓ	є	ѕ	і	ї	ј	љ	њ	ћ	ќ	ў	џ	ц

Table 3: InconsolataLGCNerdFontPropo-Regular.ttf cont.

	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F	
U+0460-046F	-	-	Ṯ	ṯ	-	-	-	-	-	-	-	-	-	-	-	-	
U+0470-047F	-	-	Θ	θ	V	v	-	-	-	-	-	-	-	-	-	-	
U+0490-049F	Ɔ	ɔ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Latin Extended Additional																	
U+1E80-1E8F	Ẁ	ẁ	Ẃ	ẃ	Ẅ	ẅ	-	-	-	-	-	-	-	-	-	-	
U+1EF0-1EFF	-	-	Ỳ	ỳ	-	-	-	-	-	-	-	-	-	-	-	-	
General Punctuation																	
U+2010-201F	-	-	-	-	-	-		=	'	'	,	'	“	”	„	“	
U+2020-202F	†	‡	•	-	-	-	-	-	-	-	-	-	-	-	
U+2030-203F	‰	-	'	”	-	-	-	-	-	<	>	-	!!	-	-	-	
U+2040-204F	-	-	-	-	/	-	-	-	-	-	-	-	-	-	-	-	
Superscripts and Subscripts																	
U+2070-207F	ø	-	-	-	₄	₅	₆	₇	₈	₉	-	-	-	-	-	-	n
Currency Symbols																	
U+20A0-20AF	-	-	-	₣	£	-	-	₤	-	-	-	-	-	€	-	-	-
Letterlike Symbols																	
U+2100-210F	-	-	-	°	-	%	-	-	-	-	-	-	-	-	-	-	-
U+2110-211F	-	-	-	ℓ	-	-	№	-	-	-	-	-	-	-	-	-	-
U+2120-212F	-	-	™	-	-	-	Ω	-	-	-	-	Å	-	-	-	e	-
Number Forms																	
U+2150-215F	-	-	-	-	-	-	-	-	-	-	-	¼	⅓	⅕	⅖	-	-
Arrows																	
U+2190-219F	←	↑	→	↓	↔	↕	-	-	-	-	-	-	-	-	-	-	-
U+21D0-21DF	-	-	⇒	-	⇔	-	-	-	-	-	-	-	-	-	-	-	-
Mathematical Operators																	
U+2200-220F	∀	-	∂	∃	-	-	Δ	∇	∈	-	-	∋	-	-	-	-	∏
U+2210-221F	-	∑	-	-	-	/	-	-	•	√	-	-	-	α	∞	ℓ	-
U+2220-222F	∠	-	-	-	-	-	∧	∨	∩	∪	∫	∬	-	-	-	-	-
U+2230-223F	-	-	-	-	∴	∵	-	-	-	-	-	-	-	≈	-	-	-
U+2240-224F	-	-	-	-	-	-	-	-	≈	-	-	-	-	-	-	-	-
U+2250-225F	-	-	≐	-	-	-	-	-	-	-	-	-	-	-	-	-	-
U+2260-226F	≠	≡	-	-	≤	≥	≦	≧	-	-	«	»	-	-	-	-	-
U+2280-228F	-	-	⊂	⊃	-	-	⊆	⊇	-	-	-	-	-	-	-	-	-
U+22A0-22AF	-	-	-	-	-	⊥	-	-	-	-	-	-	-	-	-	-	-

Table 3: InconsolataLGCNerdFontPropo-Regular.ttf cont.

	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F	
Miscellaneous Technical																	
U+2310 - 231F	-	-	˘	-	-	-	-	-	-	-	-	-	-	-	-	-	
U+23F0 - 23FF	-	-	-	-	-	-	-	-	-	-	-	⏻	Ⓜ		☾	-	
Control Pictures																	
U+2420 - 242F	-	-	-	┌	-	-	-	-	-	-	-	-	-	-	-	-	
Box Drawing																	
U+2500 - 250F	─	━			⋯	⋯	⋯	⋯	⋯	⋯	⋯	⋯	⋯	⋯	⋯	⋯	
U+2510 - 251F	┌	┐	└	┘	┌	┐	└	┘	┌	┐	└	┘	┌	┐	└	┘	
U+2520 - 252F	├	┤	├	┤	├	┤	├	┤	├	┤	├	┤	├	┤	├	┤	
U+2530 - 253F	┴	┵	┴	┵	┴	┵	┴	┵	┴	┵	┴	┵	┴	┵	┴	┵	
U+2540 - 254F	┬	┭	┬	┭	┬	┭	┬	┭	┬	┭	┬	┭	┬	┭	┬	┭	
U+2550 - 255F	═	║	═	║	═	║	═	║	═	║	═	║	═	║	═	║	
U+2560 - 256F	┆	┇	┆	┇	┆	┇	┆	┇	┆	┇	┆	┇	┆	┇	┆	┇	
U+2570 - 257F	┊	┋	┊	┋	┊	┋	┊	┋	┊	┋	┊	┋	┊	┋	┊	┋	
Block Elements																	
U+2580 - 258F	■	▬	▭	▮	▯	▰	▱	▲	△	▴	▵	▶	▷	▸	▹	►	
U+2590 - 259F	▸	▹	►	▻	▼	▽	▾	▿	▾	▿	▾	▿	▾	▿	▾	▿	
Geometric Shapes																	
U+25A0 - 25AF	■	□	▣	▤	▥	▦	▧	▨	▩	▪	▫	▬	▭	▮	▯	▰	
U+25B0 - 25BF	▱	▲	△	▴	▵	▶	▷	▸	▹	►	▻	▼	▽	▾	▿	▾	
U+25C0 - 25CF	◀	◁	◂	◃	◄	◅	◆	◇	◈	◉	◊	◌	◍	◎	●	◐	
U+25D0 - 25DF	◑	◒	◓	◔	◕	◖	◗	◘	◙	◚	◛	◜	◝	◞	◟	◠	
U+25E0 - 25EF	◡	◢	◣	◤	◥	◦	◧	◨	◩	◪	◫	◬	◭	◮	◯	◰	
U+25F0 - 25FF	◱	◲	◳	◴	◵	◶	◷	◸	◹	◺	◻	◼	◽	◾	◿	◾	
Miscellaneous Shapes																	
U+2600 - 260F	-	-	-	-	★	☆	-	-	-	-	-	-	-	-	-	-	
U+2630 - 263F	≡	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
U+2640 - 264F	♀	-	♂	-	-	-	-	-	-	-	-	-	-	-	-	-	
U+2660 - 266F	♠	-	♣	-	♥	♦	-	-	-	♪	-	-	♭	♯	-	-	
U+26A0 - 26AF	-	⚡	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dingbats																	
U+2760 - 276F	-	-	-	-	-	-	-	-	-	-	-	-	◀	▶	◀	▶	
U+2770 - 277F	◀	▶	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Miscellaneous Symbols and Arrows																	
U+2B50 - 2B5F	-	-	-	-	-	-	-	-	○	-	-	-	-	-	-	-	
Private Use Area																	
U+E000 - E00F	𐀀	🍎	🍏	🍐	🍑	🍒	🍓	🍔	🍕	🍖	! ⚡	-	-	-	-	-	-

Table 3: InconsolataLGCNerdFontPropo-Regular.ttf cont.

	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F
U+E6B0-E6BF		λ	[T]	-	-	-	-	-	-	-	-	-	-	-	-	-
U+E700-E70F		*														
U+E710-E71F						YAHOO!		GitHub		reddit				django		ghost
U+E720-E72F																
U+E730-E73F																
U+E740-E74F																
U+E750-E75F																
U+E760-E76F																
U+E770-E77F																
U+E780-E78F																
U+E790-E79F																
U+E7A0-E7AF																
U+E7B0-E7BF		[T]			AI											
U+E7C0-E7CF	o	x
U+EA60-EA6F	+															
U+EA70-EA7F																
U+EA80-EA8F																
U+EA90-EA9F																
U+EAA0-EAAF																
U+EAB0-EABF		Aa														
U+EAC0-EACF																
U+EAD0-EADF																
U+EAE0-EAEF																
U+EAF0-EAFF																
U+EB00-EB0F																
U+EB10-EB1F																
U+EB20-EB2F																
U+EB30-EB3F																
U+EB40-EB4F																
U+EB50-EB5F																
U+EB60-EB6F																
U+EB70-EB7F																
U+EB80-EB8F																
U+EB90-EB9F																
U+EBA0-EBAF																
U+EBB0-EBBF																
U+EBC0-EBCF																
U+EBD0-EBDF																
U+EBE0-EBEF																
U+F000-F00F																
U+F010-F01F																
U+F020-F02F																
U+F030-F03F		A	B	I	T	T	T	T	T	T	T	T	T	T	T	T
U+F040-F04F																

Table 3: InconsolataLGCNerdFontPropo-Regular.ttf *cont.*

	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F
U+F310-F31F																
U+F320-F32F																
U+F330-F33F																
U+F340-F34F																
U+F350-F35F																
U+F360-F36F																
U+F370-F37F				-	-	-	-	-	-	-	-	-	-	-	-	-
U+F400-F40F																
U+F410-F41F																
U+F420-F42F																
U+F430-F43F																
U+F440-F44F																
U+F450-F45F																
U+F460-F46F																
U+F470-F47F																
U+F480-F48F																
U+F490-F49F																
U+F4A0-F4AF																
U+F4B0-F4BF																
U+F4C0-F4CF																
U+F4D0-F4DF																
U+F4E0-F4EF																
U+F4F0-F4FF																
U+F500-F50F																
U+F510-F51F																
U+F520-F52F																
U+F530-F53F					-	-	-	-	-	-	-	-	-	-	-	-

Total number of glyphs shown from InconsolataLGCNerdFontPropo-Regular.ttf: 3196

3 Implementation

Start the DocStrip guards.

```
1 <*package>
```

Identify the internal prefix (L^AT_EX3 DocStrip convention): only internal material in this *module* should be used directly.

```
2 <@=slcd_inf>
```

Load only the essential support (expl3) ‘up-front’, and only if required.

```
3 \ifundefined{ExplLoaderFileDate}
4 { \RequirePackage{expl3} }
5 {}
```

Make sure that the version of l3kernel in use is sufficiently new. We use \ExplFileDate as \ifpackagelater does not work for pre-loaded expl3 in the absence of the package.

```
6 \ifl@t@r\ExplLoaderFileDate{2020-01-09}
7 {}
8 {%
9   \PackageError{inconsolata-nerd-font}{Support package expl3 too old}
10  {%
11    You need to update your installation of the bundles 'l3kernel' and
12    'l3packages'.\MessageBreak
13    Loading~inconsolata-nerd-font~will~abort!%
14  }%
15  \endinput
16  }%
```

\IfFormatAtLeastTF This macro is not present in older kernels, thus we use the L^AT_EX 2_ε mechanism as this is correct for this case.

```
17 \providecommand \IfFormatAtLeastTF { \ifl@t@r \fmtversion }
```

(End of definition for \IfFormatAtLeastTF. This function is documented on page 2.)

Identify the package and give the overall version information.

```
18 \ProvidesExplPackage {inconsolata-nerd-font} {2023-12-08} {0.4}
19 {Support package to use the Inconsolata Nerd Font TrueType fonts}
```

3.1 Options

Define the options for the package.

```
variant
scale
Scale
\l__slcd_inf_variant_tl
\l__slcd_inf_scale_tl
20 \tl_new:N \l__slcd_inf_variant_tl
21
22 \keys_define:nn { inconsolatanerdfont }
23 {
24   variant .choices:nn = { default, mono, propo } {
25     \tl_set_eq:NN \l__slcd_inf_variant_tl \l_keys_choice_tl
26   },
27
28   scale .tl_set:N = \l__slcd_inf_scale_tl,
29   Scale .tl_set:N = \l__slcd_inf_scale_tl,
30 }
31
```

```

32 \keys_set:nn { inconsolatanerdfont }
33 {
34   variant = default,
35   scale = MatchLowercase,
36 }
37 \tl_clear:N \l__slcd_inf_variant_tl

```

(End of definition for *variant* and others. These variables are documented on page 2.)

Process the options

```

38 \IfFormatAtLeastTF { 2022-06-01 }
39 { \ProcessKeyOptions [ inconsolatanerdfont ] }
40 {
41   \RequirePackage { l3keys2e }
42   \ProcessKeysOptions { inconsolatanerdfont }
43 }

```

and set up the default variant if it was not yet chosen

```

44 \tl_if_empty:NT \l__slcd_inf_variant_tl
45 {
46   \tl_set:Nn \l__slcd_inf_variant_tl { default }
47 }

```

3.2 Load the Font

We require the fontspec package.

```

48 \RequirePackage{fontspec}

```

Define and set a helper variable for the respective font name suffix

```

49 \tl_new:N \l__slcd_inf_font_name_tl
50 \tl_set:Nn \l__slcd_inf_font_name_tl {InconsolataLGCNerdFont}
51 \tl_if_eq:NnTF \l__slcd_inf_variant_tl { mono }
52 { \tl_put_right:Nn \l__slcd_inf_font_name_tl {Mono} }
53 {
54   \tl_if_eq:NnT \l__slcd_inf_variant_tl { propo }
55   { \tl_put_right:Nn \l__slcd_inf_font_name_tl {Propo} }
56 }

```

Define a font family for the three fonts and commands for easier usage.

`\inconsolatanffamily` The default font accessible as a L^AT_EX font family.

```

57 \newfontfamily\inconsolatanffamily{InconsolataLGCNerdFont-Regular.ttf}[
58   BoldFont      = InconsolataLGCNerdFont-Bold.ttf,
59   BoldItalicFont = InconsolataLGCNerdFont-BoldItalic.ttf,
60   ItalicFont    = InconsolataLGCNerdFont-Italic.ttf,
61   FakeStretch   = {0.9},
62   NFSSFamily    = inconsolatanf,
63   Scale         = \l__slcd_inf_scale_tl,
64 ]

```

(End of definition for `\inconsolatanffamily`. This function is documented on page 3.)

`\inconsolatanfmonofamily` The mono font variant, accessible as a L^AT_EX font family.

```

65 \newfontfamily\inconsolatanfmonofamily{InconsolataLGCNerdFontMono-Regular.ttf}[
66   BoldFont      = InconsolataLGCNerdFontMono-Bold.ttf,
67   BoldItalicFont = InconsolataLGCNerdFontMono-BoldItalic.ttf,
68   ItalicFont    = InconsolataLGCNerdFontMono-Italic.ttf,

```

```

69 FakeStretch = {0.9},
70 NFSSFamilY = inconsolatanfmono,
71 Scale       = \l_slcd_inf_scale_tl,
72 ]

```

(End of definition for \inconsolatanfmonofamily. This function is documented on page 3.)

\inconsolatanfpropofamily The propo font variant, accessible as a L^AT_EX font family.

```

73 \newfontfamily\inconsolatanfpropofamily{InconsolataLGCNerdFontPropo-Regular.ttf}[
74 BoldFont       = InconsolataLGCNerdFontPropo-Bold.ttf,
75 BoldItalicFont = InconsolataLGCNerdFontPropo-BoldItalic.ttf,
76 ItalicFont     = InconsolataLGCNerdFontPropo-Italic.ttf,
77 FakeStretch    = {0.9},
78 NFSSFamilY     = inconsolatanfpropo,
79 Scale          = \l_slcd_inf_scale_tl,
80 ]

```

(End of definition for \inconsolatanfpropofamily. This function is documented on page 3.)

\textinconsolatanf A macro to typeset text in the default font variant.

```

81 \DeclareTextFontCommand{\textinconsolatanf}{\inconsolatanffamily}

```

(End of definition for \textinconsolatanf. This function is documented on page 3.)

\textinconsolatanfmono A macro to typeset text in the mono font variant.

```

82 \DeclareTextFontCommand{\textinconsolatanfmono}{\inconsolatanffamilymono}

```

(End of definition for \textinconsolatanfmono. This function is documented on page 3.)

\textinconsolatanfpropo A macro to typeset text in the propo font variant.

```

83 \DeclareTextFontCommand{\textinconsolatanfpropo}{\inconsolatanffamilypropo}

```

(End of definition for \textinconsolatanfpropo. This function is documented on page 3.)

Now we can actually load the font

```

84 \setmonofont{\l_slcd_inf_font_name_tl}[
85 BoldFont       = *-Bold,
86 BoldItalicFont = *-BoldItalic,
87 ItalicFont     = *-Italic,
88 Extension      = .ttf,
89 FakeStretch    = {0.9},
90 Scale          = \l_slcd_inf_scale_tl,
91 UprightFont    = *-Regular,
92 ]
93 \</package>

```

Index

The italic numbers denote the pages where the corresponding entry is described, numbers underlined point to the definition, all others indicate the places where it is used.

D	E
\DeclareTextFontCommand	\ExplFileDate 25
	81, 82, 83

I		scale	2, 20
<code>\IfFormatAtLeastTF</code>	2, 17 , 38	<code>\setmonofont</code>	84
<code>\inconsolatanfffamily</code>	3, 57 , 81	slcd internal commands:	
<code>\inconsolatanfffamilymono</code>	82	<code>\l__slcd_inf_font_name_tl</code>	49, 50, 52, 55, 84
<code>\inconsolatanfffamilypropo</code>	83	<code>\l__slcd_inf_scale_tl</code>	20 , 63, 71, 79, 90
<code>\inconsolatanfmonofamily</code>	3, 65	<code>\l__slcd_inf_variant_tl</code>	20 , 44, 46, 51, 54
<code>\inconsolatanfpropofamily</code>	3, 73	T	
N		T _E X and L ^A T _E X 2 _ε commands:	
<code>\newfontfamily</code>	57, 65, 73	<code>\@ifpackagelater</code>	25
P		<code>\textinconsolatanf</code>	3, 81
<code>\ProvidesExplPackage</code>	18	<code>\textinconsolatanfmono</code>	3, 82
R		<code>\textinconsolatanfpropo</code>	3, 83
<code>\RequirePackage</code>	4, 41, 48	tl commands:	
S		<code>\tl_if_empty:NnTF</code>	44
<code>Scale</code>	2, 20	<code>\tl_if_eq:NnTF</code>	54
S		V	
<code>Scale</code>	2, 20	<code>variant</code>	2, 20

Change History

v0.1	General: First public release	1	v0.3	General: Add font tables to the documentation.	3
v0.2	<code>\inconsolatanfmonofamily</code> : Added macro	26	v0.4	General: Change variant to have bold-italic and italic glyphs, too	2
	<code>\inconsolatanfpropofamily</code> : Added macro	27			
	<code>\textinconsolatanfmono</code> : Added macro	27			
	<code>\textinconsolatanfpropo</code> : Added macro	27			