

# The latex-lab-amsmath code\*

L<sup>A</sup>T<sub>E</sub>X Project

February 14, 2024

Abstract

## Contents

<b>1</b>	<b>Introduction</b>	<b>1</b>
<b>2</b>	<b>The Implementation</b>	<b>1</b>
	2.1 File declaration . . . . .	1
	2.2 Tagpdf support . . . . .	1
	2.3 \intertext . . . . .	2
	2.4 \text . . . . .	2
	<b>Index</b>	<b>4</b>

## 1 Introduction

This file implements adaptations to the `amsmath` package needed for the tagging project.

## 2 The Implementation

1 `<@=math>`

2 `<kernel>`

### 2.1 File declaration

3 `\ProvidesFile{latex-lab-amsmath.ltx}`

4 `[2024-02-12 v0.1b amsmath adaptations]`

### 2.2 Tagpdf support

To make the code independent from tagging being loaded and active we load the `tagpdf-base` package:

5 `\RequirePackage{tagpdf-base}`

6 `\ExplSyntaxOn`

---

\*

## 2.3 `\intertext`

The `\intertext` command errors with active tagging as it is processed twice which leads to duplicated structures.

```
7 \AddToHook{package/amsmath/after}
8 {
9   \def\intertext@{%
10     \def\intertext##1{%
11       \ifvmode\else\\@empty\fi
12       \noalign{%
```

we have to flip the sign and use a negative `\belowdisplayskip` as we flipped the sign at the outside.

```
13         \penalty\postdisplaypenalty\vskip-\belowdisplayskip
14         \vbox{
```

Stop tagging when measuring:

```
15         \ifmeasuring@\tag_stop:\fi
16         \normalbaselines
17         \ifdim\linewidth=\columnwidth
18         \else \parshape\@ne \@totalleftmargin \linewidth
19         \fi
```

End the previous mc:

```
20         \tag_mc_end_push:
```

We are already in a par so we change now to text:

```
21         \tagpdfsetup{paratag=P}%
```

TODO why `\tagpdfpara0n` needed?

```
22         \tagpdfpara0n
23         \noindent\ignorespaces##1\par
```

Restart the MC

```
24         \tag_mc_begin_pop:n{}}%
25         \penalty\predisplaypenalty\vskip\abovedisplayskip%
26     }%
27 }}
28 }
```

## 2.4 `\text`

The `\text` command uses `\mathchoice` which “typesets” the argument four times. This makes it quite problematic for tagging. Without precautions structure objects would be created four times and would get MC-chunks as kids that doesn’t really exist. `amsmath` contains a switch that allows to execute code only in the first (`displaymath`) branch, but that isn’t usable here. At first because we don’t know if the first branch creates the same structure as the one that is actually used. At second because the engines executes some commands like `\label` and `\pdfannot` only at shipout from the branch that really was used. So we would get structure data from one `\mathchoice`-branch and MC-labels and links from another one and that gets very messy.

We therefore have to avoid that tagging is active in unused branches. In `pdflatex` it is not possible to detect the `mathstyle` before, so we use a label. With `lualatex` is possible to redefine `\text` not to use `\mathchoice`

```
29 \AddToHook{package/amstext/after}
```

```

30 {
currently amsmath is loaded in a begindocument hook, so this test is fine. If amstext is
loaded earlier (in the kernel), this needs perhaps a change.
31 \tag_if_active:T
32 {
33 \sys_if_engine_luatex:TF
34 {
35 \def\text@#1{%
36 \ifcase\mathstyle
37 \hbox{#1}\or
38 \hbox{#1}\or
39 \hbox{#1}\or
40 \hbox{#1}\or
41 \hbox{\let\f@size\sf@size\selectfont#1}\or
42 \hbox{\let\f@size\sf@size\selectfont#1}\or
43 \hbox{\let\f@size\ssf@size\selectfont#1}\or
44 \hbox{\let\f@size\ssf@size\selectfont#1}\or
45 \ERROR
46 \fi
47 \check@mathfonts
48 }}
49 }
50 {
51 \def\text@#1
52 {{
53 \int_gincr:N\g__math_mathchoice_int
54 \tag_stop:
55 \mathchoice
56 {
57 \__math_tag_if_mathstyle:en{mathchoice-\int_use:N\g__math_mathchoice_int}{0}
58 \textdef@\displaystyle\f@size{#1}
59 }
60 {
61 \__math_tag_if_mathstyle:en{mathchoice-\int_use:N\g__math_mathchoice_int}{2}
62 \textdef@\textstyle\f@size{\firstchoice@false #1}
63 }
64 {
65 \__math_tag_if_mathstyle:en{mathchoice-\int_use:N\g__math_mathchoice_int}{4}
66 \textdef@\textstyle\sf@size{\firstchoice@false #1}
67 }
68 {
69 \__math_tag_if_mathstyle:en{mathchoice-\int_use:N\g__math_mathchoice_int}{6}
70 \textdef@\textstyle \ssf@size{\firstchoice@false #1}
71 }
72 \check@mathfonts
73 }}
74 }
75 }
76 }
77 \ExplSyntaxOff
78 </kernel>

```

# Index

The italic numbers denote the pages where the corresponding entry is described, numbers underlined point to the definition, all others indicate the places where it is used.

<b>Symbols</b>	<code>\mathchoice</code> . . . . .	2, 55
<code>\\</code> . . . . .	<code>\mathstyle</code> . . . . .	36
<b>A</b>	<b>N</b>	
<code>\abovedisplayskip</code> . . . . .	<code>\noalign</code> . . . . .	12
<code>\AddToHook</code> . . . . .	<code>\noindent</code> . . . . .	23
<b>B</b>	<code>\normalbaselines</code> . . . . .	16
<code>\belowdisplayskip</code> . . . . .	<b>O</b>	
<b>C</b>	<code>\or</code> . . . . .	37, 38, 39, 40, 41, 42, 43, 44
<code>\columnwidth</code> . . . . .	<b>P</b>	
<b>D</b>	<code>\par</code> . . . . .	23
<code>\def</code> . . . . .	<code>\parshape</code> . . . . .	18
<code>\displaystyle</code> . . . . .	<code>\pdfannot</code> . . . . .	2
<b>E</b>	<code>\penalty</code> . . . . .	13, 25
<code>\else</code> . . . . .	<code>\postdisplaypenalty</code> . . . . .	13
<code>\ERROR</code> . . . . .	<code>\predisplaypenalty</code> . . . . .	25
<code>\ExplSyntaxOff</code> . . . . .	<code>\ProvidesFile</code> . . . . .	3
<code>\ExplSyntaxOn</code> . . . . .	<b>R</b>	
<b>F</b>	<code>\RequirePackage</code> . . . . .	5
<code>\fi</code> . . . . .	<b>S</b>	
<b>H</b>	<code>\selectfont</code> . . . . .	41, 42, 43, 44
<code>\hbox</code> . . . . .	sys commands:	
<b>I</b>	<code>\sys_if_engine_luatex:TF</code> . . . . .	33
<code>\ifcase</code> . . . . .	<b>T</b>	
<code>\ifdim</code> . . . . .	tag commands:	
<code>\ifvmode</code> . . . . .	<code>\tag_if_active:TF</code> . . . . .	31
<code>\ignorespaces</code> . . . . .	<code>\tag_mc_begin_pop:n</code> . . . . .	24
int commands:	<code>\tag_mc_end_push:</code> . . . . .	20
<code>\int_gincr:N</code> . . . . .	<code>\tag_stop:</code> . . . . .	15, 54
<code>\int_use:N</code> . . . . .	<code>\tagpdfparaOn</code> . . . . .	2, 22
int internal commands:	<code>\tagpdfsetup</code> . . . . .	21
<code>\g_math_mathchoice_int</code> . . . . .	TEX and L <sup>A</sup> T <sub>E</sub> X 2 <sub>ε</sub> commands:	
<code>\intertext</code> . . . . .	<code>\@empty</code> . . . . .	11
<b>L</b>	<code>\@ne</code> . . . . .	18
<code>\label</code> . . . . .	<code>\@totalleftmargin</code> . . . . .	18
<code>\let</code> . . . . .	<code>\check@mathfonts</code> . . . . .	47, 72
<code>\linewidth</code> . . . . .	<code>\f@size</code> . . . . .	41, 42, 43, 44, 58, 62
<b>M</b>	<code>\firstchoice@false</code> . . . . .	62, 66, 70
math internal commands:	<code>\ifmeasuring@</code> . . . . .	15
<code>\__math_tag_if_mathstyle:nn</code> . . . . .	<code>\intertext@</code> . . . . .	9
<code>\intertext</code> . . . . .	<code>\sf@size</code> . . . . .	41, 42, 66
<code>\intertext</code> . . . . .	<code>\ssf@size</code> . . . . .	43, 44, 70
<code>\intertext</code> . . . . .	<code>\text@</code> . . . . .	35, 51
<code>\intertext</code> . . . . .	<code>\textdef@</code> . . . . .	58, 62, 66, 70
<code>\intertext</code> . . . . .	<code>\text</code> . . . . .	2

<code>\textstyle</code> .....	62, 66, 70	<b>V</b>	
		<code>\vbox</code> .....	14
		<code>\vskip</code> .....	13, 25