

The `l3pdfmeta` module

PDF standards

L^AT_EX PDF management testphase bundle

The L^AT_EX Project*

Version 0.96f, released 2024-03-01

1 `l3pdfmeta` documentation

This module sets up some tools and commands needed for PDF standards in general. The goal is to collect the requirements and to provide code to check and fulfill them.

1.1 Verifying requirements of PDF standards

Standards like pdf/A set requirements on a PDF: Some things have to be in the PDF, e.g. the catalog has to contain a `/Lang` entry and a colorprofile and an `/OutputIntent`, some other things are forbidden or restricted, e.g. the action dictionary of an annotation should not contain Javascript.

The `l3pdfmeta` module collects a number of relevant requirements, tries to enforce the ones which can be enforced and offers some tools for package authors to test if an action is allowed in the standard or not.

This is work in progress and more tests will be added. But it should be noted that it will probably never be possible to prevent all forbidden actions or enforce all required ones or even to simply check all of them. The commands here don't replace a check with an external validator.

Verifying against a PDF-standard involves two different tasks:

- Check if you are allowed to ignore the requirement.
- Decide which action to take if the answer to the first question is NO.

The following conditionals address the first task. Because of the second task a return value `FALSE` means that the standard requires you to do some special action. `TRUE` means that you can ignore this requirement.¹

In most cases it only matters if a requirement is in the standard, for example `Catalog_no_OCProperties` means “don't use `/OCProperties` in the catalog”. For a small number of requirements it is also needed to test a user value against a standard value. For example, `named_actions` restricts the allowed named actions in an annotation

*E-mail: latex-team@latex-project.org

¹One could also make the logic the other way round—there are arguments for both—but I had to decide.

of subtype `/Named`, in this case it is needed to check not only if the requirement is in the standard but also if the user value is in the allowed list.

```
\pdfmeta_standard_verify_p:n * \pdfmeta_standard_verify:n{<requirement>}
\pdfmeta_standard_verify:nTF *
```

This checks if `<requirement>` is listed in the standard. `FALSE` as result means that the requirement is in the standard and that probably some special action is required—which one depends on the requirement, see the descriptions below. `TRUE` means that the requirement is not there and so no special action is needed. This check can be used for simple requirements where neither a user nor a standard value is of importance.

```
\pdfmeta_standard_verify:nnTF \pdfmeta_standard_verify:nn{<requirement>}{<value>}
```

This checks if `<requirement>` is listed in the standard, if yes it tries to find a pre-defined test handler for the requirement and passes `<value>` and the value recorded in the standard to it. The handler returns `FALSE` if some special action is needed (e.g. if `<value>` violates the rule) and `TRUE` if no special action is needed. If no handler exists this commands works like `\pdfmeta_standard_verify:n`.

In some cases one needs to query the value in the standard, e.g. to correct a wrong minimal PDF version you need to know which version is required by `min_pdf_version`. For this two commands to access the value are provided:

```
\pdfmeta_standard_item:n * \pdfmeta_standard_item:n{<requirement>}
```

This retrieves the value of `<requirement>` and leaves it in the input. If the requirement isn't in the standard the result is empty, that means that requirements not in the standard and requirement without values can not be distinguished here.

```
\pdfmeta_standard_get:nN \pdfmeta_standard_get:nN{<requirement>} <tl var>
```

This retrieves the value of `<requirement>` and stores it in the `<token list variable>`. If the `<requirement>` is not found the special value `\q_no_value` is used. The `<token list variable>` is assigned locally.

The following describe the requirements which can be currently tested. Requirements with a value should use `\pdfmeta_standard_verify:nn` or `\pdfmeta_standard_verify:nnN` to test a local value against the standard. The rule numbers refer to <https://docs.verapdf.org/validation/pdfa-part1/>

1.1.1 Simple tests without handler

`outputintent_A` requires to embed a color profile and reference it in a `/Outputintent` and that all output intents reference the same colorprofile. The value stores the subtype. *This requirement is detected and fulfilled by `l3pdfmeta` if the provided interface in `\DocumentMetadata` is used, see below.*

`annot_flags` in annotations the `Print` flag should be true, `Hidden`, `Invisible`, `NoView` should be false. *This requirement is detected and set by `l3pdfmeta` for annotations created with the `l3pdfannot`. A new check is only needed if the flags are changed or if links are created by other means.*

`no_encryption` don't encrypt

`no_external_content` no /F, /FFilter, or /FDecodeParms in stream dictionaries

`no_embed_content` no /EF key in filespec, no /Type/EmbeddedFiles. *This will be checked in future by l3pdffiles for the files it embeds.* The restriction is set for only PDF/A-1b. PDF/A-2b and PDF/A3-b lifted this restriction: PDF/A-2b allows to embed other PDF documents conforming to either PDF/A-1 or PDF/A-2, and PDF/A-3 allows any embedded files. I don't see a way to test the PDF/A-2b requirement so currently it will simply allow everything. Perhaps a test for at least the PDF-format will be added in future.

`Catalog_no_OCProperties` don't add /OCProperties to the catalog *l3pdfmeta removes this entry at the end of the document*

`annot_widget_no_AA` (rule 6.6.2-1) no AA dictionary in widget annotation, this will e.g. be checked by the new hyperref driver.

`annot_widget_no_A_AA` (rule 6.9-2) no A and AA dictionary in widget.

`form_no_AA` (6.9-3) no /AA dictionary in form field

`unicode` that is set in the U-standards, A-2u and A-3u and means that every text should be in unicode. This is not something that can be enforced or tested from TeX, but in a current LaTeX normally ToUnicode are set for all fonts.

`tagged` that is set in A-2a and A-3a and means that the pdf must be tagged. This is currently neither tested not enforced somewhere.

`no_CharSet` CharSet is deprecated in pdf 2.0 and should not be used in A-4. l3pdfmeta will therefore suppress it for the engines pdftex and luatex (the other engines have no suitable option)

`Trailer_no_Info` The Info dictionary has been deprecated since quite some time. Metadata should be set with XMP-data instead. In PDF A-4 now the Info dictionary shall not be present in the trailer dictionary at all (unless there exists a PieceInfo entry in the Catalog). And if it is present it should only contain the /ModDate entry. In texlive 2023 the engines pdftex and luatex have primitives to suppress the dictionary and l3pdfmeta will make use of it.

1.1.2 Tests with values and special handlers

`min_pdf_version` stores the minimal PDF version needed for a standard. It should be checked against the current PDF version (`\pdf_version:`). A failure means that the version should be changed. Currently there is only one hard requirement which leads to a failure in a validator like verapdf: The A-4 standard should use PDF 2.0. As PDF A-1 is based on PDF 1.4 and PDF A-2 and A-3 are based on PDF 1.7 l3pdfmeta also sets these versions also as requirements. These requirements are checked by l3pdfmeta when the version is set with `\DocumentMetadata` and a warning is issued (but the version is not changed). More checks are only needed if the version is changed later.

`max_pdf_version` stores the maximal PDF version. It should be checked against the current PDF version (`\pdf_version:`). A failure means that the version should be changed. The check is currently relevant only for the A-1 to A-3 standards: PDF

2.0 leads to a failure in a validator like verapdf so the maximal version should be PDF 1.7. This requirement is checked by `l3pdfmeta` when the version is set with `\DocumentMetadata` and a warning is issued (but the version is not changed). More checks are only needed if the version is changed later.

`named_actions` this requirement restricts the list of allowed named actions to `NextPage`, `PrevPage`, `FirstPage`, `LastPage`. The check should supply the named action without slash (e.g. `View` (failure) or `NextPage` (pass)).

`annot_action_A` (rule 6.6.1-1) this requirement restricts the allowed subtypes of the `/A` dictionary of an action. The check should supply the user subtype without slash e.g. as `GoTo` (pass) or `Movie` (failure).

1.2 Colorprofiles and OutputIntent

The pdf/A standards require that a color profile is embedded and referenced in the catalog in the `/OutputIntent` array.

The problem is that the pdf/A standards also require, that if the PDF has more than one entry in the `/OutputIntent` array (which is allowed), their `/DestOutputProfile` should all reference the same color profile².

Enforcing this fully is impossible if entries are added manually by users or packages with `\pdfmanagement_add:nnn {Catalog}{OutputIntents}{\langle object reference \rangle}` as it is difficult to inspect and remove entries from the `/OutputIntent` array.

So we provide a dedicated interface to avoid the need of manual user settings and allow the code to handle the requirements of the standard. The interface doesn't handle yet all finer points for PDF/X standards, e.g. named profiles, it is meant as a starting point to get at least PDF/A validation here.

The interface looks like this

```
\DocumentMetadata
{
  %other options for example pdfstandard
  colorprofiles=
  {
    A = sRGB.icc, %or a or longer GTS_PDFA1 = sRGB.icc
    X = FOGRA39L_coated.icc, % or x or longer GTS_PDFX
    ISO_PDFA1 = whatever.icc
  }
}
```

`sRGB.icc` and `FOGRA39L_coated.icc` (from the `colorprofiles` package are predefined and will work directly³. `whatever.icc` will need special setup in the document preamble to declare the values for the `OutputIntent` dictionary, but the interface hasn't be added yet. This will be decided later.

If an A-standard is detected or set which requires that all `/DestOutputProfile` reference the same color profile, the setting is changed to the equivalent of

²see rule 6.2.2-2 at <https://docs.verapdf.org/validation/pdfa-part1/>

³The `dvips` route will require that `ps2pdf` is called with `-dNOSAFER`, and that the color profiles are in the current folder as `ps2pdf` doesn't use `kpathsea` to find them.

```

\DocumentMetadata
{
  %other options
  pdfstandard=A-2b,
  colorprofiles=
  {
    A = sRGB.icc, %or longer GTS_PDFa1 = sRGB.icc
    X = sRGB.icc,
    ISO_PDFE1 = sRGB.icc
  }
}

```

The pdf/A standards will use A=sRGB.icc by default, so this doesn't need to be declared explicitly.

1.3 Regression tests

When doing regression tests one has to set various metadata to fix values.

```
\pdfmeta_set_regression_data: \pdfmeta_set_regression_data:
```

This sets various metadata to values needed by the L^AT_EX regression tests. It also sets the seed for random functions. If a current l3backend is used and `\c_sys_timestamp_str` is available, the command does not set dates, but assumes that the environment variable `SOURCE_DATE_EPOCH` is used.

2 XMP-metadata

XMP-metadata are data in XML format embedded in a stream inside the PDF and referenced from the `/Catalog`. Such a XMP-metadata stream contains various document related data, is required by various PDF standards and can replace or extend the data in the `/Info` dictionary. In PDF 2.0 the `/Info` dictionary is actually deprecated and only XMP-metadata should be used for the metadata of the PDF.

The content of a XMP-metadata stream is not a fix set of data. Typically fields like the title, the author, the language and keywords will be there. But standards like e.g. ZUGferd (a standard for electronic bills) can require to add more fields, and it is also possible to define and add purely local data.

In some workflows (e.g. if dvips + ghostscript is used) a XMP-metadata stream with some standard content is added automatically by the backend, but normally it must be created with code.

For this task the packages `hyperxmp`, `xmpincl` or `pdfx` (which uses `xmpincl`) can be used, but all these packages are not compatible with the `pdfmanagement`⁴. The following code is meant as replacement for these packages.

`hyperxmp` uses `\hypersetup` as user interface to enter the XMP-metadata. This syntax is also supported by the new code⁵, so if `hyperref` has been loaded, e.g. `pdftitle=xxx`

⁴`hyperxmp` was partly compatible as the `pdfmanagement` contained some patches for it, but these patches have now been removed.

⁵with a number of changes which are discussed in more details below

can be used to set the title. But XMP-metadata shouldn't require to use `hyperref` and in a future version an interface without `hyperref` will be added.

There is currently no full user interface command to extend the XMP-metadata with for example the code needed for ZUGferd, they will be added in a second step.

2.1 Debug option

The resulting XMP-packet can be written to an external file by activating a debug option

```
\DocumentMetadata{debug={xmp-export}}
%or
\DocumentMetadata{debug={xmp-export=true}}
%or
\DocumentMetadata{debug={xmp-export=filename}}
```

By default the data are written to `\jobname.xmpi`, if a `filename` is given, then `filename.xmpi` is used instead. `xmp-export=false` deactivates the export.

2.2 Encoding and escaping

XMP-metadata are stored as UTF-8 in the PDF. This mean if you open a PDF in an editor a content like "grüße" will be shown probably as "grÃ¼Ãe". As XMP-metadata are in XML format special chars like `<`, `>`, and `&` and `„` must be escaped.

`hyperxmp` hooks into `hyperref` and passes all input through `\pdfstringdef`. This means a word like "hallo" is first converted by `\pdfstringdef` into `\376\377\000h\000a\0001\0001\000o` and then back to UTF-8 by `hyperxmp` and in the course of this action the XML-escapings are applied. `pdfx` uses `\pdfstringdef` together with a special fontencoding (similar to the PU-encoding of `hyperref`) for a similar aim. The code here is based on `\text_purify:n` followed by a few replacements for the escaping.

User data should normally be declared in the preamble (or even in the `\DocumentMetadata` command), and consist of rather simple text; `&` can be entered as `\&` (but directly `&` will normally work too), babel shorthands should not be used. Some datas are interpreted as comma lists, in this cases commas which are part of the text should be protected by braces. In some cases a text in brackets like `[en]` is interpreted as language tag, if they are part of a text they should be protected by braces too. XMP-metadata are stored uncompressed in the PDF so if you are unsure if a value has been passed correctly, open the PDF in an editor, copy the whole block and pass it to a validator, e.g. <https://www.w3.org/RDF/Validator/>.

2.3 User interfaces and differences to `hyperxmp`

2.3.1 PDF standards

The `hyperxmp`/`hyperref` keys `pdfapart`, `pdfaconformance`, `pdfuapart`, `pdfxstandard` and `pdfa` are ignored by this code. Standards must be set with the `pdfstandard` key of `\DocumentMetadata`. This key can be used more than once, e.g.

```
pdfstandard=A-2b,pdfstandard=X-4,pdfstandard=UA-1.
```

Note that using these keys doesn't mean that the document actually follows the standard. `LATEX` can neither ensure nor check all requirements of a standard, and not everything it can do theoretically has already been implemented. When setting an A standard, the code will e.g. insert a color profile and warn if the PDF version doesn't fit, but X and

UA currently only adds the relevant declarations to the XMP-metadata. It is up to the author to ensure and validate that the document actually follows the standard.

2.3.2 Declarations

PDF knows beside standards also a more generic method to declare conformance to some specification by adding a declaration, see <https://pdfa.org/wp-content/uploads/2019/09/PDF-Declarations.pdf>). Such declarations can be added as a simple url which identify the specification or with additional details regarding date and credentials. An example would be

```
\DocumentMetadata{}
\documentclass{article}
\ExplSyntaxOn
\pdfmeta_xmp_add_declaration:e {https://pdfa.org/declarations\c_hash_str iso32005}
\pdfmeta_xmp_add_declaration:enenn
  {https://pdfa.org/declarations\c_hash_str wcag21A}{2023-11-20}{}
\pdfmeta_xmp_add_declaration:nenenn
  {https://github.com/TikZlings/no-duck-harmed}
  {Ulrike~Fischer}{2023-11-20}{Bär}{https://github.com/u-fischer/bearwear}
\pdfmeta_xmp_add_declaration:nenenn
  {https://github.com/TikZlings/no-duck-harmed}
  {Ulrike~Fischer}{2023-11-20}{Paulo}{https://github.com/cereda/sillypage}
\ExplSyntaxOff
\begin{document}
  text
\end{document}
```

2.3.3 Dates

- The dates `xmp:CreateDate`, `xmp:ModifyDate`, `xmp:MetadataDate` are normally set automatically to the current date/time when the compilation started. If they should be changed (e.g. for regression tests to produce reproducible documents) they can be set with `\hypersetup` with the keys `pdfcreationdate`, `pdfmoddate` and `pdfmetadate`.

```
\hypersetup{pdfcreationdate=D:20010101205959-00'00'}
```

The format should be a full date/time in PDF format, so one of these (naturally the numbers can change):

```
D:20010101205959-00'00'
D:20010101205959+00'00'
D:20010101205959Z
```

- The date `dc:date` is an “author date” and so should normally be set to the same date as given by `\date`. This can be done with the key `pdfdate`⁶. The value should be a date in ISO 8601 format:

⁶Extracting the value automatically from `\date` is not really possible as authors often put formatting or additional info in this command.

```

2022                %year
2022-09-04          %year-month-day
2022-09-04T19:20   %year-month-day hour:minutes
2022-09-04T19:20:30 % year-month-day hour:minutes:second
2022-09-04T19:20:30.45 % year-month-day hour:minutes:second with fraction
2022-09-04T19:20+01:00 % with time zone designator
2022-09-04T19:20-02:00 % time zone designator
2022-09-04T19:20Z    % time zone designator

```

It is also possible to give the date as a full date in PDF format as described above. If not set the current date/time is used.

2.4 Language

The code assumes that a default language is always declared (as the pdfmanagement gives the `/Lang` entry in the catalog a default value) This language can be changed with the `\DocumentMetadata` key `lang` (preferred) but the `hyperref` key `pdflang` is also honored. Its value should be a simple language tag like `de` or `de-DE`.

The main language is also used in a number of attributes in the XMP data, if wanted a different language can be set here with the `hyperref/hyperxmp` key `pdfmetalang`.

A number of entries can be given a language tag. Such a language is given by using an “optional argument” before the text:

```

\hypersetup{pdftitle={ [en]english, [de]deutsch}}
\hypersetup{pdfsubtitle={ [en]subtitle in english}}

```

2.5 Rights

The keys `pdfcopyright` and `pdflicenseurl` work similar as in `hyperxmp`. But differently to `hyperxmp` the code doesn't set the `xmpRights:Marked` property, as I have some doubts that one deduce its value simply by checking if the other keys have been used; if needed it should be added manually.

2.6 PDF related data

The PDF producer is for all engines by default built from the engine name and the engine version and doesn't use the banners as with `hyperxmp` and `pdfx`, it can be set manually with the `pdfproducer` key.

The key `pdftrapped` is ignored. `Trapped` is deprecated in PDF 2.0.

2.7 Document data

The authors should be given with the `pdfauthor` key, separated by commas. If an author contains a comma, protect/hide it by a brace.

2.8 User commands

The XMP-meta data are added automatically. This can be suppressed with the `\DocumentMetadata` key `xmp`.

`\pdfmeta_xmp_add:n` `\pdfmeta_xmp_add:n{<XML>}`

With this command additional XML code can be added to the Metadata. The content is added unchanged, and not sanitized.

`\pdfmeta_xmp_xmlns_new:nn` `\pdfmeta_xmp_xmlns_new:nn{<prefix>}{<uri>}`

With this command a xmlns name space can be added.

With the two following commands PDF declarations can be added to the XMP metadata (see <https://pdfa.org/wp-content/uploads/2019/09/PDF-Declarations.pdf>).

`\pdfmeta_xmp_add_declaration:n` `\pdfmeta_xmp_add_declaration:n{<uri>}`
`\pdfmeta_xmp_add_declaration:e`

This add a PDF declaration with the required `conformsTo` property to the XMP metadata. `<uri>` should not be empty and is a URI specifying the standard or profile referred to by the PDF Declaration. If the uri contains a hash, use `\c_hash_str` to escape it and use the `e` variant to expand it.

`\pdfmeta_xmp_add_declaration:nnnn` `\pdfmeta_xmp_add_`
`\pdfmeta_xmp_add_declaration:ennnn` `declaration:nnnn{<uri>}{<By>}{<Date>}{<Credentials>}{<Report>}`

This add a PDF declaration to the XMP metadata similar to `\pdfmeta_xmp_add_declaration:n`. With `<By>`, `<Date>`, `<Credentials>`, `<Report>` the optional fields `claimBy` (text), `claimDate` (iso date), `claimCredentials` (text) and `claimReport` (uri) of the `claimData` property can be given. If `\pdfmeta_xmp_add_declaration:nnnn` is used twice with the same `<uri>` argument the `claimData` are concatenated. There is no check if the `claimData` are identical.

3 l3pdfmeta implementation

```

1 <@@=pdfmeta>
2 <*header>
3 \ProvidesExplPackage{l3pdfmeta}{2024-03-01}{0.96f}
4   {PDF-Standards---LaTeX PDF management testphase bundle}
5 </header>

```

Message for unknown standards

```

6 <*package>
7 \msg_new:nnn {pdf }{unknown-standard}{The-standard-~#1~-is-unknown-and-has-been-ignored}

```

Message for not fitting pdf version

```

8 \msg_new:nnn {pdf }{wrong-pdfversion}
9   {PDF-version-~#1~-is-too-~#2~-for-standard-~#3'.}

```

```

\l__pdfmeta_tmpa_tl
\l__pdfmeta_tmpb_tl 10 \tl_new:N \l__pdfmeta_tmpa_tl
\l__pdfmeta_tmpa_str 11 \tl_new:N \l__pdfmeta_tmpb_tl
\g__pdfmetatmpa_str
\l__pdfmeta_tmpa_seq
\l__pdfmeta_tmpb_seq

```

```

12 \str_new:N \l__pdfmeta_tmpa_str
13 \str_new:N \g__pdfmeta_tmpa_str
14 \seq_new:N \l__pdfmeta_tmpa_seq
15 \seq_new:N \l__pdfmeta_tmpb_seq

```

(End of definition for \l__pdfmeta_tmpa_tl and others.)

3.1 Standards (work in progress)

3.1.1 Tools and tests

This internal property will contain for now the settings for the document.

`\g__pdfmeta_standard_prop`

```

16 \prop_new:N \g__pdfmeta_standard_prop

```

(End of definition for \g__pdfmeta_standard_prop.)

3.1.2 Functions to check a requirement

At first two commands to get the standard value if needed:

`\pdfmeta_standard_item:n`

```

21 \cs_new:Npn \pdfmeta_standard_item:n #1
22 {
23   \prop_item:Nn \g__pdfmeta_standard_prop {#1}
24 }

```

(End of definition for \pdfmeta_standard_item:n. This function is documented on page 2.)

`\pdfmeta_standard_get:nN`

```

21 \cs_new_protected:Npn \pdfmeta_standard_get:nN #1 #2
22 {
23   \prop_get:NnN \g__pdfmeta_standard_prop {#1} #2
24 }

```

(End of definition for \pdfmeta_standard_get:nN. This function is documented on page 2.)

Now two functions to check the requirement. A simple and one value/handler based.

`\pdfmeta_standard_verify_p:n`

This is a simple test is the requirement is in the prop.

`\pdfmeta_standard_verify:nTF`

```

25 \prg_new_conditional:Npnn \pdfmeta_standard_verify:n #1 {T,F,TF}
26 {
27   \prop_if_in:NnTF \g__pdfmeta_standard_prop {#1}
28   {
29     \prg_return_false:
30   }
31   {
32     \prg_return_true:
33   }
34 }

```

(End of definition for \pdfmeta_standard_verify:nTF. This function is documented on page 2.)

`\pdfmeta_standard_verify:nnTF` This allows to test against a user value. It calls a test handler if this exists and passes the user and the standard value to it. The test handler should return true or false.

```

35 \prg_new_protected_conditional:Npnn \pdfmeta_standard_verify:nn #1 #2 {T,F,TF}
36 {
37   \prop_if_in:NnTF \g__pdfmeta_standard_prop {#1}
38   {
39     \cs_if_exist:cTF {__pdfmeta_standard_verify_handler_#1:nn}
40     {
41       \exp_args:Nnne
42       \use:c
43       {__pdfmeta_standard_verify_handler_#1:nn}
44       { #2 }
45       { \prop_item:Nn \g__pdfmeta_standard_prop {#1} }
46     }
47     {
48       \prg_return_false:
49     }
50   }
51   {
52     \prg_return_true:
53   }
54 }

```

(End of definition for `\pdfmeta_standard_verify:nnTF`. This function is documented on page 2.)

Now we setup a number of handlers.

The first actually ignores the user values and tests against the current pdf version. If this is smaller than the minimum we report a failure. #1 is the user value, #2 the reference value from the standard.

`_standard_verify_handler_min_pdf_version:nn`

```

55 %
56 \cs_new_protected:Npn \__pdfmeta_standard_verify_handler_min_pdf_version:nn #1 #2
57 {
58   \pdf_version_compare:NnTF <
59   { #2 }
60   {\prg_return_false:}
61   {\prg_return_true:}
62 }

```

(End of definition for `__pdfmeta_standard_verify_handler_min_pdf_version:nn`.)

The next is the counter part and checks that the version is not to high

`_standard_verify_handler_max_pdf_version:nn`

```

63 %
64 \cs_new_protected:Npn \__pdfmeta_standard_verify_handler_max_pdf_version:nn #1 #2
65 {
66   \pdf_version_compare:NnTF >
67   { #2 }
68   {\prg_return_false:}
69   {\prg_return_true:}
70 }

```

(End of definition for `__pdfmeta_standard_verify_handler_max_pdf_version:nn`.)

The next checks if the user value is in the list and returns a failure if not.

ta_standard_verify_handler_named_actions:nn

```
71
72 \cs_new_protected:Npn \__pdfmeta_standard_verify_handler_named_actions:nn #1 #2
73 {
74   \tl_if_in:nnTF { #2 }{ #1 }
75     {\prg_return_true:}
76     {\prg_return_false:}
77 }
```

(End of definition for __pdfmeta_standard_verify_handler_named_actions:nn.)

The next checks if the user value is in the list and returns a failure if not.

a_standard_verify_handler_annot_action_A:nn

```
78 \cs_new_protected:Npn \__pdfmeta_standard_verify_handler_annot_action_A:nn #1 #2
79 {
80   \tl_if_in:nnTF { #2 }{ #1 }
81     {\prg_return_true:}
82     {\prg_return_false:}
83 }
```

(End of definition for __pdfmeta_standard_verify_handler_annot_action_A:nn.)

This check is probably not needed, but for completeness

ard_verify_handler_outputintent_subtype:nn

```
84 \cs_new_protected:Npn \__pdfmeta_standard_verify_handler_outputintent_subtype:nn #1 #2
85 {
86   \tl_if_eq:nnTF { #2 }{ #1 }
87     {\prg_return_true:}
88     {\prg_return_false:}
89 }
```

(End of definition for __pdfmeta_standard_verify_handler_outputintent_subtype:nn.)

3.1.3 Enforcing requirements

A number of requirements can sensibly be enforced by us.

Annot flags pdf/A require a number of settings here, we store them in a command which can be added to the property of the standard:

```
90 \cs_new_protected:Npn \__pdfmeta_verify_pdfa_annot_flags:
91 {
92   \bitset_set_true:Nn \l_pdfannot_F_bitset {Print}
93   \bitset_set_false:Nn \l_pdfannot_F_bitset {Hidden}
94   \bitset_set_false:Nn \l_pdfannot_F_bitset {Invisible}
95   \bitset_set_false:Nn \l_pdfannot_F_bitset {NoView}
96   \pdfannot_dict_put:nnn {link/URI}{F}{ \bitset_to_arabic:N \l_pdfannot_F_bitset }
97   \pdfannot_dict_put:nnn {link/GoTo}{F}{ \bitset_to_arabic:N \l_pdfannot_F_bitset }
98   \pdfannot_dict_put:nnn {link/GoToR}{F}{ \bitset_to_arabic:N \l_pdfannot_F_bitset }
99   \pdfannot_dict_put:nnn {link/Launch}{F}{ \bitset_to_arabic:N \l_pdfannot_F_bitset }
100  \pdfannot_dict_put:nnn {link/Named}{F}{ \bitset_to_arabic:N \l_pdfannot_F_bitset }
101 }
```

At begin document this should be checked:

```

102 \hook_gput_code:nnn {begindocument} {pdf}
103 {
104   \pdfmeta_standard_verify:nF { annot_flags }
105   { \__pdfmeta_verify_pdfa_annot_flags: }
106   \pdfmeta_standard_verify:nF { Trailer_no_Info }
107   { \__pdf_backend_omit_info:n {1} }
108   \pdfmeta_standard_verify:nF { no_CharSet }
109   { \__pdf_backend_omit_charset:n {1} }
110   \pdfmeta_standard_verify:nnF { min_pdf_version }
111   { \pdf_version: }
112   { \msg_warning:nnee {pdf}{wrong-pdfversion}
113     {\pdf_version:}{low}
114     {
115       \pdfmeta_standard_item:n{type}
116       -
117       \pdfmeta_standard_item:n{level}
118     }
119   }
120   \pdfmeta_standard_verify:nnF { max_pdf_version }
121   { \pdf_version: }
122   { \msg_warning:nnee {pdf}{wrong-pdfversion}
123     {\pdf_version:}{high}
124     {
125       \pdfmeta_standard_item:n{type}
126       -
127       \pdfmeta_standard_item:n{level}
128     }
129   }
130 }

```

3.1.4 pdf/A

We use global properties so that follow up standards can be copied and then adjusted. Some note about requirements for more standard can be found in info/pdfstandard.tex.

```

\g__pdfmeta_standard_pdf/A-1B_prop
\g__pdfmeta_standard_pdf/A-2A_prop
\g__pdfmeta_standard_pdf/A-2B_prop
\g__pdfmeta_standard_pdf/A-2U_prop
\g__pdfmeta_standard_pdf/A-3A_prop
\g__pdfmeta_standard_pdf/A-3B_prop
\g__pdfmeta_standard_pdf/A-3U_prop
\g__pdfmeta_standard_pdf/A-4_prop
131 \prop_new:c { g__pdfmeta_standard_pdf/A-1B_prop }
132 \prop_gset_from_keyval:cn { g__pdfmeta_standard_pdf/A-1B_prop }
133 {
134   ,name           = pdf/A-1B
135   ,type           = A
136   ,level          = 1
137   ,conformance   = B
138   ,year           = 2005
139   ,min_pdf_version = 1.4      %minimum
140   ,max_pdf_version = 1.4      %minimum
141   ,no_encryption  =
142   ,no_external_content = % no F, FFilter, or FDecodeParms in stream dicts
143   ,no_embed_content = % no EF key in filespec, no /Type/EmbeddedFiles
144   ,max_string_size = 65535
145   ,max_array_size = 8191
146   ,max_dict_size  = 4095
147   ,max_obj_num    = 8388607

```

```

148     ,max_nest_qQ      = 28
149     ,named_actions   = {NextPage, PrevPage, FirstPage, LastPage}
150     ,annot_flags     =
151     %booleans. Only the existence of the key matter.
152     %If the entry is added it means a requirements is there
153     %(in most cases "don't use ...")
154     %
155     %=====
156     % Rule 6.1.13-1 CosDocument, isOptionalContentPresent == false
157     ,Catalog_no_OCProperties =
158     %=====
159     % Rule 6.6.1-1: PDAction, S == "GoTo" || S == "GoToR" || S == "Thread"
160     %                || S == "URI" || S == "Named" || S == "SubmitForm"
161     % means: no /S/Launch, /S/Sound, /S/Movie, /S/ResetForm, /S/ImportData,
162     %                /S/JavaScript, /S/Hide
163     ,annot_action_A   = {GoTo,GoToR,Thread,URI,Named,SubmitForm}
164     %=====
165     % Rule 6.6.2-1: PDAnnot, Subtype != "Widget" || AA_size == 0
166     % means: no AA dictionary
167     ,annot_widget_no_AA =
168     %=====
169     % Rule 6.9-2: PDAnnot, Subtype != "Widget" || (A_size == 0 && AA_size == 0)
170     % (looks like a tightening of the previous rule)
171     ,annot_widget_no_A_AA =
172     %=====
173     % Rule 6.9-1 PDAcroForm, NeedAppearances == null || NeedAppearances == false
174     ,form_no_NeedAppearances =
175     %=====
176     %Rule 6.9-3 PDFFormField, AA_size == 0
177     ,form_no_AA      =
178     %=====
179     % to be continued https://docs.verapdf.org/validation/pdfa-part1/
180     % - Outputintent/colorprofiles requirements
181     % an outputintent should be loaded and is unique.
182     ,outputintent_A  = {GTS_PDFA1}
183     % - no Alternates key in image dictionaries
184     % - no OPI, Ref, Subtype2 with PS key in xobjects
185     % - Interpolate = false in images
186     % - no TR, TR2 in ExtGstate
187 }
188
189 %A-2b =====
190 \prop_new:c { g__pdfmeta_standard_pdf/A-2B_prop }
191 \prop_gset_eq:cc
192   { g__pdfmeta_standard_pdf/A-2B_prop }
193   { g__pdfmeta_standard_pdf/A-1B_prop }
194 \prop_gput:cnn
195   { g__pdfmeta_standard_pdf/A-2B_prop }{name}{pdf/A-2B}
196 \prop_gput:cnn
197   { g__pdfmeta_standard_pdf/A-2B_prop }{year}{2011}
198 \prop_gput:cnn
199   { g__pdfmeta_standard_pdf/A-2B_prop }{level}{2}
200 % embedding files is allowed (with restrictions)
201 \prop_gremove:cn

```

```

202 { g__pdfmeta_standard_pdf/A-2B_prop }
203 { embed_content}
204 \prop_gput:cnn
205 { g__pdfmeta_standard_pdf/A-2B_prop }{max_pdf_version}{1.7}
206 %A-2u =====
207 \prop_new:c { g__pdfmeta_standard_pdf/A-2U_prop }
208 \prop_gset_eq:cc
209 { g__pdfmeta_standard_pdf/A-2U_prop }
210 { g__pdfmeta_standard_pdf/A-2B_prop }
211 \prop_gput:cnn
212 { g__pdfmeta_standard_pdf/A-2U_prop }{name}{pdf/A-2U}
213 \prop_gput:cnn
214 { g__pdfmeta_standard_pdf/A-2U_prop }{conformance}{U}
215 \prop_gput:cnn
216 { g__pdfmeta_standard_pdf/A-2U_prop }{unicode}{ }
217
218 %A-2a =====
219 \prop_new:c { g__pdfmeta_standard_pdf/A-2A_prop }
220 \prop_gset_eq:cc
221 { g__pdfmeta_standard_pdf/A-2A_prop }
222 { g__pdfmeta_standard_pdf/A-2B_prop }
223 \prop_gput:cnn
224 { g__pdfmeta_standard_pdf/A-2A_prop }{name}{pdf/A-2A}
225 \prop_gput:cnn
226 { g__pdfmeta_standard_pdf/A-2A_prop }{conformance}{A}
227 \prop_gput:cnn
228 { g__pdfmeta_standard_pdf/A-2A_prop }{tagged}{ }
229
230
231 %A-3b =====
232 \prop_new:c { g__pdfmeta_standard_pdf/A-3B_prop }
233 \prop_gset_eq:cc
234 { g__pdfmeta_standard_pdf/A-3B_prop }
235 { g__pdfmeta_standard_pdf/A-2B_prop }
236 \prop_gput:cnn
237 { g__pdfmeta_standard_pdf/A-3B_prop }{name}{pdf/A-3B}
238 \prop_gput:cnn
239 { g__pdfmeta_standard_pdf/A-3B_prop }{year}{2012}
240 \prop_gput:cnn
241 { g__pdfmeta_standard_pdf/A-3B_prop }{level}{3}
242 % embedding files is allowed (with restrictions)
243 \prop_gremove:cn
244 { g__pdfmeta_standard_pdf/A-3B_prop }
245 { embed_content}
246 %A-3u =====
247 \prop_new:c { g__pdfmeta_standard_pdf/A-3U_prop }
248 \prop_gset_eq:cc
249 { g__pdfmeta_standard_pdf/A-3U_prop }
250 { g__pdfmeta_standard_pdf/A-3B_prop }
251 \prop_gput:cnn
252 { g__pdfmeta_standard_pdf/A-3U_prop }{name}{pdf/A-3U}
253 \prop_gput:cnn
254 { g__pdfmeta_standard_pdf/A-3U_prop }{conformance}{U}
255 \prop_gput:cnn

```

```

256 { g__pdfmeta_standard_pdf/A-3U_prop }{unicode}{ }
257
258 %A-3a =====
259 \prop_new:c { g__pdfmeta_standard_pdf/A-3A_prop }
260 \prop_gset_eq:cc
261 { g__pdfmeta_standard_pdf/A-3A_prop }
262 { g__pdfmeta_standard_pdf/A-3B_prop }
263 \prop_gput:cnn
264 { g__pdfmeta_standard_pdf/A-3A_prop }{name}{pdf/A-3A}
265 \prop_gput:cnn
266 { g__pdfmeta_standard_pdf/A-3A_prop }{conformance}{A}
267 \prop_gput:cnn
268 { g__pdfmeta_standard_pdf/A-3A_prop }{tagged}{ }
269
270 %A-4 =====
271 \prop_new:c { g__pdfmeta_standard_pdf/A-4_prop }
272 \prop_gset_eq:cc
273 { g__pdfmeta_standard_pdf/A-4_prop }
274 { g__pdfmeta_standard_pdf/A-3U_prop }
275 \prop_gput:cnn
276 { g__pdfmeta_standard_pdf/A-4_prop }{name}{pdf/A-4}
277 \prop_gput:cnn
278 { g__pdfmeta_standard_pdf/A-4_prop }{level}{4}
279 \prop_gput:cnn
280 { g__pdfmeta_standard_pdf/A-4_prop }{min_pdf_version}{2.0}
281 \prop_gput:cnn
282 { g__pdfmeta_standard_pdf/A-4_prop }{year}{2020}
283 \prop_gput:cnn
284 { g__pdfmeta_standard_pdf/A-4_prop }{no_CharSet}{ }
285 \prop_gput:cnn
286 { g__pdfmeta_standard_pdf/A-4_prop }{Trailer_no_Info}{ }
287 \prop_gremove:cn
288 { g__pdfmeta_standard_pdf/A-4_prop }{conformance}
289 \prop_gremove:cn
290 { g__pdfmeta_standard_pdf/A-4_prop }{max_pdf_version}

```

(End of definition for \g__pdfmeta_standard_pdf/A-1B_prop and others.)

3.1.5 Colorprofiles and Outputintents

The following provides a minimum of interface to add a color profile and an outputintent need for PDF/A for now. There will be need to extend it later, so we try for enough generality.

Adding a profile and an intent is technically easy:

1. Embed the profile as stream with

```
\pdf_object_unnamed_write:nn{fstream} {{/N-4}{XXX.icc}}
```

2. Write a /OutputIntent dictionary for this

```

\pdf_object_unnamed_write:ne {dict}
{
  /Type /OutputIntent
  /S /GTS_PDFA1 % or GTS_PDFX or ISO_PDFE1 or ...
}

```



```

    /DestOutputProfile \pdf_object_ref_last: % ref the color profile
    /OutputConditionIdentifier ...
    ... %more info
}

```

3. Reference the dictionary in the catalog:

```
\pdfmanagement_add:nne {Catalog}{OutputIntents}{\pdf_object_ref_last:}
```

But we need to do a bit more work, to get the interface right. The object for the profile should be named, to allow l3color to reuse it if needed. And we need container to store the profiles, to handle the standard requirements.

`\g_pdfmeta_outputintents_prop` This variable will hold the profiles for the subtypes. We assume that every subtype has only one color profile.

```

291 \prop_new:N \g_pdfmeta_outputintents_prop
(End of definition for \g_pdfmeta_outputintents_prop.)
Some keys to fill the property.
292 \keys_define:nn { document / metadata }
293 {
294   colorprofiles .code:n =
295   {
296     \keys_set:nn { document / metadata / colorprofiles }{#1}
297   }
298 }
299 \keys_define:nn { document / metadata / colorprofiles }
300 {
301   ,A .code:n =
302   {
303     \tl_if_blank:nF {#1}
304     {
305       \prop_gput:Nnn \g_pdfmeta_outputintents_prop
306       { GTS_PDFA1 } {#1}
307     }
308   }
309   ,a .code:n =
310   {
311     \tl_if_blank:nF {#1}
312     {
313       \prop_gput:Nnn \g_pdfmeta_outputintents_prop
314       { GTS_PDFA1 } {#1}
315     }
316   }
317   ,X .code:n =
318   {
319     \tl_if_blank:nF {#1}
320     {
321       \prop_gput:Nnn \g_pdfmeta_outputintents_prop
322       { GTS_PDFX } {#1}
323     }
324   }
325   ,x .code:n =
326   {

```

```

327     \tl_if_blank:nF {#1}
328     {
329         \prop_gput:Nnn \g__pdfmeta_outputintents_prop
330         { GTS_PDFX } {#1}
331     }
332 }
333 ,unknown .code:n =
334 {
335     \tl_if_blank:nF {#1}
336     {
337         \exp_args:NNo
338         \prop_gput:Nnn \g__pdfmeta_outputintents_prop
339         { \l_keys_key_str } {#1}
340     }
341 }
342 }

```

At first we setup our two default profiles. This is internal as the public interface is still undecided.

```

343 \pdfdict_new:n {l_pdfmeta/outputintent}
344 \pdfdict_put:nnn {l_pdfmeta/outputintent}
345 {Type}{/OutputIntent}
346 \prop_const_from_keyval:cn { c__pdfmeta_colorprofile_sRGB.icc}
347 {
348     ,OutputConditionIdentifier=IEC~sRGB
349     ,Info=IEC-61966-2.1-Default~RGB~colour~space~~~sRGB
350     ,RegistryName=http://www.iec.ch
351     ,N = 3
352 }
353 \prop_const_from_keyval:cn { c__pdfmeta_colorprofile_FOGRA39L_coated.icc}
354 {
355     ,OutputConditionIdentifier=FOGRA39L~Coated
356     ,Info={Offset~printing,~according~to~ISO~12647-2:2004/Amd-1,~OFCOM,~%
357         paper~type~1~or~2~==~coated~art,~115~g/m2,~tone~value~increase~
358         curves~A~(CMY)~and~B~(K)}
359     ,RegistryName=http://www.fogra.org
360     ,N = 4
361 }

```

_pdfmeta_embed_colorprofile:n
 _pdfmeta_write_outputintent:nn

The commands embed the profile, and write the dictionary and add it to the catalog. The first command should perhaps be moved to l3color as it needs such profiles too. We used named objects so that we can check if the profile is already there. This is not full proof if pathes are used.

```

362 \cs_new_protected:Npn \_pdfmeta_embed_colorprofile:n #1%#1 file name
363 {
364     \pdf_object_if_exist:nF { __color_icc_ #1 }
365     {
366         \pdf_object_new:n { __color_icc_ #1 }
367         \pdf_object_write:nne { __color_icc_ #1 } { fstream }
368         {
369             {/N\c_space_tl
370                 \prop_item:cn{c__pdfmeta_colorprofile_#1}{N}
371             }
372             {#1}

```

```

373     }
374   }
375 }
376
377 \cs_new_protected:Npn \__pdfmeta_write_outputintent:nn #1 #2 %#1 file name, #2 subtype
378 {
379   \group_begin:
380   \pdfdict_put:nne {l_pdfmeta/outputintent}{S}{/\str_convert_pdfname:n{#2}}
381   \pdfdict_put:nne {l_pdfmeta/outputintent}
382     {DestOutputProfile}
383     {\pdf_object_ref:n{ __color_icc_ #1 }}
384   \clist_map_inline:nn { OutputConditionIdentifier, Info, RegistryName }
385     {
386       \prop_get:cnNT
387       { c__pdfmeta_colorprofile_#1}
388       { ##1 }
389       \l__pdfmeta_tmpa_tl
390       {
391         \pdf_string_from_unicode:nVN {utf8/string}\l__pdfmeta_tmpa_tl\l__pdfmeta_tmpa_st
392         \pdfdict_put:nne
393           {l_pdfmeta/outputintent}{##1}{\l__pdfmeta_tmpa_str}
394       }
395     }
396   \pdf_object_unnamed_write:ne {dict}{\pdfdict_use:n {l_pdfmeta/outputintent} }
397   \pdfmanagement_add:nne {Catalog}{OutputIntents}{\pdf_object_ref_last:}
398   \group_end:
399 }

```

(End of definition for __pdfmeta_embed_colorprofile:n and __pdfmeta_write_outputintent:nn.)

Now the verifying code. If no requirement is set we simply loop over the property

```

400
401 \AddToHook{begindocument/end}
402 {
403   \pdfmeta_standard_verify:nTF {outputintent_A}
404   {
405     \prop_map_inline:Nn \g__pdfmeta_outputintents_prop
406     {
407       \__pdfmeta_embed_colorprofile:n
408       {#2}
409       \__pdfmeta_write_outputintent:nn
410       {#2}
411       {#1}
412     }
413   }

```

If an output intent is required for pdf/A we need to ensure, that the key of default subtype has a value, as default we take sRGB.icc. Then we loop but take always the same profile.

```

414   {
415     \exp_args:NNe
416     \prop_if_in:NnF
417     \g__pdfmeta_outputintents_prop
418     { \pdfmeta_standard_item:n { outputintent_A } }
419     {

```

```

420         \exp_args:NNe
421         \prop_gput:Nnn
422         \g__pdfmeta_outputintents_prop
423         { \pdfmeta_standard_item:n { outputintent_A } }
424         { sRGB.icc }
425     }
426     \exp_args:NNe
427     \prop_get:NnN
428     \g__pdfmeta_outputintents_prop
429     { \pdfmeta_standard_item:n { outputintent_A } }
430     \l__pdfmeta_tmpb_tl
431     \exp_args:NV \__pdfmeta_embed_colorprofile:n \l__pdfmeta_tmpb_tl
432     \prop_map_inline:Nn \g__pdfmeta_outputintents_prop
433     {
434         \exp_args:NV
435         \__pdfmeta_write_outputintent:nn
436         \l__pdfmeta_tmpb_tl
437         { #1 }
438     }
439 }
440 }

```

3.2 Regression test

This is simply a copy of the backend function.

```

441 \cs_new_protected:Npn \pdfmeta_set_regression_data:
442 { \__pdf_backend_set_regression_data: }

```

4 XMP-Metadata implementation

`\g__pdfmeta_xmp_bool` This boolean decides if the metadata are included

```

443 \bool_new:N\g__pdfmeta_xmp_bool
444 \bool_gset_true:N \g__pdfmeta_xmp_bool

```

(End of definition for \g__pdfmeta_xmp_bool.)

Preset the two fields to avoid problems with standards.

```

445 \hook_gput_code:nnn{pdfmanagement/add}{pdfmanagement}
446 {
447     \pdfmanagement_add:nne {Info}{Producer}{(\c_sys_engine_exec_str-\c_sys_engine_version_str)}
448     \pdfmanagement_add:nne {Info}{Creator}{(LaTeX)}
449 }

```

4.1 New document keys

```

450 \keys_define:nn { document / metadata }
451 {
452     _pdfstandard / X-4 .code:n =
453     {\AddToDocumentProperties [document]{pdfstandard-X}{PDF/X-4}},
454     _pdfstandard / X-4p .code:n =
455     {\AddToDocumentProperties [document]{pdfstandard-X}{PDF/X-4p}},
456     _pdfstandard / X-5g .code:n =
457     {\AddToDocumentProperties [document]{pdfstandard-X}{PDF/X-5g}},

```

```

458 _pdfstandard / X-5n .code:n =
459   {\AddToDocumentProperties [document]{pdfstandard-X}{PDF/X-5n}},
460 _pdfstandard / X-5pg .code:n =
461   {\AddToDocumentProperties [document]{pdfstandard-X}{PDF/X-5pg}},
462 _pdfstandard / X-6 .code:n =
463   {\AddToDocumentProperties [document]{pdfstandard-X}{PDF/X-6p}},
464 _pdfstandard / X-6n .code:n =
465   {\AddToDocumentProperties [document]{pdfstandard-X}{PDF/X-6n}},
466 _pdfstandard / X-6p .code:n =
467   {\AddToDocumentProperties [document]{pdfstandard-X}{PDF/X-6p}},
468 _pdfstandard / UA-1 .code:n =
469   {
470     \AddToDocumentProperties [document]{pdfstandard-UA}{1}{}
471   },

```

currently it is not possible to merge requirements - these need some thoughts as every standard has some common keys like the name or the yes. We therefore add some requirements manually.

```

472 _pdfstandard / UA-2 .code:n =
473   {
474     \AddToDocumentProperties [document]{pdfstandard-UA}{2}{2024}
475     \AddToHook{begindocument/before}
476     {\prop_gput:Nnn \g__pdfmeta_standard_prop {Trailer_no_Info}{} }
477   },
478 xmp .bool_gset:N = \g__pdfmeta_xmp_bool
479 }

```

XMP debugging option

```

480 \bool_new:N \g__pdfmeta_xmp_export_bool
481 \str_new:N \g__pdfmeta_xmp_export_str
482
483 \keys_define:nn { document / metadata }
484   {
485     ,debug / xmp-export .choice:
486     ,debug / xmp-export / true .code:n=
487       {
488         \bool_gset_true:N \g__pdfmeta_xmp_export_bool
489         \str_gset_eq:NN \g__pdfmeta_xmp_export_str \c_sys_jobname_str
490       }
491     ,debug / xmp-export / false .code:n =
492       {
493         \bool_gset_false:N \g__pdfmeta_xmp_export_bool
494       }
495     ,debug / xmp-export / unknown .code:n =
496       {
497         \bool_gset_true:N \g__pdfmeta_xmp_export_bool
498         \str_gset:Nn \g__pdfmeta_xmp_export_str { #1 }
499       }
500     ,debug / xmp-export .default:n = true
501   }

```

4.2 Messages

```

502 \msg_new:nnn{pdfmeta}{namespace-defined}{The~xmlns~namespace~‘#1’~is~already~declared}

```

4.3 Some helper commands

4.3.1 Generate a BOM

```
\_pdfmeta_xmp_generate_bom:
503 \bool_lazy_or:nnTF
504 { \sys_if_engine luatex_p: }
505 { \sys_if_engine xetex_p: }
506 {
507   \cs_new:Npn \_pdfmeta_xmp_generate_bom:
508     { \char_generate:nn {"FEFF"}{12} }
509 }
510 {
511   \cs_new:Npn \_pdfmeta_xmp_generate_bom:
512     {
513       \char_generate:nn {"EF"}{12}
514       \char_generate:nn {"BB"}{12}
515       \char_generate:nn {"BF"}{12}
516     }
517 }
```

(End of definition for _pdfmeta_xmp_generate_bom:.)

4.3.2 Indentation

We provide a command which indents the xml based on a counter, and one which accepts a fix number. The counter can be increased and decreased.

```
\l_pdfmeta_xmp_indent_int
518 \int_new:N \l_pdfmeta_xmp_indent_int
519
520 (End of definition for \l_pdfmeta_xmp_indent_int.)
521
522 \_pdfmeta_xmp_indent:
523 \_pdfmeta_xmp_indent:n
524 \_pdfmeta_xmp_incr_indent:
525 \_pdfmeta_xmp_decr_indent:
526
527 519 \cs_new:Npn \_pdfmeta_xmp_indent:
528   {
529     \iow_newline:
530     \prg_replicate:nn {\l_pdfmeta_xmp_indent_int}{\c_space_tl}
531   }
532
533 525 \cs_new:Npn \_pdfmeta_xmp_indent:n #1
534   {
535     \iow_newline:
536     \prg_replicate:nn {#1}{\c_space_tl}
537   }
538
539 531 \cs_new_protected:Npn \_pdfmeta_xmp_incr_indent:
540   {
541     \int_incr:N \l_pdfmeta_xmp_indent_int
542   }
543
544 536 \cs_new_protected:Npn \_pdfmeta_xmp_decr_indent:
545   {
546     \int_decr:N \l_pdfmeta_xmp_indent_int
547   }
```

(End of definition for `_pdfmeta_xmp_indent`: and others.)

4.3.3 Date and time handling

If the date is given in PDF format we have to split it to create the XMP format. We use a precompiled regex for this. To some extent the regex can also handle incomplete dates.

`_pdfmeta_xmp_date_regex`

```
540 \regex_new:N \_pdfmeta_xmp_date_regex
541 \regex_set:Nn \_pdfmeta_xmp_date_regex
542 {D:(\d{4})(\d{2})(\d{2})(\d{2})?(\d{2})?(\d{2})?([Z\+-])?(?:\d{2}\')?(?:\d{2}\')?}
```

(End of definition for `_pdfmeta_xmp_date_regex`.)

`_pdfmeta_xmp_date_split:nN` This command takes a date in PDF format, splits it with the regex and stores the captures in a sequence.

```
543 \cs_new_protected:Npn \_pdfmeta_xmp_date_split:nN #1 #2 % #1 date, #2 seq
544 {
545   \regex_split:NnN \_pdfmeta_xmp_date_regex {#1} #2
546 }
547 \cs_generate_variant:Nn \_pdfmeta_xmp_date_split:nN {VN,eN}
```

(End of definition for `_pdfmeta_xmp_date_split:nN`.)

`_pdfmeta_xmp_print_date:N` This prints the date stored in a sequence as created by the previous command.

```
548 \cs_new:Npn \_pdfmeta_xmp_print_date:N #1 % seq
549 {
550   \tl_if_blank:eTF { \seq_item:Nn #1 {1} }
551   {
552     \seq_item:Nn #1 {2} %year
553     -
554     \seq_item:Nn #1 {3} %month
555     -
556     \seq_item:Nn #1 {4} % day
557     \tl_if_blank:eF
558     { \seq_item:Nn #1 {5} }
559     { T \seq_item:Nn #1 {5} } %hour
560     \tl_if_blank:eF
561     { \seq_item:Nn #1 {6} }
562     { : \seq_item:Nn #1 {6} } %minutes
563     \tl_if_blank:eF
564     { \seq_item:Nn #1 {7} }
565     { : \seq_item:Nn #1 {7} } %seconds
566     \seq_item:Nn #1 {8} %Z,+,-
567     \seq_item:Nn #1 {9}
568     \tl_if_blank:eF
569     { \seq_item:Nn #1 {10} }
570     { : \seq_item:Nn #1 {10} }
571   }
572   {
573     \seq_item:Nn #1 {1}
574   }
575 }
```

(End of definition for `__pdfmeta_xmp_print_date:N`.)

`\l__pdfmeta_xmp_currentdate_tl` The tl var contains the date of the log-file in PDF format, the seq the result splitted with
`\l__pdfmeta_xmp_currentdate_seq` the regex.

```
576 \tl_new:N \l__pdfmeta_xmp_currentdate_tl
577 \seq_new:N \l__pdfmeta_xmp_currentdate_seq
```

(End of definition for `\l__pdfmeta_xmp_currentdate_tl` and `\l__pdfmeta_xmp_currentdate_seq`.)

`__pdfmeta_xmp_date_get:nNN` This checks a document property and if empty uses the current date.

```
578 \cs_new_protected:Npn \__pdfmeta_xmp_date_get:nNN #1 #2 #3
579   {%#1 property, #2 tl var with PDF date, #3 seq for splitted date
580   {
581     \tl_set:Ne #2 { \GetDocumentProperties{#1} }
582     \tl_if_blank:VTF #2
583     {
584       \seq_set_eq:NN #3 \l__pdfmeta_xmp_currentdate_seq
585       \tl_set_eq:NN #2 \l__pdfmeta_xmp_currentdate_tl
586     }
587     {
588       \__pdfmeta_xmp_date_split:VN #2 #3
589     }
590   }
```

(End of definition for `__pdfmeta_xmp_date_get:nNN`.)

4.3.4 UUID

We need a command to generate an uuid

`__pdfmeta_xmp_create_uuid:nN`

```
591 \cs_new_protected:Npn \__pdfmeta_xmp_create_uuid:nN #1 #2
592   {
593     \str_set:Ne#2 { \str_lowercase:f{ \tex_mdffivesum:D{#1} } }
594     \str_set:Ne#2
595     { uuid:
596       \str_range:Nnn #2{1}{8}
597       -\str_range:Nnn#2{9}{12}
598       -4\str_range:Nnn#2{13}{15}
599       -8\str_range:Nnn#2{16}{18}
600       -\str_range:Nnn#2{19}{30}
601     }
602   }
```

(End of definition for `__pdfmeta_xmp_create_uuid:nN`.)

4.3.5 Purifying and escaping of strings

`__pdfmeta_xmp_sanitize:nN` We have to sanitize the user input. For this we pass it through `\text_purify` and then replace a few special chars.

```
603 \cs_new_protected:Npn \__pdfmeta_xmp_sanitize:nN #1 #2
604   {%#1 input string, #2 str with the output
605   {
606     \group_begin:
607     \text_declare_purify_equivalent:Nn \& { \tl_to_str:N & }
```



```

608 \text_declare_purify_equivalent:Nn \texttilde {\c_tilde_str}
609 \tl_set:Ne \l__pdfmeta_tmpa_tl { \text_purify:n {#1} }
610 \str_gset:Ne \g__pdfmeta_tmpa_str { \tl_to_str:N \l__pdfmeta_tmpa_tl }
611 \str_greplace_all:Nnn\g__pdfmeta_tmpa_str {&}{&};
612 \str_greplace_all:Nnn\g__pdfmeta_tmpa_str {<}{&lt;};
613 \str_greplace_all:Nnn\g__pdfmeta_tmpa_str {>}{&gt;};
614 \str_greplace_all:Nnn\g__pdfmeta_tmpa_str {"}{&quot;};
615 \group_end:
616 \str_set_eq:NN #2 \g__pdfmeta_tmpa_str
617 }
618
619 \cs_generate_variant:Nn\__pdfmeta_xmp_sanitize:nN {VN}

```

(End of definition for __pdfmeta_xmp_sanitize:nN.)

4.4 Language handling

The language of the metadata is used in various attributes, so we store it in command.

```

\l__pdfmeta_xmp_doclang_tl
\l__pdfmeta_xmp_metalang_tl
620 \tl_new:N \l__pdfmeta_xmp_doclang_tl
621 \tl_new:N \l__pdfmeta_xmp_metalang_tl

```

(End of definition for \l__pdfmeta_xmp_doclang_tl and \l__pdfmeta_xmp_metalang_tl.)

The language is retrieved at the start of the packet. We assume that `lang` is always set and so don't use the x-default value of `hyperxmp`.

```

\l__pdfmeta_xmp_lang_regex
622 \regex_new:N\l__pdfmeta_xmp_lang_regex
623 \regex_set:Nn\l__pdfmeta_xmp_lang_regex {\A\[[A-Za-z\-\+)]\](.*)}

```

(End of definition for \l__pdfmeta_xmp_lang_regex.)

```

624 \cs_new_protected:Npn \__pdfmeta_xmp_lang_get:nNN #1 #2 #3
625 % #1 text, #2 tl var for lang match (or default), #3 tl var for text
626 {
627   \regex_extract_once:NnN \l__pdfmeta_xmp_lang_regex {#1}\l__pdfmeta_tmpa_seq
628   \seq_if_empty:NTF \l__pdfmeta_tmpa_seq
629   {
630     \tl_set:Nn #2 \l__pdfmeta_xmp_metalang_tl
631     \tl_set:Nn #3 {#1}
632   }
633   {
634     \tl_set:Ne #2 {\seq_item:Nn\l__pdfmeta_tmpa_seq{2}}
635     \tl_set:Ne #3 {\seq_item:Nn\l__pdfmeta_tmpa_seq{3}}
636   }
637 }
638 \cs_generate_variant:Nn \__pdfmeta_xmp_lang_get:nNN {eNN,VNN}

```

4.5 Filling the packet

This tl var that holds the whole packet

```

\g__pdfmeta_xmp_packet_tl
639 \tl_new:N \g__pdfmeta_xmp_packet_tl

```

(End of definition for \g__pdfmeta_xmp_packet_tl.)

4.5.1 Helper commands to add lines and lists

`_pdfmeta_xmp_add_packet_chunk:n` This is the most basic command. It is meant to produce a line and will use the current indent.

```
640 \cs_new_protected:Npn \_pdfmeta_xmp_add_packet_chunk:n #1
641   {
642     \tl_gput_right:Ne\g__pdfmeta_xmp_packet_tl
643     {
644       \_pdfmeta_xmp_indent: \exp_not:n{#1}
645     }
646   }
647 \cs_generate_variant:Nn \_pdfmeta_xmp_add_packet_chunk:n {e}
```

(End of definition for _pdfmeta_xmp_add_packet_chunk:n.)

`_pdfmeta_xmp_add_packet_chunk:nN` This is the most basic command. It is meant to produce a line and will use the current indent.

```
648 \cs_new_protected:Npn \_pdfmeta_xmp_add_packet_chunk:nN #1 #2
649   {
650     \tl_put_right:Ne#2
651     {
652       \_pdfmeta_xmp_indent: \exp_not:n{#1}
653     }
654   }
655 \cs_generate_variant:Nn \_pdfmeta_xmp_add_packet_chunk:nN {eN}
```

(End of definition for _pdfmeta_xmp_add_packet_chunk:nN.)

`_pdfmeta_xmp_add_packet_open:nn` This commands opens a xml structure and increases the indent.

```
656 \cs_new_protected:Npn \_pdfmeta_xmp_add_packet_open:nn #1 #2 %#1 prefix #2 name
657   {
658     \_pdfmeta_xmp_add_packet_chunk:n {<#1:#2>}
659     \_pdfmeta_xmp_incr_indent:
660   }
661 \cs_generate_variant:Nn \_pdfmeta_xmp_add_packet_open:nn {ne}
```

(End of definition for _pdfmeta_xmp_add_packet_open:nn.)

`_pdfmeta_xmp_add_packet_open_attr:nnn` This commands opens a xml structure too but allows also to give an attribute.

```
662 \cs_new_protected:Npn \_pdfmeta_xmp_add_packet_open_attr:nnn #1 #2 #3
663   %#1 prefix #2 name #3 attr
664   {
665     \_pdfmeta_xmp_add_packet_chunk:n {<#1:#2~#3>}
666     \_pdfmeta_xmp_incr_indent:
667   }
668 \cs_generate_variant:Nn \_pdfmeta_xmp_add_packet_open_attr:nnn {nne}
```

(End of definition for _pdfmeta_xmp_add_packet_open_attr:nnn.)

`_pdfmeta_xmp_add_packet_close:nn` This closes a structure and decreases the indent.

```
669 \cs_new_protected:Npn \_pdfmeta_xmp_add_packet_close:nn #1 #2 %#1 prefix #2:name
670   {
671     \_pdfmeta_xmp_decr_indent:
672     \_pdfmeta_xmp_add_packet_chunk:n {</#1:#2>}
673   }
```

(End of definition for `__pdfmeta_xmp_add_packet_close:nn`.)

`__pdfmeta_xmp_add_packet_line:nnn` This will produce a full line with open and closing xml. The content is sanitized. We test if there is content to be able to suppress data which has not be set.

```
674 \cs_new_protected:Npn \__pdfmeta_xmp_add_packet_line:nnn #1 #2 #3
675   %#1 prefix #2 name #3 content
676   {
677     \tl_if_blank:nF {#3}
678     {
679       \__pdfmeta_xmp_sanitiz: nN {#3}\l__pdfmeta_tmpa_str
680       \__pdfmeta_xmp_add_packet_chunk:e {<#1:#2>\l__pdfmeta_tmpa_str</#1:#2>}
681     }
682   }
683 \cs_generate_variant:Nn \__pdfmeta_xmp_add_packet_line:nnn {nne,nnV,nee}
```

(End of definition for `__pdfmeta_xmp_add_packet_line:nnn`.)

`__pdfmeta_xmp_add_packet_line:nnnN` This will produce a full line with open and closing xml and store it in the given tl-var. This allows to prebuild blocks and then to test if there are empty. The content is sanitized. We test if there is content to be able to suppress data which has not be set.

```
684 \cs_new_protected:Npn \__pdfmeta_xmp_add_packet_line:nnnN #1 #2 #3 #4
685   %#1 prefix #2 name #3 content #4 tl_var to prebuilt.
686   {
687     \tl_if_blank:nF {#3}
688     {
689       \__pdfmeta_xmp_sanitiz: nN {#3}\l__pdfmeta_tmpa_str
690       \__pdfmeta_xmp_add_packet_chunk:eN {<#1:#2>\l__pdfmeta_tmpa_str</#1:#2>} #4
691     }
692   }
693 \cs_generate_variant:Nn \__pdfmeta_xmp_add_packet_line:nnnN {nneN}
```

(End of definition for `__pdfmeta_xmp_add_packet_line:nnnN`.)

`__pdfmeta_xmp_add_packet_line_attr:nnnn` A similar command with attribute

```
694 \cs_new_protected:Npn \__pdfmeta_xmp_add_packet_line_attr:nnnn #1 #2 #3 #4
695   %#1 prefix #2 name #3 attribute #4 content
696   {
697     \tl_if_blank:nF {#4}
698     {
699       \__pdfmeta_xmp_sanitiz: nN {#4}\l__pdfmeta_tmpa_str
700       \__pdfmeta_xmp_add_packet_chunk:e {<#1:#2-#3>\l__pdfmeta_tmpa_str</#1:#2>}
701     }
702   }
703 \cs_generate_variant:Nn \__pdfmeta_xmp_add_packet_line_attr:nnnn {nnee,nnV}
```

(End of definition for `__pdfmeta_xmp_add_packet_line_attr:nnnn`.)

`__pdfmeta_xmp_add_packet_line_default:nnnn`

```
704 \cs_new_protected:Npn \__pdfmeta_xmp_add_packet_line_default:nnnn #1 #2 #3 #4
705   % #1 prefix #2 name #3 default #4 content
706   {
707     \tl_if_blank:nTF { #4 }
708     {
709       \tl_set:Nn \l__pdfmeta_tmpa_tl {#3}
```

```

710     }
711     {
712     \tl_set:Nn \l__pdfmeta_tmpa_tl {#4}
713     }
714     \__pdfmeta_xmp_add_packet_line:nnV {#1}{#2}\l__pdfmeta_tmpa_tl
715     }
716 \cs_generate_variant:Nn \__pdfmeta_xmp_add_packet_line_default:nnnn {nnee}

```

(End of definition for __pdfmeta_xmp_add_packet_line_default:nnnn.)

Some data are stored as unordered (Bag) or ordered lists (Seq) or (Alt). The first variant are for simple text without language support:

```

717 \cs_new_protected:Npn \__pdfmeta_xmp_add_packet_list_simple:nnnn #1 #2 #3 #4
718   % #1 prefix, #2 name, #3 type (Seq/Bag/Alt) #4 a clist
719   {
720     \clist_if_empty:nF { #4 }
721     {
722       \__pdfmeta_xmp_add_packet_open:nn {#1}{#2}
723       \__pdfmeta_xmp_add_packet_open:nn {rdf}{#3}
724       \clist_map_inline:nn {#4}
725       {
726         \__pdfmeta_xmp_add_packet_line:nnn
727         {rdf}{li}{##1}
728       }
729       \__pdfmeta_xmp_add_packet_close:nn{rdf}{#3}
730       \__pdfmeta_xmp_add_packet_close:nn {#1}{#2}
731     }
732   }
733 \cs_generate_variant:Nn \__pdfmeta_xmp_add_packet_list_simple:nnnn {nnnV,nnne}

```

Here we check also for the language.

```

734 \cs_new_protected:Npn \__pdfmeta_xmp_add_packet_list:nnnn #1 #2 #3 #4
735   % #1 prefix, #2 name, #3 type (Seq/Bag/Alt) #4 a clist
736   {
737     \clist_if_empty:nF { #4 }
738     {
739       \__pdfmeta_xmp_add_packet_open:nn {#1}{#2}
740       \__pdfmeta_xmp_add_packet_open:nn {rdf}{#3}
741       \clist_map_inline:nn {#4}
742       {
743         \__pdfmeta_xmp_lang_get:nNN {##1}\l__pdfmeta_tmpa_tl\l__pdfmeta_tmpb_tl

```

change 2024-02-22. There should be if possible a x-default entry as some viewers need that. So if the language is equal to the main language we use that. This assumes that the user hasn't marked every entry as some other language!

```

744         \tl_if_eq:eeTF{\l__pdfmeta_tmpa_tl}{\l__pdfmeta_xmp_metalang_tl}
745         {
746           \__pdfmeta_xmp_add_packet_line_attr:nneV
747           {rdf}{li}{xml:lang="x-default" }\l__pdfmeta_tmpb_tl
748         }
749         {
750           \__pdfmeta_xmp_add_packet_line_attr:nneV
751           {rdf}{li}{xml:lang="\l__pdfmeta_tmpa_tl" }\l__pdfmeta_tmpb_tl
752         }
753       }
754     \__pdfmeta_xmp_add_packet_close:nn{rdf}{#3}

```

```

755     \__pdfmeta_xmp_add_packet_close:nn {#1}{#2}
756   }
757 }
758 \cs_generate_variant:Nn \__pdfmeta_xmp_add_packet_list:nmmn {nnee}

```

4.5.2 Building the main packet

`__pdfmeta_xmp_build_packet:` This is the main command to build the packet. As data has to be set and collected first, it will be expanded rather late in the document.

```

759 \cs_new_protected:Npn \__pdfmeta_xmp_build_packet:
760 {

```

Get the main languages

```

761 \tl_set:Nc \l__pdfmeta_xmp_doclang_tl {\GetDocumentProperties{document/lang}}
762 \tl_set:Nc \l__pdfmeta_xmp_metalang_tl {\GetDocumentProperties{hyperref/pdfmetalang}}
763 \tl_if_blank:VT \l__pdfmeta_xmp_metalang_tl
764 { \cs_set_eq:NN \l__pdfmeta_xmp_metalang_tl \l__pdfmeta_xmp_doclang_tl}

```

we preprocess a number of data to be able to suppress them and their schema if there are unused. Currently only done for iptc

```

765 \__pdfmeta_xmp_build_iptc_data:N \l__pdfmeta_xmp_iptc_data_tl
766 \tl_if_empty:NT \l__pdfmeta_xmp_iptc_data_tl
767 {
768   \seq_remove_all:Nn \l__pdfmeta_xmp_schema_seq { Iptc4xmpCore }
769 }

```

The start of the package. No need to try to juggle with catcode, this is fix text

```

770 \__pdfmeta_xmp_add_packet_chunk:e
771 {<?xpacket~begin="\__pdfmeta_xmp_generate_bom:"~id="W5MOMpCehiHzreSzNTczkc9d"?>}
772 \__pdfmeta_xmp_add_packet_open:nn{x}{xmpmeta~xmlns:x="adobe:ns:meta/"}
773 \__pdfmeta_xmp_add_packet_open:ne{rdf}
774 {RDF~xmlns:rdf="http://www.w3.org/1999/02/22-rdf-syntax-ns\c_hash_str"}

```

The rdf namespaces

```

775 \__pdfmeta_xmp_add_packet_open_attr:nne
776 {rdf}{Description}{rdf:about="" \g__pdfmeta_xmp_xmlns_tl}

```

The extensions

```

777 \__pdfmeta_xmp_add_packet_open:nn{pdfaExtension}{schemas}
778 \__pdfmeta_xmp_add_packet_open:nn {rdf}{Bag}
779 \seq_map_inline:Nn \l__pdfmeta_xmp_schema_seq
780 {
781   \tl_use:c { g__pdfmeta_xmp_schema_##1_tl }
782 }
783 \__pdfmeta_xmp_add_packet_close:nn {rdf}{Bag}
784 \__pdfmeta_xmp_add_packet_close:nn {pdfaExtension}{schemas}

```

Now starts the part with the data.

```

785 % data
786 \__pdfmeta_xmp_build_pdf:
787 \__pdfmeta_xmp_build_xmpRights:
788 \__pdfmeta_xmp_build_standards: %pdfaid, pdfxid, pdfuaid
789 \__pdfmeta_xmp_build_pdfd:
790 \__pdfmeta_xmp_build_dc:
791 \__pdfmeta_xmp_build_photoshop:
792 \__pdfmeta_xmp_build_xmp:

```

```

793     \__pdfmeta_xmp_build_xmpMM:
794     \__pdfmeta_xmp_build_prism:
795     \__pdfmeta_xmp_build_iptc:
796     \__pdfmeta_xmp_build_user: %user additions
797 % end
798     \__pdfmeta_xmp_add_packet_close:nn {rdf}{Description}
799     \__pdfmeta_xmp_add_packet_close:nn {rdf}{RDF}
800     \__pdfmeta_xmp_add_packet_close:nn {x}{xmpmeta}
801     \int_set:Nn \l__pdfmeta_xmp_indent_int{20}
802     \prg_replicate:nn{10}{\__pdfmeta_xmp_add_packet_chunk:n {}}
803     \int_zero:N \l__pdfmeta_xmp_indent_int
804     \__pdfmeta_xmp_add_packet_chunk:n {<?xpacket~end="w"?>}
805 }

```

(End of definition for __pdfmeta_xmp_build_packet:.)

4.6 Building the chunks: rdf namespaces

This is the list of external names spaces. They are rather simple, and we store them directly into a string. Special chars should be escaped properly, see e.g. \c_hash_str for the hash.

```

\g__pdfmeta_xmp_xmlns_tl
\g__pdfmeta_xmp_xmlns_prop

```

The string will hold the prepared chunk, the prop stores the name spaces so that one can check on the user level for duplicates.

```

806 \str_new:N \g__pdfmeta_xmp_xmlns_tl
807 \prop_new:N \g__pdfmeta_xmp_xmlns_prop

```

(End of definition for \g__pdfmeta_xmp_xmlns_tl and \g__pdfmeta_xmp_xmlns_prop.)

```

\__pdfmeta_xmp_xmlns_new:nn
\__pdfmeta_xmp_xmlns_new:ne

```

```

808 \cs_new_protected:Npn \__pdfmeta_xmp_xmlns_new:nn #1 #2
809 {
810     \prop_gput:Nnn \g__pdfmeta_xmp_xmlns_prop {#1}{#2}
811     \tl_gput_right:Ne \g__pdfmeta_xmp_xmlns_tl
812     {
813         \__pdfmeta_xmp_indent:n{4} xmlns:\exp_not:n{#1="#2"}
814     }
815 }
816 \cs_generate_variant:Nn \__pdfmeta_xmp_xmlns_new:nn {ne}

```

(End of definition for __pdfmeta_xmp_xmlns_new:nn.)

Now we fill the data. The list is more or less the same as in hyperxmp

```

817 \__pdfmeta_xmp_xmlns_new:nn {pdf}      {http://ns.adobe.com/pdf/1.3/}
818 \__pdfmeta_xmp_xmlns_new:nn {xmpRights}{http://ns.adobe.com/xap/1.0/rights/}
819 \__pdfmeta_xmp_xmlns_new:nn {dc}      {http://purl.org/dc/elements/1.1/}
820 \__pdfmeta_xmp_xmlns_new:nn {photoshop}{http://ns.adobe.com/photoshop/1.0/}
821 \__pdfmeta_xmp_xmlns_new:nn {xmp}     {http://ns.adobe.com/xap/1.0/}
822 \__pdfmeta_xmp_xmlns_new:nn {xmpMM}   {http://ns.adobe.com/xap/1.0/mm/}
823 \__pdfmeta_xmp_xmlns_new:ne {stEvt}   {http://ns.adobe.com/xap/1.0/sType/ResourceEvent\c_hash_str}
824 \__pdfmeta_xmp_xmlns_new:nn {pdfaid}  {http://www.aiim.org/pdfa/ns/id/}
825 \__pdfmeta_xmp_xmlns_new:nn {pdfuaid} {http://www.aiim.org/pdfua/ns/id/}
826 \__pdfmeta_xmp_xmlns_new:nn {pdfx}    {http://ns.adobe.com/pdfx/1.3/}
827 \__pdfmeta_xmp_xmlns_new:nn {pdfxid}  {http://www.npes.org/pdfx/ns/id/}

```

```

829 \__pdfmeta_xmp_xmlns_new:nn {prism}      {http://prismstandard.org/namespaces/basic/3.0/}
830 %\__pdfmeta_xmp_xmlns_new:nn {jav}       {http://www.niso.org/schemas/jav/1.0/}
831 %\__pdfmeta_xmp_xmlns_new:nn {xmpTPg}    {http://ns.adobe.com/xap/1.0/t/pg/}
832 \__pdfmeta_xmp_xmlns_new:ne {stFnt}     {http://ns.adobe.com/xap/1.0/sType/Font\c_hash_str}
833 \__pdfmeta_xmp_xmlns_new:nn {Iptc4xmpCore}{http://iptc.org/std/Iptc4xmpCore/1.0/xmlns/}
834 \__pdfmeta_xmp_xmlns_new:nn {pdfaExtension}{http://www.aiim.org/pdfa/ns/extension/}
835 \__pdfmeta_xmp_xmlns_new:ne {pdfaSchema}{http://www.aiim.org/pdfa/ns/schema\c_hash_str}
836 \__pdfmeta_xmp_xmlns_new:ne {pdfaProperty}{http://www.aiim.org/pdfa/ns/property\c_hash_str}
837 \__pdfmeta_xmp_xmlns_new:ne {pdfaType}  {http://www.aiim.org/pdfa/ns/type\c_hash_str}
838 \__pdfmeta_xmp_xmlns_new:ne {pdfaField}{http://www.aiim.org/pdfa/ns/field\c_hash_str}

```

4.7 Building the chunks: Extensions

In this part local name spaces or additional names in a name space can be declared. A “schema” declaration consist of the declaration of the name, uri and prefix which then surrounds a bunch of property declarations. The current code doesn’t support all syntax options but sticks to what is used in hyperxmp and pdfx. If needed it can be extended later.

`\l__pdfmeta_xmp_schema_seq` This variable will hold the list of prefix so that we can loop to produce the final XML

```
839 \seq_new:N \l__pdfmeta_xmp_schema_seq
```

(End of definition for \l__pdfmeta_xmp_schema_seq.)

`__pdfmeta_xmp_schema_new:nnm` With this command a new schema can be declared. The main tl contains the XML wrapper code, it then includes the list of properties which are created with the next command.

```

840 \cs_new_protected:Npn \__pdfmeta_xmp_schema_new:nnn #1 #2 #3
841   %#1 name #2 prefix, #3 text
842   {
843     \seq_put_right:Nn \l__pdfmeta_xmp_schema_seq { #2 }
844     \tl_new:c { g__pdfmeta_xmp_schema_#2_tl }
845     \tl_new:c { g__pdfmeta_xmp_schema_#2_properties_tl }
846     \tl_gput_right:cn { g__pdfmeta_xmp_schema_#2_tl }
847     {
848       \__pdfmeta_xmp_add_packet_open_attr:nnn{rdf}{li}{rdf:parseType="Resource"}
849       \__pdfmeta_xmp_add_packet_line:nnn {pdfaSchema}{schema}{#1}
850       \__pdfmeta_xmp_add_packet_line:nnn {pdfaSchema}{prefix}{#2}
851       \__pdfmeta_xmp_add_packet_line:nnn {pdfaSchema}{namespaceURI}{#3}
852       \__pdfmeta_xmp_add_packet_open:nn {pdfaSchema}{property}
853       \__pdfmeta_xmp_add_packet_open:nn{rdf}{Seq}
854       \tl_use:c { g__pdfmeta_xmp_schema_#2_properties_tl }
855       \__pdfmeta_xmp_add_packet_close:nn{rdf}{Seq}
856       \__pdfmeta_xmp_add_packet_close:nn {pdfaSchema}{property}
857       \cs_if_exist_use:c {__pdfmeta_xmp_schema_#2_additions:}
858       \__pdfmeta_xmp_add_packet_close:nn{rdf}{li}
859     }
860   }

```

(End of definition for __pdfmeta_xmp_schema_new:nnn.)

`__pdfmeta_xmp_property_new:nnm` This adds a property to a schema.

```

861 \cs_new_protected:Npn \__pdfmeta_xmp_property_new:nnnn #1 #2 #3 #4 #5 %
862   %#1 schema #2 name, #3 type, #4 category #5 description

```

```

863 {
864   \tl_gput_right:cn { g__pdfmeta_xmp_schema_#1_properties_tl }
865   {
866     \__pdfmeta_xmp_add_packet_open:nn {rdf}{li~rdf:parseType="Resource"}
867     \__pdfmeta_xmp_add_packet_line:nnn {pdfaProperty}{name}{#2}
868     \__pdfmeta_xmp_add_packet_line:nnn {pdfaProperty}{valueType}{#3}
869     \__pdfmeta_xmp_add_packet_line:nnn {pdfaProperty}{category}{#4}
870     \__pdfmeta_xmp_add_packet_line:nnn {pdfaProperty}{description}{#5}
871     \__pdfmeta_xmp_add_packet_close:nn{rdf}{li}
872   }
873 }

```

(End of definition for __pdfmeta_xmp_property_new:nnn.)

__pdfmeta_xmp_add_packet_field:nnn This adds a field to a schema.

```

874 \cs_new_protected:Npn \__pdfmeta_xmp_add_packet_field:nnn #1 #2 #3 %
875   %#1 name #2 valuetype #3 description
876   {
877     \__pdfmeta_xmp_add_packet_open_attr:nnn {rdf}{li}{rdf:parseType="Resource"}
878     \__pdfmeta_xmp_add_packet_line:nnn {pdfaField}{name}{#1}
879     \__pdfmeta_xmp_add_packet_line:nnn {pdfaField}{valueType}{#2}
880     \__pdfmeta_xmp_add_packet_line:nnn {pdfaField}{description}{#3}
881     \__pdfmeta_xmp_add_packet_close:nn{rdf}{li}
882   }

```

(End of definition for __pdfmeta_xmp_add_packet_field:nnn.)

4.7.1 The extension data

The list of extension has been reviewed and compared with the list of namespaces which can be used in pdf/A-1⁷

[1] https://www.pdfa.org/wp-content/uploads/2011/08/tn0008_predefined_xmp_properties_in_pdfa-1_2008-03-20.pdf and the content of the namespaces as listed here [2] <https://developer.adobe.com/xmp/docs/XMPNamespaces/pdf/>

pdf property: Trapped. We ignore it, it seems to validate without it.

xmpMM properties DocumentID, InstanceID, VersionID, Renditionclass declared by hyperxmp. Properties InstanceID and OriginalDocumentID declared by pdfx (pdfx.xmp) With the exception of OriginalDocumentID all are already allowed and predefined.

```

883   \__pdfmeta_xmp_schema_new:nnn
884     {XMP~Media~Management~Schema}
885     {xmpMM}
886     {http://ns.adobe.com/xap/1.0/mm/}
887   \__pdfmeta_xmp_property_new:nnnnn
888     {xmpMM}
889     {OriginalDocumentID}
890     {URI}
891     {internal}
892     {The~common~identifier~for~all~versions~and~renditions~of~a~document.}

```

⁷While A-1 builds on PDF 1.4 and so it probably no longer relevant, it is not quite clear if one can remove this for A-2 and newer, so we stay on the safe side.

pdfaid properties part and conformance are declared by hyperxmp, but no here as already in <http://www.aiim.org/pdfa/ns/id/>. But we declare year so that it can be used also with older A-standards.

pdfaid-(schema)

```

893     \_pdfmeta_xmp_schema_new:nnn
894         {PDF/A-Identification-Schema}
895         {pdfaid}
896         {http://www.aiim.org/pdfa/ns/id/}
897     \_pdfmeta_xmp_property_new:nnnnn
898         {pdfaid}
899         {year}
900         {Integer}
901         {internal}
902         {Year-of~standard}

```

(End of definition for pdfaid-(schema). This function is documented on page ??.)

pdfuaid here we need (?) to declare the property “part” and “rev”.

pdfuaid-(schema)

```

903     \_pdfmeta_xmp_schema_new:nnn
904         {PDF/UA-Universal-Accessibility-Schema}
905         {pdfuaid}
906         {http://www.aiim.org/pdfua/ns/id/}
907     \_pdfmeta_xmp_property_new:nnnnn
908         {pdfuaid}
909         {part}
910         {Integer}
911         {internal}
912         {Part-of-ISO-14289~standard}
913     \_pdfmeta_xmp_property_new:nnnnn
914         {pdfuaid}
915         {rev}
916         {Integer}
917         {internal}
918         {Revision-of-ISO-14289~standard}

```

(End of definition for pdfuaid-(schema). This function is documented on page ??.)

pdfx According to [1] not an allowed schema, but it seems to validate and allow to set the pdf/X version, hyperxmp declares here the properties `GTS_PDFXVersion` and `GTS_PDFXConformance`. Ignored as only relevant for older pdf/X version not supported by the pdfmanagement.

pdfxid we set this so that we can add the pdf/X version for pdf/X-4 and higher

pdfxid-(schema)

```

919     \_pdfmeta_xmp_schema_new:nnn
920         {PDF/X-ID-Schema}
921         {pdfxid}

```

```

922     {http://www.npes.org/pdfx/ns/id/}
923 \_pdfmeta_xmp_property_new:nnnnn
924     {pdfxid}
925     {GTS_PDFXVersion}
926     {Text}
927     {internal}
928     {ID-of-PDF/X-standard}

```

(End of definition for pdfxid-(schema). This function is documented on page ??.)

prism~(schema)

```

929 \_pdfmeta_xmp_schema_new:nnn
930     {PRISM-Basic-Metadata}
931     {prism}
932     {http://prismstandard.org/namespaces/basic/3.0/}
933 \_pdfmeta_xmp_property_new:nnnnn
934     {prism}
935     {complianceProfile}
936     {Text}
937     {internal}
938     {PRISM-specification-compliance-profile-to-which-this-document-adheres}
939 \_pdfmeta_xmp_property_new:nnnnn
940     {prism}
941     {publicationName}
942     {Text}
943     {external}
944     {Publication-name}
945 \_pdfmeta_xmp_property_new:nnnnn
946     {prism}
947     {aggregationType}
948     {Text}
949     {external}
950     {Publication-type}
951 \_pdfmeta_xmp_property_new:nnnnn
952     {prism}
953     {bookEdition}
954     {Text}
955     {external}
956     {Edition-of-the-book-in-which-the-document-was-published}
957 \_pdfmeta_xmp_property_new:nnnnn
958     {prism}
959     {volume}
960     {Text}
961     {external}
962     {Publication-volume-number}
963 \_pdfmeta_xmp_property_new:nnnnn
964     {prism}
965     {number}
966     {Text}
967     {external}
968     {Publication-issue-number-within-a-volume}
969 \_pdfmeta_xmp_property_new:nnnnn
970     {prism}
971     {pageRange}

```

```

972     {Text}
973     {external}
974     {Page-range-for-the-document-within-the-print-version-of-its-publication}
975 \_pdfmeta_xmp_property_new:nnnnn
976     {prism}
977     {issn}
978     {Text}
979     {external}
980     {ISSN-for-the-printed-publication-in-which-the-document-was-published}
981 \_pdfmeta_xmp_property_new:nnnnn
982     {prism}
983     {eIssn}
984     {Text}
985     {external}
986     {ISSN-for-the-electronic-publication-in-which-the-document-was-published}
987 \_pdfmeta_xmp_property_new:nnnnn
988     {prism}
989     {isbn}
990     {Text}
991     {external}
992     {ISBN-for-the-publication-in-which-the-document-was-published}
993 \_pdfmeta_xmp_property_new:nnnnn
994     {prism}
995     {doi}
996     {Text}
997     {external}
998     {Digital-Object-Identifier-for-the-document}
999 \_pdfmeta_xmp_property_new:nnnnn
1000    {prism}
1001    {url}
1002    {URL}
1003    {external}
1004    {URL-at-which-the-document-can-be-found}
1005 \_pdfmeta_xmp_property_new:nnnnn
1006    {prism}
1007    {byteCount}
1008    {Integer}
1009    {internal}
1010    {Approximate-file-size-in-octets}
1011 \_pdfmeta_xmp_property_new:nnnnn
1012    {prism}
1013    {pageCount}
1014    {Integer}
1015    {internal}
1016    {Number-of-pages-in-the-print-version-of-the-document}
1017 \_pdfmeta_xmp_property_new:nnnnn
1018    {prism}
1019    {subtitle}
1020    {Text}
1021    {external}
1022    {Document's-subtitle}

```

(End of definition for prism-(schema). This function is documented on page ??.)

iptc

```
1023 \_pdfmeta_xmp_schema_new:nnn
1024   {IPTC-Core-Schema}
1025   {Iptc4xmpCore}
1026   {http://iptc.org/std/Iptc4xmpCore/1.0/xmlns/}
1027 \_pdfmeta_xmp_property_new:nnnnn
1028   {Iptc4xmpCore}
1029   {CreatorContactInfo}
1030   {ContactInfo}
1031   {external}
1032   {Document~creator's~contact~information}
1033 \cs_new_protected:cpn { __pdfmeta_xmp_schema_Iptc4xmpCore_additions: }
1034 {
1035   \_pdfmeta_xmp_add_packet_open:nn{pdfaSchema}{valueType}
1036   \_pdfmeta_xmp_add_packet_open:nn{rdf}{Seq}
1037   \_pdfmeta_xmp_add_packet_open_attr:nnn{rdf}{li}{rdf:parseType="Resource"}
1038   \_pdfmeta_xmp_add_packet_line:nnn{pdfaType}{type}{ContactInfo}
1039   \_pdfmeta_xmp_add_packet_line:nnn{pdfaType}{namespaceURI}
1040     {http://iptc.org/std/Iptc4xmpCore/1.0/xmlns/}
1041   \_pdfmeta_xmp_add_packet_line:nnn{pdfaType}{prefix}{Iptc4xmpCore}
1042   \_pdfmeta_xmp_add_packet_line:nnn{pdfaType}{description}
1043     {Basic~set~of~information~to~get~in~contact~with~a~person}
1044   \_pdfmeta_xmp_add_packet_open:nn{pdfaType}{field}
1045   \_pdfmeta_xmp_add_packet_open:nn{rdf}{Seq}
1046   \_pdfmeta_xmp_add_packet_field:nnn{CiAdrCity}{Text}
1047     {Contact~information~city}
1048   \_pdfmeta_xmp_add_packet_field:nnn{CiAdrCtry}{Text}
1049     {Contact~information~country}
1050   \_pdfmeta_xmp_add_packet_field:nnn{CiAdrExtadr}{Text}
1051     {Contact~information~address}
1052   \_pdfmeta_xmp_add_packet_field:nnn{CiAdrPcode}{Text}
1053     {Contact~information~local~postal~code}
1054   \_pdfmeta_xmp_add_packet_field:nnn{CiAdrRegion}{Text}
1055     {Contact~information~regional~information~such~as~state~or~province}
1056   \_pdfmeta_xmp_add_packet_field:nnn{CiEmailWork}{Text}
1057     {Contact~information~email~address(es)}
1058   \_pdfmeta_xmp_add_packet_field:nnn{CiTelWork}{Text}
1059     {Contact~information~telephone~number(s)}
1060   \_pdfmeta_xmp_add_packet_field:nnn{CiUrlWork}{Text}
1061     {Contact~information~Web~URL(s)}
1062   \_pdfmeta_xmp_add_packet_close:nn{rdf}{Seq}
1063   \_pdfmeta_xmp_add_packet_close:nn{pdfaType}{field}
1064   \_pdfmeta_xmp_add_packet_close:nn{rdf}{li}
1065   \_pdfmeta_xmp_add_packet_close:nn{rdf}{Seq}
1066   \_pdfmeta_xmp_add_packet_close:nn{pdfaSchema}{valueType}
1067 }
```

jav : currently ignored

declarations The PDF Declarations mechanism allows creation and editing software to declare, via a PDF Declaration, a PDF file to be in conformance with a 3rd party specification or profile that may not be related to PDF technology. Their specification is for example described in <https://pdfa.org/wp-content/uploads/2019/09/PDF-Declarations.pdf>.

If declarations are added to the XMP-metadata they need (for pdf/A compliancy) a schema declaration. We do not add it by default but define here a command to enable it. (This can be done in the document preamble as xmp is built only at the end.)

```

1068 \cs_new_protected:Npn \__pdfmeta_xmp_schema_enable_pdfd:
1069 {
1070   \__pdfmeta_xmp_xmlns_new:ne {pdfd}{http://pdfa.org/declarations/}
1071   \__pdfmeta_xmp_schema_new:nnn
1072     {PDF~Declarations~Schema}
1073     {pdfd}
1074     {http://pdfa.org/declarations/}
1075   \__pdfmeta_xmp_property_new:nnnnn
1076     {pdfd}
1077     {declarations}
1078     {Bag-declaration}
1079     {external}
1080     {An~unordered~array~of~PDF~Declaration~entries,~where~each~PDF~Declaration~represent

```

the values are complicated so we use the additions: method to add them.

```

1081 \cs_new_protected:cpn { __pdfmeta_xmp_schema_pdfd_additions: }
1082 {
1083   \__pdfmeta_xmp_add_packet_open:nn{pdfaSchema}{valueType}
1084   \__pdfmeta_xmp_add_packet_open:nn{rdf}{Seq}
1085   \__pdfmeta_xmp_add_packet_open_attr:nnn{rdf}{li}{rdf:parseType="Resource"}
1086   \__pdfmeta_xmp_add_packet_line:nnn{pdfaType}{type}{claim}
1087   \__pdfmeta_xmp_add_packet_line:nnn{pdfaType}{namespaceURI}
1088     {http://pdfa.org/declarations/}
1089   \__pdfmeta_xmp_add_packet_line:nnn{pdfaType}{prefix}{pdfd}
1090   \__pdfmeta_xmp_add_packet_line:nnn{pdfaType}{description}
1091     {A~structure~describing~properties~of~an~individual~claim.}
1092   \__pdfmeta_xmp_add_packet_open:nn{pdfaType}{field}
1093   \__pdfmeta_xmp_add_packet_open:nn{rdf}{Seq}
1094   \__pdfmeta_xmp_add_packet_field:nnn{claimReport}{Text}
1095     {A~URL~to~a~report~containing~details~of~the~specific~conformance~claim}
1096   \__pdfmeta_xmp_add_packet_field:nnn{claimCredentials}{Text}
1097     {The~claimant's~credentials.}
1098   \__pdfmeta_xmp_add_packet_field:nnn{claimDate}{Text}
1099     {A~date~identifying~when~the~claim~was~made.}
1100   \__pdfmeta_xmp_add_packet_field:nnn{claimBy}{Text}
1101     {The~name~of~the~organization~and/or~individual~and/or~software~making}
1102   \__pdfmeta_xmp_add_packet_close:nn{rdf}{Seq}
1103   \__pdfmeta_xmp_add_packet_close:nn{pdfaType}{field}
1104   \__pdfmeta_xmp_add_packet_close:nn{rdf}{li}
1105   \__pdfmeta_xmp_add_packet_open_attr:nnn{rdf}{li}{rdf:parseType="Resource"}
1106   \__pdfmeta_xmp_add_packet_line:nnn{pdfaType}{type}{declaration}
1107   \__pdfmeta_xmp_add_packet_line:nnn{pdfaType}{namespaceURI}
1108     {http://pdfa.org/declarations/}
1109   \__pdfmeta_xmp_add_packet_line:nnn{pdfaType}{prefix}{pdfd}
1110   \__pdfmeta_xmp_add_packet_line:nnn{pdfaType}{description}
1111     {A~structure~describing~a~single~PDF~Declaration~asserting~conformance~w}
1112   \__pdfmeta_xmp_add_packet_open:nn{pdfaType}{field}
1113   \__pdfmeta_xmp_add_packet_open:nn{rdf}{Seq}

```

```

1114         \_pdfmeta_xmp_add_packet_field:nn{conformsTo}{Text}
1115         {A~property~containing~a~URI~specifying~the~standard~or~profile~by~the
1116         \_pdfmeta_xmp_add_packet_field:nn{claimData}{Bag~claim}
1117         {An~unordered~array~of~claim~data,~where~each~claim~identifies~the~natu
1118         \_pdfmeta_xmp_add_packet_close:nn{rdf}{Seq}
1119         \_pdfmeta_xmp_add_packet_close:nn{pdfaType}{field}
1120         \_pdfmeta_xmp_add_packet_close:nn{rdf}{li}
1121         \_pdfmeta_xmp_add_packet_close:nn{rdf}{Seq}
1122         \_pdfmeta_xmp_add_packet_close:nn{pdfaSchema}{valueType}
1123     }

```

the schema should be added only once so disable it after use:

```

1124     \cs_gset_eq:NN \_pdfmeta_xmp_schema_enable_pdfd: \prg_do_nothing:
1125 }

```

4.8 The actual user / document data

4.8.1 pdf

This builds pdf related the data with the (prefix “pdf”).

```

\_pdfmeta_xmp_build_pdf:
  Producer/pdfproducer 1126 \cs_new_protected:Npn \_pdfmeta_xmp_build_pdf:
  PDFversion           1127 {

```

At first the producer. If not given manually we build it from the exec string plus the version number

```

1128   \_pdfmeta_xmp_add_packet_line_default:nnee
1129     {pdf}{Producer}
1130     {\c_sys_engine_exec_str-\c_sys_engine_version_str}
1131     {\GetDocumentProperties{hyperref/pdfproducer}}

```

Now the PDF version

```

1132   \_pdfmeta_xmp_add_packet_line:nnee{pdf}{PDFVersion}{\pdf_version:}
1133 }

```

(End of definition for _pdfmeta_xmp_build_pdf:, Producer/pdfproducer, and PDFversion. These functions are documented on page ??.)

4.8.2 xmp

This builds the data with the (prefix “xmp”).

```

\_pdfmeta_xmp_build_xmp:
  CreatorTool/pdfcreator 1134 \cs_new_protected:Npn \_pdfmeta_xmp_build_xmp:
  BaseUrl/baseurl       1135 {

```

The creator

```

1136   \_pdfmeta_xmp_add_packet_line_default:nnee
1137     {xmp}{CreatorTool}
1138     {LaTeX}
1139     { \GetDocumentProperties{hyperref/pdfcreator} }

```

The baseurl

```
1140 \__pdfmeta_xmp_add_packet_line_default:nnee
1141   {xmp}{BaseUrl}{}
1142   { \GetDocumentProperties{hyperref/baseurl} }
```

CreationDate

```
1143 \__pdfmeta_xmp_date_get:nNN
1144   {document/creationdate}\l__pdfmeta_tmpa_tl\l__pdfmeta_tmpa_seq
1145 \__pdfmeta_xmp_add_packet_line:nne{xmp}{CreateDate}{\__pdfmeta_xmp_print_date:N\l__pdfme
1146 \pdfmanagement_add:nne{Info}{CreateDate}{(\l__pdfmeta_tmpa_tl)}
```

ModifyDate

```
1147 \__pdfmeta_xmp_date_get:nNN
1148   {document/moddate}\l__pdfmeta_tmpa_tl\l__pdfmeta_tmpa_seq
1149 \__pdfmeta_xmp_add_packet_line:nne{xmp}{ModifyDate}{\__pdfmeta_xmp_print_date:N\l__pdfme
1150 \pdfmanagement_add:nne{Info}{ModDate}{(\l__pdfmeta_tmpa_tl)}
```

MetadataDate

```
1151 \__pdfmeta_xmp_date_get:nNN
1152   {hyperref/pdfmetadate}\l__pdfmeta_tmpa_tl\l__pdfmeta_tmpa_seq
1153 \__pdfmeta_xmp_add_packet_line:nne{xmp}{MetadataDate}{\__pdfmeta_xmp_print_date:N\l__pdf
1154 }
```

(End of definition for __pdfmeta_xmp_build_xmp:, CreatorTool/pdfcreator, and BaseUrl/baseurl. These functions are documented on page ??.)

4.8.3 Standards

The metadata for standards are taken from the pdfstandard key of \DocumentMetadata. The values for A-standards are taken from the property, X and UA are currently taken from the document container, this should be changed when merging of standards are possible.

__pdfmeta_xmp_build_standards:

```
1155 \cs_new_protected:Npn \__pdfmeta_xmp_build_standards:
1156   {
1157     \__pdfmeta_xmp_add_packet_line:nne {pdfaid}{part}{\pdfmeta_standard_item:n{level}}
1158     \__pdfmeta_xmp_add_packet_line:nne
1159       {pdfaid}{conformance}{\pdfmeta_standard_item:n{conformance}}
1160     \int_compare:nNnTF {0\pdfmeta_standard_item:n{level}}<{4}
1161       {\__pdfmeta_xmp_add_packet_line:nne {pdfaid}{year} {\pdfmeta_standard_item:n{year}}}
1162       {\__pdfmeta_xmp_add_packet_line:nne {pdfaid}{rev} {\pdfmeta_standard_item:n{year}}}
1163     \__pdfmeta_xmp_add_packet_line:nne
1164       {pdfxid}{GTS_PDFXVersion}{\GetDocumentProperties{document/pdfstandard-X}}
1165     \pdfmanagement_get_documentproperties:nNT {document/pdfstandard-UA}\l__pdfmeta_tmpa_tl
1166     {
1167       \__pdfmeta_xmp_add_packet_line:nne
1168         {pdfuaid}{part}{\exp_last_unbraced:No\use_i:nn \l__pdfmeta_tmpa_tl}
1169       \__pdfmeta_xmp_add_packet_line:nne
1170         {pdfuaid}{rev}{\exp_last_unbraced:No\use_ii:nn \l__pdfmeta_tmpa_tl}
1171     }
1172   }
```

(End of definition for __pdfmeta_xmp_build_standards:.)

4.9 Declarations

See <https://pdfa.org/wp-content/uploads/2019/09/PDF-Declarations.pdf>

`\g_pdfmeta_xmp_pdfd_data_prop` This holds the data for declarations.
1173 `\prop_new:N \g_pdfmeta_xmp_pdfd_data_prop`
(End of definition for `\g_pdfmeta_xmp_pdfd_data_prop`.)
the main building command used in the xmp generation

`__pdfmeta_xmp_build_pdfd:`
1174 `\cs_new_protected:Npn __pdfmeta_xmp_build_pdfd:`
1175 `{`
1176 `\prop_if_empty:NF\g_pdfmeta_xmp_pdfd_data_prop`
1177 `{`
1178 `__pdfmeta_xmp_add_packet_open:nn{pdfd}{declarations}`
1179 `__pdfmeta_xmp_add_packet_open:nn{rdf}{Bag}`
1180 `\prop_map_inline:Nn \g_pdfmeta_xmp_pdfd_data_prop`
1181 `{`
1182 `__pdfmeta_xmp_build_pdfd_claim:nn{##1}{##2}`
1183 `}`
1184 `__pdfmeta_xmp_add_packet_close:nn{rdf}{Bag}`
1185 `__pdfmeta_xmp_add_packet_close:nn{pdfd}{declarations}`
1186 `}`
1187 `}`
(End of definition for `__pdfmeta_xmp_build_pdfd:.`)

`__pdfmeta_xmp_build_pdfd_claim:nn` This build the xml for one claim. If there is no claimData only the conformsTo is output.
1188 `\cs_new_protected:Npn __pdfmeta_xmp_build_pdfd_claim:nn #1#2`
1189 `{`
1190 `__pdfmeta_xmp_add_packet_open_attr:nnn{rdf}{li}{rdf:parseType="Resource"}`
1191 `__pdfmeta_xmp_add_packet_line:nnn{pdfd}{conformsTo}{#1}`
1192 `\tl_if_empty:nF {#2}`
1193 `{`
1194 `__pdfmeta_xmp_add_packet_open:nn{pdfd}{claimData}`
1195 `__pdfmeta_xmp_add_packet_open:nn{rdf}{Bag}`
1196 `#2`
1197 `__pdfmeta_xmp_add_packet_close:nn{rdf}{Bag}`
1198 `__pdfmeta_xmp_add_packet_close:nn{pdfd}{claimData}`
1199 `}`
1200 `__pdfmeta_xmp_add_packet_close:nn{rdf}{li}`
1201 `}`
(End of definition for `__pdfmeta_xmp_build_pdfd_claim:nn`.)

4.10 Photoshop

`__pdfmeta_xmp_build_photoshop:`
1202 `\cs_new_protected:Npn __pdfmeta_xmp_build_photoshop:`
1203 `{`
pdfauthortitle/photoshop:AuthorsPosition
1204 `__pdfmeta_xmp_add_packet_line:nne{photoshop}{AuthorsPosition}`
1205 `{ \GetDocumentProperties{hyperref/pdfauthortitle} }`


```

pdfcaptionwriter/photoshop:CaptionWriter
1206   \__pdfmeta_xmp_add_packet_line:nne{photoshop}{CaptionWriter}
1207     { \GetDocumentProperties{hyperref/pdfcaptionwriter} }
1208   }

```

(End of definition for __pdfmeta_xmp_build_photoshop:.)

4.11 XMP Media Management

__pdfmeta_xmp_build_xmpMM:

```

1209 \cs_new_protected:Npn \__pdfmeta_xmp_build_xmpMM:
1210   {
pdfdocumentid / xmpMM:DocumentID
1211     \str_set:Ne\l__pdfmeta_tmpa_str {\GetDocumentProperties{hyperref/pdfdocumentid}}
1212     \str_if_empty:NT \l__pdfmeta_tmpa_str
1213     {
1214       \__pdfmeta_xmp_create_uuid:nN
1215         {\jobname\GetDocumentProperties{hyperref/pdftitle}}
1216         \l__pdfmeta_tmpa_str
1217     }
1218     \__pdfmeta_xmp_add_packet_line:nnV{xmpMM}{DocumentID}
1219     \l__pdfmeta_tmpa_str
pdfinstanceid / xmpMM:InstanceID
1220     \str_set:Ne\l__pdfmeta_tmpa_str {\GetDocumentProperties{hyperref/pdfinstanceid}}
1221     \str_if_empty:NT \l__pdfmeta_tmpa_str
1222     {
1223       \__pdfmeta_xmp_create_uuid:nN
1224         {\jobname\l__pdfmeta_xmp_currentdate_tl}
1225         \l__pdfmeta_tmpa_str
1226     }
1227     \__pdfmeta_xmp_add_packet_line:nnV{xmpMM}{InstanceID}
1228     \l__pdfmeta_tmpa_str
pdfversionid/xmpMM:VersionID
1229     \__pdfmeta_xmp_add_packet_line:nne{xmpMM}{VersionID}
1230     { \GetDocumentProperties{hyperref/pdfversionid} }
pdfrendition/xmpMM:RenditionClass
1231     \__pdfmeta_xmp_add_packet_line:nne{xmpMM}{RenditionClass}
1232     { \GetDocumentProperties{hyperref/pdfrendition} }
1233   }

```

(End of definition for __pdfmeta_xmp_build_xmpMM:.)

4.12 Rest of dublin Core data

```

\__pdfmeta_xmp_build_dc:
  dc:creator/pdfauthor 1234 \cs_new_protected:Npn \__pdfmeta_xmp_build_dc:
  dc:subject/pdfkeywords 1235   {
    dc:type/pdfdtype
  dc:publisher/pdfpublisher
  dc:description/pdfsubject
  dc:language/lang/pdflang
  dc:identifier/pdfidentifier
  photoshop:AuthorsPosition/pdfauthortitle
  photoshop:CaptionWriter/pdfcaptionwriter

```

pdfauthor/dc:creator

```
1236     \__pdfmeta_xmp_add_packet_list:nnne {dc}{creator}{Seq}  
1237     { \GetDocumentProperties{hyperref/pdfauthor} }  
1238     \int_compare:nNnT {0\pdfmeta_standard_item:n{level}}={1}  
1239     { \pdfmanagement_remove:nn{Info}{Author} }
```

pdftitle/dc:title. This is rather complex as we want to support a list with different languages.

```
1240     \__pdfmeta_xmp_add_packet_list:nnne {dc}{title}{Alt}  
1241     { \GetDocumentProperties{hyperref/pdftitle} }
```

pdfkeywords/dc:subject

```
1242     \__pdfmeta_xmp_add_packet_list:nnne {dc}{subject}{Bag}  
1243     { \GetDocumentProperties{hyperref/pdfkeywords} }  
1244     \int_compare:nNnT {0\pdfmeta_standard_item:n{level}}={1}  
1245     { \pdfmanagement_remove:nn{Info}{Keywords} }
```

pdftype/dc:type

```
1246     \pdfmanagement_get_documentproperties:nNTF { hyperref/pdftype } \l__pdfmeta_tmpa_tl  
1247     {  
1248         \__pdfmeta_xmp_add_packet_list_simple:nnnV {dc}{type}{Bag}\l__pdfmeta_tmpa_tl  
1249     }  
1250     {  
1251         \__pdfmeta_xmp_add_packet_list_simple:nnnn {dc}{type}{Bag}{Text}  
1252     }  
1253     }
```

pdfpublisher/dc:publisher

```
1253     \__pdfmeta_xmp_add_packet_list:nnne {dc}{publisher}{Bag}  
1254     { \GetDocumentProperties{hyperref/pdfpublisher} }
```

pdfsubject/dc:description

```
1255     \__pdfmeta_xmp_add_packet_list:nnne  
1256     {dc}{description}{Alt}  
1257     { \GetDocumentProperties{hyperref/pdfsubject} }
```

lang/pdflang/dc:language

```
1258     \__pdfmeta_xmp_add_packet_list_simple:nnnV  
1259     {dc}{language}{Bag}\l__pdfmeta_xmp_doclang_tl
```

pdfidentifier/dc:identifier

```
1260     \__pdfmeta_xmp_add_packet_line:nne{dc}{identifier}  
1261     { \GetDocumentProperties{hyperref/pdfidentifier} }
```

pdfdate/dc:date

```
1262     \__pdfmeta_xmp_date_get:nNN {hyperref/pdfdate}\l__pdfmeta_tmpa_tl\l__pdfmeta_tmpa_seq  
1263     \__pdfmeta_xmp_add_packet_list_simple:nnne  
1264     {dc}{date}{Seq}{\__pdfmeta_xmp_print_date:N\l__pdfmeta_tmpa_seq}
```

The file format

```
1265     \__pdfmeta_xmp_add_packet_line:nnn{dc}{format}{application/pdf}
```

The source

```
1266     \__pdfmeta_xmp_add_packet_line_default:nnee  
1267     {dc}{source}  
1268     { \c_sys_jobname_str.tex }  
1269     { \GetDocumentProperties{hyperref/pdfsource} }
```

```

1270     \__pdfmeta_xmp_add_packet_list:nne{dc}{rights}{Alt}
1271     {\GetDocumentProperties{hyperref/pdfcopyright}}
1272 }

```

(End of definition for __pdfmeta_xmp_build_dc: and others. These functions are documented on page ??.)

4.13 xmpRights

__pdfmeta_xmp_build_xmpRights:

```

1273 \cs_new_protected:Npn \__pdfmeta_xmp_build_xmpRights:
1274 {
1275     \__pdfmeta_xmp_add_packet_line:nne
1276     {xmpRights}
1277     {WebStatement}
1278     {\GetDocumentProperties{hyperref/pdflicenseurl}}
1279 }

```

(End of definition for __pdfmeta_xmp_build_xmpRights:.)

4.14 IPTC

We want the block and also the resources only if they are actually used. So we pack them first in a local variable

\l__pdfmeta_xmp_iptc_data_tl

```

1280 \tl_new:N\l__pdfmeta_xmp_iptc_data_tl

```

(End of definition for \l__pdfmeta_xmp_iptc_data_tl.)

__pdfmeta_xmp_build_iptc_data:N

```

1281 \cs_new_protected:Npn \__pdfmeta_xmp_build_iptc_data:N #1
1282 {
1283     \tl_clear:N #1
1284     \__pdfmeta_xmp_incr_indent:\__pdfmeta_xmp_incr_indent:\__pdfmeta_xmp_incr_indent:\__pdf
1285     \__pdfmeta_xmp_add_packet_line:nneN
1286     {Iptc4xmpCore}{CiAdrExtadr}
1287     {\GetDocumentProperties{hyperref/pdfcontactaddress}}
1288     #1
1289     \__pdfmeta_xmp_add_packet_line:nneN
1290     {Iptc4xmpCore}{CiAdrCity}
1291     {\GetDocumentProperties{hyperref/pdfcontactcity}}
1292     #1
1293     \__pdfmeta_xmp_add_packet_line:nneN
1294     {Iptc4xmpCore}{CiAdrPcode}
1295     {\GetDocumentProperties{hyperref/pdfcontactpostcode}}
1296     #1
1297     \__pdfmeta_xmp_add_packet_line:nneN
1298     {Iptc4xmpCore}{CiAdrCtry}
1299     {\GetDocumentProperties{hyperref/pdfcontactcountry}}
1300     #1
1301     \__pdfmeta_xmp_add_packet_line:nneN
1302     {Iptc4xmpCore}{CiTelWork}
1303     {\GetDocumentProperties{hyperref/pdfcontactphone}}

```

```

1304     #1
1305     \_pdfmeta_xmp_add_packet_line:nneN
1306     {Iptc4xmpCore}{CiEmailWork}
1307     {\GetDocumentProperties{hyperref/pdfcontactemail}}
1308     #1
1309     \_pdfmeta_xmp_add_packet_line:nneN
1310     {Iptc4xmpCore}{CiUrlWork}
1311     {\GetDocumentProperties{hyperref/pdfcontacturl}}
1312     #1
1313     \_pdfmeta_xmp_decr_indent:\_pdfmeta_xmp_decr_indent:\_pdfmeta_xmp_decr_indent:\_pdf
1314   }

```

(End of definition for _pdfmeta_xmp_build_iptc_data:N.)

_pdfmeta_xmp_build_iptc:

```

1315 \cs_new_protected:Npn \_pdfmeta_xmp_build_iptc:
1316 {
1317   \tl_if_empty:NF\l__pdfmeta_xmp_iptc_data_tl
1318   {
1319     \_pdfmeta_xmp_add_packet_open_attr:nnn
1320     {Iptc4xmpCore}{CreatorContactInfo}{rdf:parseType="Resource"}
1321     \tl_gput_right:Ne\g__pdfmeta_xmp_packet_tl { \l__pdfmeta_xmp_iptc_data_tl }
1322     \_pdfmeta_xmp_add_packet_close:nn
1323     {Iptc4xmpCore}{CreatorContactInfo}
1324   }
1325 }

```

(End of definition for _pdfmeta_xmp_build_iptc:.)

4.15 Prism

_pdfmeta_xmp_build_prism:

```

    complianceProfile 1326 \cs_new_protected:Npn \_pdfmeta_xmp_build_prism:
    prism:subtitle/pdfsubtitle 1327 {

```

The compliance profile is a fix value taken from hyperxmp

```

1328   \_pdfmeta_xmp_add_packet_line:nnn
1329   {prism}{complianceProfile}
1330   {three}

```

the next two values can take an optional language argument. First subtitle

```

1331   \_pdfmeta_xmp_lang_get:eNN
1332   {\GetDocumentProperties{hyperref/pdfsubtitle}}
1333   \l__pdfmeta_tmpa_tl\l__pdfmeta_tmpb_tl
1334   \_pdfmeta_xmp_add_packet_line_attr:nneV
1335   {prism}{subtitle}
1336   {xml:lang="\l__pdfmeta_tmpa_tl"}
1337   \l__pdfmeta_tmpb_tl

```

Then publicationName

```

1338   \_pdfmeta_xmp_lang_get:eNN
1339   {\GetDocumentProperties{hyperref/pdfpublication}}
1340   \l__pdfmeta_tmpa_tl\l__pdfmeta_tmpb_tl
1341   \_pdfmeta_xmp_add_packet_line_attr:nneV
1342   {prism}{publicationName}

```

```

1343     {xml:lang="\l__pdfmeta_tmpa_tl"}
1344     \l__pdfmeta_tmpb_tl

```

Now the rest

```

1345     \__pdfmeta_xmp_add_packet_line:nne
1346     {prism}{bookEdition}
1347     {\GetDocumentProperties{hyperref/pdfbookedition}}
1348     \__pdfmeta_xmp_add_packet_line:nne
1349     {prism}{aggregationType}
1350     {\GetDocumentProperties{hyperref/pdfpubtype}}
1351     \__pdfmeta_xmp_add_packet_line:nne
1352     {prism}{volume}
1353     {\GetDocumentProperties{hyperref/pdfvolumenum}}
1354     \__pdfmeta_xmp_add_packet_line:nne
1355     {prism}{number}
1356     {\GetDocumentProperties{hyperref/pdfissuenum}}
1357     \__pdfmeta_xmp_add_packet_line:nne
1358     {prism}{pageRange}
1359     {\GetDocumentProperties{hyperref/pdfpagerange}}
1360     \__pdfmeta_xmp_add_packet_line:nne
1361     {prism}{issn}
1362     {\GetDocumentProperties{hyperref/pdfissn}}
1363     \__pdfmeta_xmp_add_packet_line:nne
1364     {prism}{eIssn}
1365     {\GetDocumentProperties{hyperref/pdfeissn}}
1366     \__pdfmeta_xmp_add_packet_line:nne
1367     {prism}{doi}
1368     {\GetDocumentProperties{hyperref/pdfdoi}}
1369     \__pdfmeta_xmp_add_packet_line:nne
1370     {prism}{url}
1371     {\GetDocumentProperties{hyperref/pdfurl}}

```

The page count is take from the previous run or from pdfnumpages.

```

1372     \tl_set:Nc \l__pdfmeta_tmpa_tl { \GetDocumentProperties{hyperref/pdfnumpages} }
1373     \__pdfmeta_xmp_add_packet_line:nne
1374     {prism}{pageCount}
1375     {\tl_if_blank:VTF \l__pdfmeta_tmpa_tl { \PreviousTotalPages } { \l__pdfmeta_tmpa_tl }}
1376 }

```

(End of definition for __pdfmeta_xmp_build_prism:, complianceProfile, and prism:subtitle/pdfsubtitle. These functions are documented on page ??.)

4.15.1 User additions

\g__pdfmeta_xmp_user_packet_str

```

1377 \tl_new:N \g__pdfmeta_xmp_user_packet_tl

```

(End of definition for \g__pdfmeta_xmp_user_packet_str.)

__pdfmeta_xmp_build_user:

```

1378 \cs_new_protected:Npn \__pdfmeta_xmp_build_user:
1379 {
1380     \int_zero:N \l__pdfmeta_xmp_indent_int
1381     \g__pdfmeta_xmp_user_packet_tl
1382     \int_set:Nn \l__pdfmeta_xmp_indent_int {3}
1383 }

```

(End of definition for `__pdfmeta_xmp_build_user:`)

4.16 Activating the metadata

We don't try to get the byte count. So we can put everything in the `shipout/lastpage` hook

```
1384 \AddToHook{shipout/lastpage}
1385 {
1386   \bool_if:NT\g__pdfmeta_xmp_bool
1387   {
1388     \str_if_exist:NTF\c_sys_timestamp_str
1389     {
1390       \tl_set_eq:NN \l__pdfmeta_xmp_currentdate_tl \c_sys_timestamp_str
1391     }
1392     {
1393       \file_get_timestamp:nN{\jobname.log}\l__pdfmeta_xmp_currentdate_tl
1394     }
1395     \__pdfmeta_xmp_date_split:VN\l__pdfmeta_xmp_currentdate_tl\l__pdfmeta_xmp_currentdate_tl
1396     \__pdfmeta_xmp_build_packet:
1397     \exp_args:No
1398     \__pdf_backend_metadata_stream:n {\g__pdfmeta_xmp_packet_tl}
1399     \pdfmanagement_add:nne {Catalog} {Metadata}{\pdf_object_ref_last:}
1400     \bool_if:NT \g__pdfmeta_xmp_export_bool
1401     {
1402       \iow_open:Nn\g_tmpa_iow{\g__pdfmeta_xmp_export_str.xmpi}
1403       \exp_args:NNo\iow_now:Nn\g_tmpa_iow{\g__pdfmeta_xmp_packet_tl}
1404       \iow_close:N\g_tmpa_iow
1405     }
1406   }
1407 }
```

4.17 User commands

`\pdfmeta_xmp_add:n`

```
1408 \cs_new_protected:Npn \pdfmeta_xmp_add:n #1
1409 {
1410   \tl_gput_right:Nn \g__pdfmeta_xmp_user_packet_tl
1411   {
1412     \__pdfmeta_xmp_add_packet_chunk:n { #1 }
1413   }
1414 }
```

(End of definition for `\pdfmeta_xmp_add:n`. This function is documented on page 9.)

`\pdfmeta_xmp_xmlns_new:nn`

```
1415 \cs_new_protected:Npn \pdfmeta_xmp_xmlns_new:nn #1 #2
1416 {
1417   \prop_if_in:NnTF \g__pdfmeta_xmp_xmlns_prop {#1}
1418   {\msg_warning:nnn{pdfmeta}{namespace-defined}{#1}}
1419   {\__pdfmeta_xmp_xmlns_new:nn {#1}{#2}}
1420 }
```

(End of definition for `\pdfmeta_xmp_xmlns_new:nn`. This function is documented on page 9.)

```

\pdfmeta_xmp_add_declaration:n
\pdfmeta_xmp_add_declaration:e
1421 \cs_new_protected:Npn \pdfmeta_xmp_add_declaration:n #1 %conformsTo uri
1422 {
1423   \__pdfmeta_xmp_schema_enable_pdfd:
1424   \prop_gput:Nnn\g__pdfmeta_xmp_pdfd_data_prop{#1}{}
1425 }
1426 \cs_generate_variant:Nn \pdfmeta_xmp_add_declaration:n {e}

```

(End of definition for `\pdfmeta_xmp_add_declaration:n`. This function is documented on page 9.)

```

\pdfmeta_xmp_add_declaration:nnnnn
\pdfmeta_xmp_add_declaration:emnnn
1427 \cs_new_protected:Npn \pdfmeta_xmp_add_declaration:nnnnn #1#2#3#4#5
1428 %#1=conformsTo uri, #2 claimBy, #3 claimDate #4 claimCredentials #4 claimReport
1429 {
1430   \__pdfmeta_xmp_schema_enable_pdfd:
1431   \tl_set:Nn \l__pdfmeta_tmpa_tl
1432   {
1433     \__pdfmeta_xmp_add_packet_open_attr:nnn{rdf}{li}{rdf:parseType="Resource"}
1434     \__pdfmeta_xmp_add_packet_line:nnn{pdfd}{claimBy}{#2}
1435     \__pdfmeta_xmp_add_packet_line:nnn{pdfd}{claimDate}{#3}
1436     \__pdfmeta_xmp_add_packet_line:nnn{pdfd}{claimCredentials}{#4}
1437     \__pdfmeta_xmp_add_packet_line:nnn{pdfd}{claimReport}{#5}
1438     \__pdfmeta_xmp_add_packet_close:nn{rdf}{li}
1439   }
1440   \prop_get:NnNT \g__pdfmeta_xmp_pdfd_data_prop {#1}\l__pdfmeta_tmpb_tl
1441   {
1442     \tl_concat:NNN \l__pdfmeta_tmpa_tl \l__pdfmeta_tmpa_tl \l__pdfmeta_tmpb_tl
1443   }
1444   \prop_gput:Nno\g__pdfmeta_xmp_pdfd_data_prop{#1}
1445   {
1446     \l__pdfmeta_tmpa_tl
1447   }
1448 }
1449 \cs_generate_variant:Nn \pdfmeta_xmp_add_declaration:nnnnn {e}

```

(End of definition for `\pdfmeta_xmp_add_declaration:nnnnn`. This function is documented on page 9.)

1450 `\package`

Index

The italic numbers denote the pages where the corresponding entry is described, numbers underlined point to the definition, all others indicate the places where it is used.

Symbols	A
<code>\&</code>	<code>\A</code> 623
<code>\'</code>	<code>\AddToDocumentProperties</code> ... 453, 455, 457, 459, 461, 463, 465, 467, 470, 474
<code>\+</code>	<code>\AddToHook</code> 401, 475, 1384
<code>\-</code>	
<code>\[</code>	B
<code>\]</code>	<code>BaseUrl/baseurl</code> <u>1134</u>

bitset commands:

- \bitset_set_false:Nn 93, 94, 95
- \bitset_set_true:Nn 92
- \bitset_to_arabic:N 96, 97, 98, 99, 100

bool commands:

- \bool_gset_false:N 493
- \bool_gset_true:N 444, 488, 497
- \bool_if:NTF 1386, 1400
- \bool_lazy_or:nnTF 503
- \bool_new:N 443, 480

C

char commands:

- \char_generate:nn . . 508, 513, 514, 515

clist commands:

- \clist_if_empty:nTF 720, 737
- \clist_map_inline:nn . . 384, 724, 741

complianceProfile [1326](#)

CreatorTool/pdfcreator [1134](#)

cs commands:

- \cs_generate_variant:Nn 547, 619, 638, 647, 655, 661, 668, 683, 693, 703, 716, 733, 758, 816, 1426, 1449
- \cs_gset_eq:NN 1124
- \cs_if_exist:NTF 39
- \cs_if_exist_use:N 857
- \cs_new:Npn 17, 507, 511, 519, 525, 548
- \cs_new_protected:Npn 21, 56, 64, 72, 78, 84, 90, 362, 377, 441, 531, 536, 543, 578, 591, 603, 624, 640, 648, 656, 662, 669, 674, 684, 694, 704, 717, 734, 759, 808, 840, 861, 874, 1033, 1068, 1081, 1126, 1134, 1155, 1174, 1188, 1202, 1209, 1234, 1273, 1281, 1315, 1326, 1378, 1408, 1415, 1421, 1427
- \cs_set_eq:NN 764

D

\d 542

dc commands:

- dc:description/pdfsubject [1234](#)
- dc:identifier/pdfidentifier [1234](#)
- dc:language/lang/pdflang [1234](#)
- dc:Nreator/pdfauthor [1234](#)
- dc:publisher/pdfpublisher [1234](#)
- dc:subject/pdfkeywords [1234](#)
- dc:type/pdftype [1234](#)

\DocumentMetadata 2-4

E

exp commands:

- \exp_args:NNe 415, 420, 426
- \exp_args:Nnne 41
- \exp_args:NNo 337, 1403
- \exp_args:No 1397
- \exp_args:NV 431, 434
- \exp_last_unbraced:No 1168, 1170
- \exp_not:n 644, 652, 813

F

file commands:

- \file_get_timestamp:nN 1393

G

\GetDocumentProperties 581, 761, 762, 1131, 1139, 1142, 1164, 1205, 1207, 1211, 1215, 1220, 1230, 1232, 1237, 1241, 1243, 1254, 1257, 1261, 1269, 1271, 1278, 1287, 1291, 1295, 1299, 1303, 1307, 1311, 1332, 1339, 1347, 1350, 1353, 1356, 1359, 1362, 1365, 1368, 1371, 1372

group commands:

- \group_begin: 379, 606
- \group_end: 398, 615

H

hook commands:

- \hook_gput_code:nnn 102, 445

I

int commands:

- \int_compare:nNnTF 1160, 1238, 1244
- \int_decr:N 538
- \int_incr:N 533
- \int_new:N 518
- \int_set:Nn 801, 1382
- \int_zero:N 803, 1380

iow commands:

- \iow_close:N 1404
- \iow_newline: 521, 527
- \iow_now:Nn 1403
- \iow_open:Nn 1402
- \g_tmpa_iow 1402, 1403, 1404

J

\jobname 1215, 1224, 1393

K

keys commands:

- \keys_define:nn 292, 299, 450, 483
- \l_keys_key_str 339
- \keys_set:nn 296

M

msg commands:

- \msg_new:nnn 7, 8, 502
- \msg_warning:nnn 1418
- \msg_warning:nnnnn 112, 122

P

pdf commands:	
\ pdf_object_if_exist:nTF	364
\ pdf_object_new:n	366
\ pdf_object_ref:n	383
\ pdf_object_ref_last:	397, 1399
\ pdf_object_unnamed_write:nn	396
\ pdf_object_write:nnn	367
\ pdf_string_from_unicode:nnN	391
\ pdf_version: 3 , 111 , 113 , 121 , 123 , 1132	
\ pdf_version_compare:NnTF	58, 66
pdf internal commands:	
\ __pdf_backend_metadata_stream:n	1398
\ __pdf_backend_omit_charset:n	109
\ __pdf_backend_omit_info:n	107
\ __pdf_backend_set_regression_-	
data:	442
pdfaid~(schema)	893
pdfannot commands:	
\ pdfannot_dict_put:nnn	96, 97, 98, 99, 100
\ l_pdfannot_F_bitset	92, 93, 94, 95, 96, 97, 98, 99, 100
pdfdict commands:	
\ pdfdict_new:n	343
\ pdfdict_put:nnn	344, 380, 381, 392
\ pdfdict_use:n	396
pdfmanagement commands:	
\ pdfmanagement_add:nnn	397, 447, 448, 1146, 1150, 1399
\ pdfmanagement_get_documentproperties:nNTF	1165, 1246
\ pdfmanagement_remove:nn	1239, 1245
pdfmeta commands:	
\ pdfmeta_set_regression_data: 5 , 441	
\ pdfmeta_standard_get:nN	2 , 21 , 21
\ pdfmeta_standard_item:n	2 , 17 , 17 , 115 , 117 , 125 , 127 , 418 , 423 , 429 , 1157 , 1159 , 1160 , 1161 , 1162 , 1238 , 1244
\ pdfmeta_standard_verify:n	2 , 25
\ pdfmeta_standard_verify:nn	2 , 35
\ pdfmeta_standard_verify:nnN	2
\ pdfmeta_standard_verify:nnTF	2 , 35 , 110 , 120
\ pdfmeta_standard_verify:nTF	2 , 25 , 104 , 106 , 108 , 403
\ pdfmeta_standard_verify_p:n	2 , 25
\ pdfmeta_xmp_add:n	9 , 1408 , 1408
\ pdfmeta_xmp_add_declaration:n	9 , 1421 , 1421 , 1426
\ pdfmeta_xmp_add_declaration:nnnn	9 , 1427 , 1427 , 1449
\ pdfmeta_xmp_xmlns_new:nn	9 , 1415 , 1415
pdfmeta internal commands:	
\ __pdfmeta_embed_colorprofile:n	362 , 362 , 407 , 431
\ g__pdfmeta_outputintents_prop	291 , 305 , 313 , 321 , 329 , 338 , 405 , 417 , 422 , 428 , 432
\ g__pdfmeta_standard_pdf/A-1B_-	
prop	131
\ g__pdfmeta_standard_pdf/A-2A_-	
prop	131
\ g__pdfmeta_standard_pdf/A-2B_-	
prop	131
\ g__pdfmeta_standard_pdf/A-2U_-	
prop	131
\ g__pdfmeta_standard_pdf/A-3A_-	
prop	131
\ g__pdfmeta_standard_pdf/A-3B_-	
prop	131
\ g__pdfmeta_standard_pdf/A-3U_-	
prop	131
\ g__pdfmeta_standard_pdf/A-4_-	
prop	131
\ g__pdfmeta_standard_prop	16 , 19 , 23 , 27 , 37 , 45 , 476
\ __pdfmeta_standard_verify_-	
handler_annot_action_A:nn	78 , 78
\ __pdfmeta_standard_verify_-	
handler_max_pdf_version:nn	63 , 64
\ __pdfmeta_standard_verify_-	
handler_min_pdf_version:nn	55 , 56
\ __pdfmeta_standard_verify_-	
handler_named_actions:nn	71 , 72
\ __pdfmeta_standard_verify_-	
handler_outputintent_subtype:nn	84 , 84
\ l__pdfmeta_tmpa_seq	10 , 627 , 628 , 634 , 635 , 1144 , 1145 , 1148 , 1149 , 1152 , 1153 , 1262 , 1264
\ g__pdfmeta_tmpa_str	13 , 610 , 611 , 612 , 613 , 614 , 616
\ l__pdfmeta_tmpa_str	10 , 391 , 393 , 679 , 680 , 689 , 690 , 699 , 700 , 1211 , 1212 , 1216 , 1219 , 1220 , 1221 , 1225 , 1228
\ l__pdfmeta_tmpa_tl	10 , 389 , 391 , 609 , 610 , 709 , 712 , 714 , 743 , 744 , 751 , 1144 , 1146 , 1148 , 1150 , 1152 , 1165 , 1168 , 1170 , 1246 , 1248 , 1262 , 1333 , 1336 , 1340 , 1343 , 1372 , 1375 , 1431 , 1442 , 1446
\ l__pdfmeta_tmpb_seq	10

```

\l__pdfmeta_tmpb_tl . . . . . 1044, 1045, 1083, 1084, 1092, 1093,
    . . . . . 10, 430, 431, 436, 743, 747,
    751, 1333, 1337, 1340, 1344, 1440, 1442
\__pdfmeta_verify_pdfa_annot_-
  flags: . . . . . 90, 105
\__pdfmeta_write_outputintent:nn
  . . . . . 362, 377, 409, 435
\__pdfmeta_xmp_add_packet_-
  chunk:n . . . . . 640, 640, 647, 658,
    665, 672, 680, 700, 770, 802, 804, 1412
\__pdfmeta_xmp_add_packet_-
  chunk:nN . . . . . 648, 648, 655, 690
\__pdfmeta_xmp_add_packet_-
  close:nn . . . . . 669, 669, 729, 730,
    754, 755, 783, 784, 798, 799, 800,
    855, 856, 858, 871, 881, 1062, 1063,
    1064, 1065, 1066, 1102, 1103, 1104,
    1118, 1119, 1120, 1121, 1122, 1184,
    1185, 1197, 1198, 1200, 1322, 1438
\__pdfmeta_xmp_add_packet_-
  field:nnn 874, 874, 1046, 1048,
    1050, 1052, 1054, 1056, 1058, 1060,
    1094, 1096, 1098, 1100, 1114, 1116
\__pdfmeta_xmp_add_packet_-
  line:nnn . . . . . 674,
    674, 683, 714, 726, 849, 850, 851,
    867, 868, 869, 870, 878, 879, 880,
    1038, 1039, 1041, 1042, 1086, 1087,
    1089, 1090, 1106, 1107, 1109, 1110,
    1132, 1145, 1149, 1153, 1157, 1158,
    1161, 1162, 1163, 1167, 1169, 1191,
    1204, 1206, 1218, 1227, 1229, 1231,
    1260, 1265, 1275, 1328, 1345, 1348,
    1351, 1354, 1357, 1360, 1363, 1366,
    1369, 1373, 1434, 1435, 1436, 1437
\__pdfmeta_xmp_add_packet_-
  line:nnnN . 684, 684, 693, 1285,
    1289, 1293, 1297, 1301, 1305, 1309
\__pdfmeta_xmp_add_packet_line_-
  attr:nnnn . . . . . 694, 694, 703, 746, 750, 1334, 1341
\__pdfmeta_xmp_add_packet_line_-
  default:nnnn . . . . . 704,
    704, 716, 1128, 1136, 1140, 1266
\__pdfmeta_xmp_add_packet_-
  list:nnnn . . . . . 734,
    758, 1236, 1240, 1242, 1253, 1255, 1270
\__pdfmeta_xmp_add_packet_list_-
  simple:nnnn . . . . . 717, 733, 1248, 1251, 1258, 1263
\__pdfmeta_xmp_add_packet_-
  open:nn . . . . . 656, 656,
    661, 722, 723, 739, 740, 772, 773,
    777, 778, 852, 853, 866, 1035, 1036,
    1044, 1045, 1083, 1084, 1092, 1093,
    1112, 1113, 1178, 1179, 1194, 1195
\__pdfmeta_xmp_add_packet_open_-
  attr:nnn 662, 662, 668, 775, 848,
    877, 1037, 1085, 1105, 1190, 1319, 1433
\g__pdfmeta_xmp_bool . 443, 478, 1386
\__pdfmeta_xmp_build_dc: . . . . .
  . . . . . 790, 1234, 1234
\__pdfmeta_xmp_build_iptc: . . . . .
  . . . . . 795, 1315, 1315
\__pdfmeta_xmp_build_iptc_data:N
  . . . . . 765, 1281, 1281
\__pdfmeta_xmp_build_packet: . . .
  . . . . . 759, 759, 1396
\__pdfmeta_xmp_build_pdf: . . . . .
  . . . . . 786, 1126, 1126
\__pdfmeta_xmp_build_pdfd: . . . . .
  . . . . . 789, 1174, 1174
\__pdfmeta_xmp_build_pdfd_-
  claim:nn . . . . . 1182, 1188, 1188
\__pdfmeta_xmp_build_photoshop: .
  . . . . . 791, 1202, 1202
\__pdfmeta_xmp_build_prism: . . . .
  . . . . . 794, 1326, 1326
\__pdfmeta_xmp_build_standards: .
  . . . . . 788, 1155, 1155
\__pdfmeta_xmp_build_user: . . . . .
  . . . . . 796, 1378, 1378
\__pdfmeta_xmp_build_xmp: . . . . .
  . . . . . 792, 1134, 1134
\__pdfmeta_xmp_build_xmpMM: . . . .
  . . . . . 793, 1209, 1209
\__pdfmeta_xmp_build_xmpRights: .
  . . . . . 787, 1273, 1273
\__pdfmeta_xmp_create_uuid:nN . . .
  . . . . . 591, 591, 1214, 1223
\l__pdfmeta_xmp_currentdate_seq .
  . . . . . 576, 584, 1395
\l__pdfmeta_xmp_currentdate_tl . .
  . . . . . 576, 585, 1224, 1390, 1393, 1395
\__pdfmeta_xmp_date_get:nNN . . . .
  . . . . . 578, 578, 1143, 1147, 1151, 1262
\l__pdfmeta_xmp_date_regex . 540, 545
\__pdfmeta_xmp_date_split:nN . . .
  . . . . . 543, 543, 547, 588, 1395
\__pdfmeta_xmp_decr_indent: . . . .
  . . . . . 519, 536, 671, 1313
\l__pdfmeta_xmp_doclang_tl . . . . .
  . . . . . 620, 761, 764, 1259
\g__pdfmeta_xmp_export_bool . . . .
  . . . . . 480, 488, 493, 497, 1400
\g__pdfmeta_xmp_export_str . . . . .
  . . . . . 481, 489, 498, 1402

```

_pdfmeta_xmp_generate_bom: . . .	503, 507, 511, 771	photoshop commands:	
_pdfmeta_xmp_incr_indent: . . .	519, 531, 659, 666, 1284	photoshop:AuthorsPosition/pdfauthortitle	1234
_pdfmeta_xmp_indent:	519, 519, 644, 652	photoshop:CaptionWriter/pdfcaptionwriter	1234
_pdfmeta_xmp_indent:n 519, 525, 813		\PreviousTotalPages	1375
\l_pdfmeta_xmp_indent_int . 518,	522, 533, 538, 801, 803, 1380, 1382	prg commands:	
\l_pdfmeta_xmp_iptc_data_tl . . .	765, 766, 1280, 1317, 1321	_prg_do_nothing:	1124
_pdfmeta_xmp_lang_get:nNN	624, 638, 743, 1331, 1338	_prg_new_conditional:Npnn	25
\l_pdfmeta_xmp_lang_regex . 622, 627		_prg_new_protected_conditional:Npnn	35
\l_pdfmeta_xmp_metalang_tl	620, 630, 744, 762, 763, 764	_prg_replicate:nn	522, 528, 802
\g_pdfmeta_xmp_packet_tl	639, 642, 1321, 1398, 1403	_prg_return_false:	29, 48, 60, 68, 76, 82, 88
\g_pdfmeta_xmp_pdfd_data_prop . .	1173, 1176, 1180, 1424, 1440, 1444	_prg_return_true:	32, 52, 61, 69, 75, 81, 87
_pdfmeta_xmp_print_date:N	548, 548, 1145, 1149, 1153, 1264	prism commands:	
_pdfmeta_xmp_property_new:nnn 861		prism:subtitle/pdfsubtitle . . .	1326
_pdfmeta_xmp_property_new:nnnnn	861, 887, 897, 907, 913, 923, 933, 939, 945, 951, 957, 963, 969, 975, 981, 987, 993, 999, 1005, 1011, 1017, 1027, 1075	prism~(schema)	929
_pdfmeta_xmp_sanitize:nN	603, 603, 619, 679, 689, 699	Producer/pdfproducer	1126
_pdfmeta_xmp_schema_enable_-pdfd:	1068, 1124, 1423, 1430	prop commands:	
_pdfmeta_xmp_schema_new:nnn	840, 840, 883, 893, 903, 919, 929, 1023, 1071	_prop_const_from_keyval:Nn . 346, 353	
\l_pdfmeta_xmp_schema_seq	768, 779, 839, 843	_prop_get:NnN	23, 427
\g_pdfmeta_xmp_user_packet_str 1377		_prop_get:NnNTF	386, 1440
\g_pdfmeta_xmp_user_packet_tl	1377, 1381, 1410	_prop_gput:Nnn	194, 196, 198, 204, 211, 213, 215, 223, 225, 227, 236, 238, 240, 251, 253, 255, 263, 265, 267, 275, 277, 279, 281, 283, 285, 305, 313, 321, 329, 338, 421, 476, 810, 1424, 1444
_pdfmeta_xmp_xmlns_new:nn	808, 808, 816, 817, 818, 819, 820, 821, 822, 823, 825, 826, 827, 828, 829, 830, 831, 832, 833, 834, 835, 836, 837, 838, 1070, 1419	_prop_gremove:Nn . . . 201, 243, 287, 289	
\g_pdfmeta_xmp_xmlns_prop	806, 810, 1417	_prop_gset_eq:NN	191, 208, 220, 233, 248, 260, 272
\g_pdfmeta_xmp_xmlns_tl 776, 806, 811		_prop_gset_from_keyval:Nn	132
pdfmetatmpa internal commands:		_prop_if_empty:NTF	1176
_g_pdfmetatmpa_str	10	_prop_if_in:NnTF	27, 37, 416, 1417
pdfuaid~(schema)	903	_prop_item:Nn	19, 45, 370
PDFversion	1126	_prop_map_inline:Nn . . . 405, 432, 1180	
pdfxid~(schema)	919	_prop_new:N	16, 131, 190, 207, 219, 232, 247, 259, 271, 291, 807, 1173
		\ProvidesExplPackage	3
			R
		regex commands:	
		_regex_extract_once:NnN	627
		_regex_new:N	540, 622
		_regex_set:Nn	541, 623
		_regex_split:NnN	545
			S
		seq commands:	
		_seq_if_empty:NTF	628
		_seq_item:Nn	550, 552, 554, 556, 558, 559, 561, 562, 564, 565, 566, 567, 569, 570, 573, 634, 635

\seq_map_inline:Nn	779	text commands:
\seq_new:N	14, 15, 577, 839	\text_declare_purify_equivalent:Nn
\seq_put_right:Nn	843	607, 608
\seq_remove_all:Nn	768	\text_purify:n
\seq_set_eq:NN	584	609
str commands:		\texttilde
\c_hash_str	9, 774, 824, 832, 835, 836, 837, 838	608
\str_convert_pdfname:n	380	tl commands:
\str_greplace_all:Nnn	611, 612, 613, 614	\c_space_tl
\str_gset:Nn	498, 610	369, 522, 528
\str_gset_eq:NN	489	\tl_clear:N
\str_if_empty:NTF	1212, 1221	1283
\str_if_exist:NTF	1388	\tl_concat:NNN
\str_lowercase:n	593	1442
\str_new:N	12, 13, 481, 806	\tl_gput_right:Nn
\str_range:Nnn	596, 597, 598, 599, 600	642, 811, 846, 864, 1321, 1410
\str_set:Nn	593, 594, 1211, 1220	\tl_if_blank:nTF
\str_set_eq:NN	616	303, 311,
\c_tilde_str	608	319, 327, 335, 550, 557, 560, 563,
sys commands:		568, 582, 677, 687, 697, 707, 763, 1375
\c_sys_engine_exec_str	447, 1130	\tl_if_empty:NTF
\c_sys_engine_version_str	447, 1130	766, 1317
\sys_if_engine_luatex_p:	504	\tl_if_empty:nTF
\sys_if_engine_xetex_p:	505	1192
\c_sys_jobname_str	489, 1268	\tl_if_eq:nnTF
\c_sys_timestamp_str	5, 1388, 1390	86, 744
T		\tl_if_in:nnTF
tex commands:		74, 80
\tex_mdffivesum:D	593	\tl_new:N
		10, 11,
		576, 620, 621, 639, 844, 845, 1280, 1377
		\tl_put_right:Nn
		650
		\tl_set:Nn
		581, 609, 630, 631,
		634, 635, 709, 712, 761, 762, 1372, 1431
		\tl_set_eq:NN
		585, 1390
		\tl_to_str:N
		607, 610
		\tl_use:N
		781, 854
		U
		use commands:
		\use:N
		42
		\use_i:nn
		1168
		\use_ii:nn
		1170